

Product name: RYCO Grease Li Complex Mo

1. COMPANY DETAILS AND PRODUCT IDENTIFICATION

COMPANY: RYCO Hydraulics Pty Ltd (ABN 96 085 527 724)
ADDRESS: 19 Whitehall Street, Footscray, VIC. 3011 Australia

TELEPHONE NUMBER: (03) 9680 8000
FAX NUMBER: (03) 9680 8001

EMERGENCY TELEPHONE NUMBER: (03) 9680 8000

PRODUCT NAME: RYCO Grease Li Complex Mo

OTHER NAMES: None

MANUFACTURER'S PRODUCT CODE: RGLCM-

USE: Lithium Complex tacky molybdenum disulphide containing multipurpose grease

ADDITIONAL INFORMATION: Refer to Product Information Sheet for additional information.

OTHER INFORMATION: Visit our website: <http://www.RYCO.com.au>
Email: sales@RYCO.com.au

2. HAZARDS IDENTIFICATION

This product is classified as NON HAZARDOUS according to GHS criteria.
Non Dangerous goods according to Australian Dangerous Goods Code.

3. IDENTIFICATION / COMPOSITION OF INGREDIENTS

INGREDIENTS

CHEMICAL ENTITY:	CAS No.	PROPORTION
Highly refined mineral oils	64742-65-0	10 – 30 %
Heavy, solvent refined paraffinic mineral oil	64742-62-7	30 – 60%
Lithium Complex Soap with 12 Hydroxy Stearic Acid	4485-12-5	10 – 30%
Other Proprietary additives	Included on AICS	< 10%

4. FIRST AID MEASURES

SWALLOWED:	If a large quantity is ingested seek medical attention. It may be necessary to induce vomiting, taking extreme care that the person does not aspirate into the lungs. If aspiration occurs, urgent medical attention should be sought.
EYE:	Wash with copious amounts of water for 15 minutes and seek medical advice if irritation develops or persists.
SKIN:	Remove contaminated clothing and wash skin thoroughly with plenty of soap and water. High pressure injection through the skin requires urgent medical attention for possible incision, irrigation and/or debridement. Contact with molten material will require treatment by a physician for burns (Do not remove material).
INHALED:	Remove person to fresh air and seek medical advice. If not breathing, apply artificial respiration and seek urgent medical aid.
FIRST AID FACILITIES:	Eye wash fountains and safety showers are recommended.
ADVICE TO DOCTOR:	Treat symptomatically.

5. FIRE FIGHTING MEASURES

FIRE/EXPLOSION HAZARD

HAZARDS OF USE/STORAGE:	This product is combustible if heated.
LIST OF DANGEROUS DECOMPOSITION OR COMBUSTION PRODUCTS:	Combustion produces oxides of carbon, nitrogen and sulphur.
FIRE-FIGHTING RECOMMENDATIONS:	Keep storage tanks, pipelines, containers, fire exposed surfaces, etc. cool with water spray.
TYPES OF EXTINGUISHER/ FIRE-FIGHTING AGENTS:	Use foam, carbon dioxide or dry chemical.
PRECAUTION:	Water may cause splattering.
PROTECTIVE CLOTHING:	Self-contained breathing apparatus is recommended during a fire.
REACTIVITY:	May react with strong oxidising agents.

6. ACCIDENTAL RELEASE MEASURES

EMERGENCY PROCEDURES

Remove all sources of ignition. Increase ventilation. Evacuate all unnecessary personnel. Wear full protective equipment and clothing to minimize exposure. If possible, contain the spill. Place inert, non-combustible, absorbent material onto the spillage. Use clean, non-sparking tools to collect the material and place into a suitable labelled container. If large quantities of this material enter the waterways, contact the Environmental Protection Authority, or your local Waste Water Authority.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:	Repeated or prolonged contact with this material should be avoided in order to lessen the possibility of skin disorders. It is essential that all who come into contact with this material maintain high standards of personal hygiene, i.e. washing hands prior to eating, drinking or going to the toilet. Build-up of mists or vapours in the working environment must be prevented.
STORAGE AND TRANSPORT:	Classified as a combustible solid. Store in a well-ventilated area away from ignition sources, oxidising agents, foodstuffs and clothing. Keep containers closed when not in use. Do not store in plastic containers unless approved for this application.
SPILLS AND DISPOSAL:	Spills are easily contained due to the nature of the product. Caution: The product may be slippery. The product should be shovelled into a metal drum and treated as a solid waste. Follow state or local regulations for the disposal of the waste. Clean area with soap and water. Do not allow product to enter drains, sewers or water courses – inform local authorities if this occurs.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE STANDARDS:	If the material is subjected to high temperature operations and mists or vapours are generated the Manufacturer recommends: Time Weighted Average (TWA): 5 mg/m ³ (oil mist). Short Term Exposure Limit (STEL): 10 mg/m ³ (oil mist).
ENGINEERING CONTROLS:	Special ventilation is not normally required. However, in the operation of certain equipment or at elevated temperatures mists or vapour may be generated and localised exhaust ventilation should be provided to maintain airborne concentration levels below the Manufacturer recommended exposure standard.
<u>PERSONAL PROTECTION</u>	
RESPIRATOR TYPE (AS1716):	During routine operation a respirator is not required. However, if mists or vapours are generated, an approved organic vapour / particulate respirator is required.
GLOVE TYPE:	PVC, Neoprene or Nitrile gloves are recommended.
EYE PROTECTION:	Safety glasses or goggles are recommended to avoid eye contact. If the material is used at elevated temperatures or under pressure a full face shield should be worn.
CLOTHING:	During normal operating procedures, long sleeved clothing is recommended to provide skin protection. Soiled clothing should be washed with detergent prior to re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Tacky, black grease.
VAPOUR PRESSURE (Pa or mmHg at 20°C):	Not available.
DENSITY @ 15°C (g/mL):	Typically 0.90
FLASHPOINT(°C):	>150°C (ASTM D-93), Closed Cup.
FLAMMABILITY LIMITS (%):	Not available.
FLAMMABILITY:	Non Flammable, but combustible.
SOLUBILITY IN WATER (g/L):	Not miscible with water.

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY:	Stable under normal conditions.
CONDITIONS TO AVOID:	Heat, direct sunlight, open flames or other sources of ignition.
INCOMPATIBLE MATERIALS:	Strong oxidising agents.
HAZARDOUS DECOMPOSITION:	Thermal decomposition and combustion produce noxious fumes containing oxides of carbon.
HAZARDOUS REACTIONS:	Hazardous reaction with strong oxidising agents.
HAZARDOUS POLYMERISATION:	Will not occur.

11. TOXICOLOGICAL INFORMATION

ORAL TOXICITY (RATS):	Based upon testing of similar products and/or components, this material is considered to be relatively non-toxic with a LD50: > 2000 mg/Kg.
DERMAL TOXICITY (RABBITS):	Based upon testing of similar products and/or components, this material is considered to be relatively non-toxic with a LD50: > 2000 mg/Kg.
EYE IRRITATION (RABBITS):	Based upon testing of similar products and/or components, this material is considered to be relatively non-irritating with a Draize Score: Greater than 6, but less than 15.

11. TOXICOLOGICAL INFORMATION (CONT.)

SKIN IRRITATION (RABBITS):	Based upon testing of similar products and/or components, this material is considered to be relatively non-irritating with a Primary Irritation Index: Greater than 0.5, but less than 3.
SUBCHRONIC TOXICITY (RATS):	Based upon testing of similar products and/or components, this material is considered to show no adverse effects by dermal application to rats.
REPRODUCTIVE TOXICITY (RATS):	Based upon testing of similar products and/or components, this material is considered to show no adverse effects in either the mothers or their offspring by dermal exposure of pregnant rats.
CHRONIC TOXICITY (MICE):	Based upon testing of similar products and/or components, this material is considered to show no evidence of carcinogenic effects by chronic mouse skin painting studies.
SENSITISATION (GUINEA PIGS):	Based upon testing of similar products and/or components, this material is considered to show no evidence of skin sensitisation to guinea pigs during studies

12. ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION:	No data available for this product.
TOXICITY:	Aquatic Chronic 3 – H412 Harmful to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

DISPOSAL CONSIDERATIONS:	Dispose of according to federal, E.P.A. and state regulations
--------------------------	---

14. TRANSPORT INFORMATION

<u>ROAD & RAIL TRANSPORT</u> ADG REQUIREMENT:	Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.
<u>MARITIME TRANSPORT</u> IMO/IMDG REQUIREMENT:	Not classified as a Dangerous Good according to the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
<u>AIR TRANSPORT</u> ICAO/IATA REQUIREMENT:	Not classified as a Dangerous Good according to the criteria of the International Maritime Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

15. REGULATORY INFORMATION

POISON SCHEDULE:	Not scheduled.
PACKING & LABELLING:	No special packaging or labelling requirements.
AUSTRALIAN INVENTORY STATUS:	All components are listed or exempted.

16. OTHER INFORMATION

CONTACT PERSON/POINT: Product Manager Industrial (03) 9680 8000
This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.

LITERATURE REFERENCES:

- * Safework Australia: 2016 Code of Practice for the Preparation of Safety Data Sheets for Hazardous Substances.
- * NOHSC: 2011 National Code of Practice for the preparation of Material Safety Data Sheets.
- * NOHSC: 1008 Approved Criteria for Classifying Hazardous Substances.
- * NOHSC: 10005 List of Designated Hazardous Substances.
- * NOHSC: 1005 Control of Workplace Hazardous Substances, National Code of Practice.
- * NOHSC: 2007 Control of Workplace Hazardous Substances, National Code of Practice.
- * NOHSC: 1003 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, National Exposure Standards.
- * NOHSC: 3008 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, Guidance Note.

LAST CHANGE: Supercedes document issued: 13 September 2013
Reason/s for revision: Compliance with GHS requirements.

MR911170/1

END OF SDS