



# SAFETY DATA SHEET

**Product name:** Petroleum Jelly

## 1. COMPANY DETAILS AND PRODUCT IDENTIFICATION

COMPANY: Hi-Tec Oil Traders Pty Ltd. (ABN 28 053 837 362)

ADDRESS: PO Box 322 Castle Hill NSW 1765  
5 Tarlington Place, Smithfield NSW 2164

TELEPHONE NUMBER: 1300 796 009

FAX NUMBER: (02) 9604 1611

EMERGENCY TELEPHONE NUMBER: 1300 796 009

PRODUCT NAME: Petroleum Jelly

OTHER NAMES: None

MANUFACTURER'S PRODUCT CODE: HI7-1010

USE: Lubricating jelly for use in industry, cosmetics and food processing.

ADDITIONAL INFORMATION: Refer to Product Information Sheet for additional information.

OTHER INFORMATION: Visit our website: [www.hi-tecoils.com.au](http://www.hi-tecoils.com.au)  
Email: hitecoils@hi-tecoils.com.au

## 2. HAZARDS IDENTIFICATION

STATEMENT OF HAZARDOUS NATURE: NON-HAZARDOUS SUBSTANCE  
NON-DANGEROUS GOODS  
Hazard classification according to criteria of NOHSC and GHS.  
Dangerous Goods classification according to the Australian Dangerous Goods.

SIGNAL WORD (S): None

IRRITANCY OF PRODUCT: Not classified as an irritant.

SENSITISATION OF PRODUCT: Not known to be a sensitiser.

TERATOGENICITY: No teratogenic effects known.

OTHER INFORMATION: Used greases may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and environment on disposal. All used oils should be handled with caution and skin contact avoided as far as possible.



# SAFETY DATA SHEET

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISTICS: Paste

INGREDIENTS:-

CHEMICAL ENTITY	CAS NO	PROPORTION
BHT	128-37-0	0.001 %
Vitamin E	7695-91-2	0.001 %
White Mineral Oils	8042-47-5	>0.00 - <=85.00%
Hydrocarbon Waxes	8002-74-2	>0.00 - <=45.00%

## 4. FIRST AID MEASURES

GENERAL INFORMATION:	You should call the POISONS INFORMATION CENTRE if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 11 26 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.
INGESTION:	Not toxic by ingestion. These Products used for a variety of applications with in the Pharmaceutical, Cosmetic, Food processing and many other industries. It meets the requirement of the US FDA as per 21 CFR 172.880
EYE CONTACT:	No emergency care anticipated. Flush eyes thoroughly with water for several minutes. Obtain medical attention if discomfort persists.
SKIN CONTACT:	If burned by contact with hot material, cool as quickly as possible with water and see a physician for treatment of burn. No emergency care anticipated with ambient temperature material.
INHALATION:	No emergency care anticipated.
NOTES TO PHYSICIAN:	Treat symptomatically based on individual reactions of patient and judgement of doctor. Indication of any immediate medical attention and special treatment needed: If vomiting occurs, aspiration may cause delayed pulmonary edema and chemical pneumonia.
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:	No data available.

## 5. FIRE FIGHTING MEASURES

GENERAL MEASURES:	Do not enter enclosed or a confined work space without proper protective equipment. Fire fighting personnel should wear respiratory protection (positive pressure if available). Clear fire area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate ignition sources. Move fire exposed containers from fire area if it can be done without risk.
-------------------	--



# SAFETY DATA SHEET

Page 3 of 9

Issue Date: 10 May 2017

Petroleum Jelly

Version: 3

## 5. FIRE FIGHTING MEASURES (CONT)

FLAMMABILITY CONDITIONS:	Product is a combustible solid. These products will burn if involved in a fire.
SUITABLE EXTINGUISHING MEDIA:	Dry Chemical, carbon dioxide, water, fog and foam. Note: Water, fog and foam may cause frothing and spattering. DO NOT use water jet as an extinguisher, as this will spread the fire.
FIRE & EXPLOSION HAZARD:	No usual fire or explosion hazard noted.
HAZARDOUS COMBUSTION PRODUCTS:	On combustion, form Hydrocarbons gases.
FIRE FIGHTING:	Do NOT allow fire fighting water to reach waterways, drains or sewers. Store fire fighting water for treatment.
PERSONAL PROTECTIVE EQUIPMENT:	Fire fighters should wear a positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots and gloves).
FLASH POINT:	>170°C
EXPLOSION LIMITS:	No data available.
AUTO-IGNITION TEMPERATURE:	No data available.
HAZCHEM CODE:	No data available.

## 6. ACCIDENTAL RELEASE MEASURES

GENERAL RESPONSE:	Avoid accidents, clean up immediately. Slippery when spilled. Eliminate all sources of ignition. Increase ventilation. Avoid generating dust. Use clean, non-sparking tools and equipment.
PERSONAL PRECAUTIONS:	Personnel involved in the clean-up should wear full protective clothing as listed in section 8.
METHODS OF CLEANING UP:	Immediately start clean up of the liquid and contaminated soil. Small amounts can be collected using absorbent material. Product waste should be disposed in accordance with section 13.
CONTAINMENT:	Stop leak if safe to do so. Isolate the danger area.
ENVIRONMENTAL PRECAUTIONS:	Do NOT let product reach drains or waterways. If product does enter a waterway, advise the Environmental Protection Authority or your local Waste Management.
EVACUATION CRITERIA:	Evacuate personnel to safe areas.



# SAFETY DATA SHEET

Page 4 of 9

Issue Date: 10 May 2017

Petroleum Jelly

Version: 3

## 7. HANDLING AND STORAGE

### SAFE HANDLING:

Ensure an eye bath and safety shower are available and ready for use. Observe good personal hygiene practices and recommended procedures. Wash thoroughly after handling. Take precautionary measures against static discharges by bonding and grounding equipment. Avoid contact with eyes, skin and clothing. Avoid handling which leads to dust formation.

### SAFE STORAGE:

Store in a cool, dry, ventilated and covered area away from sources of heat, ignition and sunlight. Keep container tightly closed when not in use. It is recommended that the drums be stored horizontally, with bungs in 3'O clock and 9'O clock position, such that bungs are always immersed contamination from air humidity, rain, etc., Store away from incompatible materials as listed in section 10. Store in a covered area away from sources of heat, ignition and sunlight. This product is not classified dangerous for transport according to The Australian Code for the Transport of Dangerous Goods By Road and Rail.

### CONTAINER:

Store in original packaging as approved by manufacturer.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### GENERAL:

The following exposure standard has been established by The Australian Safety and Compensation Council (ASCC); Mineral Oil Mist TWA (Mist) ACGIH value is 5.0 mg/m<sup>3</sup>, STEL (Mist) ACGIH value is 10.0 mg/m<sup>3</sup>.

### EXPOSURE LIMITS:

No data available.

### BIOLOGICAL LIMITS:

No information available on biological limit values for this product.

### ENGINEERING CONTROLS:

A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Adequate ventilation should be provided so that exposure limits are not exceeded.

### PERSONAL PROTECTION:

**RESPIRATOR:** If vapor and/or mist is generated by heating, spraying, etc., wear an organic vapor respirator with a mist filter. No special respiratory protection is normally required. (AS1715/1716).

**EYES:** Wear safety glasses or goggles. (AS1336/1337).

**HANDS:** Use oil resistant gloves that overall to minimize skin contact and contamination of personal clothing.(AS2161).

**CLOTHING:** Long-sleeved protective coveralls and safety footwear. (AS3765/2210).

### HYGIENE MEASURES:

No data available.





# SAFETY DATA SHEET

## 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL:	Solid
APPEARANCE:	Translucent Soft Mass
COLOUR:	Clear white
ODOUR:	Odourless
pH:	No data available
VAPOUR PRESSURE:	<0.1 mm Hg (@ 20°C)
RELATIVE VAPOUR DENSITY:	No data available
BOILING POINT:	No data available
MELTING POINT (°C):	No data available
FREEZING POINT (°C):	No data available
SOLUBILITY	Insoluble 20°C
SPECIFIC GRAVITY:	>0.820 g/ml
FLASH POINT:	>170°C
AUTO-IGNITION TEMPERATURE:	No data available
EVAPORATION RATE:	No data available
BULK DENSITY:	No data available
CORROSION RATE:	No data available
DECOMPOSITION TEMPERATURE:	No data available
DENSITY:	No data available
SPECIFIC HEAT:	No data available
MOLECULAR WEIGHT:	No data available
NET PROPELLANT WEIGHT:	No data available



# SAFETY DATA SHEET

Page 6 of 9

Issue Date: 10 May 2017

Petroleum Jelly

Version: 3

OCTANOL WATER COEFFICIENT:	No data available
PARTICLE SIZE:	No data available
PARTITION COEFFICIENT:	No data available
SATURATED VAPOUR CONC:	No data available
VAPOUR TEMPERATURE:	No data available
VISCOSITY:	No data available
VOLATILE PERCENT :	No data available
VOC VOLUME:	No data available
OTHER INFORMATION:	These physical data and other properties do not constitute a specification.

## 10. STABILITY AND REACTIVITY

GENERAL INFORMATION:	Combustible solid. On combustion forms Carbon Mono Oxide (CO), Carbon di Oxide (Co2), Nitrogen Oxides (NOx), etc.,
CHEMICAL STABILITY:	Stable under ambient temperature and normal conditions the product is stable.
CONDITIONS TO AVOID:	Avoid direct contact with sunlight or ultraviolet light, heat, flames, sparks, etc.,
INCOMPATIBLE MATERIALS:	Normally unreactive, however avoid contact with Strong oxidizing agents. Heat or high temperature.
HAZARDOUS DECOMPOSITION PRODUCTS:	Burning can produce Oxides of carbon. Soot.
HAZARDOUS POLYMERISATION:	Hazardous polymerization will not occur.

## 11. TOXICOLOGICAL INFORMATION

GENERAL INFORMATION:	Acute Studies - General : No evidence of harmful effects from current information.  Eye : No irritant effect known. Test results on rabbits with a similar material showed no irritation. Skin : None expected. Test results on guinea pigs with a similar material showed no irritation. Ingestion: Test results for acute toxicity based upon an analogy with a similar material are - Rat result > 5,000 mg/kg
----------------------	---



# SAFETY DATA SHEET

## 11. TOXICOLOGICAL INFORMATION (CONT)

### GENERAL INFORMATION (cont):

#### Long Term Studies

Carcinogenicity : None expected. Products / Finished material (Blends of Above substances) meets the IP 346-DMSO test.

(< 3% of PCA), hence the product does not classify as a carcinogen (Note "L" of EU Directive 76/769-EEC) and is non hazardous.

Mutagenicity : None expected. No data available.

Reproductive Toxicity : Contains no ingredient listed as toxic to reproduction

### INGESTION:

Ingestion is unlikely to have any toxic effects, but the product may act as an intestinal lubricant and result in diarrhoea and frequent loose stools. If vomiting occurs, aspiration may cause delayed pulmonary edema and chemical pneumonia. Test results for acute toxicity based upon an analogy with a similar material are –

Rat result > 5,000 mg/kg.

Contains no ingredient listed as toxic to reproduction.

### CARCINOGENICITY:

No data available.

## 12. ECOLOGICAL INFORMATION

### ECOTOXICITY

Most hydrocarbon components of these substances will have little or no tendency to partition to air. The half lives for degradation of these hydrocarbons by reaction with hydroxyl radicals, in troposphere, under the influence of sunlight, will all be less than one day, by extrapolation from the data quoted by Atkinson. Accordingly, any hydrocarbon material which does partition to air will be rapidly photodegraded.(Ref.: Atkinson, R., Gas- Phase tropospheric chemistry of organic compounds: a review, Atmos. Environ., Vol 24 A, pp. 1-41,1990.

### PERSISTENCE AND DEGRADABILITY:

Petroleum Jelly will be inherently biodegradable in water under aerobic conditions, and will be ultimately biodegraded by micro-organisms (although the biodegradability of Petroleum Jelly will necessarily be limited by its low solubility in water).

### BIOACCUMULATIVE POTENTIAL:

No information available on bioaccumulation for this product.

### MOBILITY:

The material is stable in water and can be mechanically separated from water. The water may be suitable for disposal in a biological waste water treatment plant.

### ENVIRONMENTAL FATE:

Do not allow product to reach water ways, drains or sewers. Degradation occurs extremely slowly under anaerobic condition.

### ENVIRONMENTAL IMPACT:

No data available.



## SAFETY DATA SHEET

Page 8 of 9

Issue Date: 10 May 2017

Petroleum Jelly

Version: 3

### 13. DISPOSAL CONSIDERATIONS

GENERAL:	Dispose of in accordance with all local, state and federal regulations. All empty packaging should be disposed of in accordance with Local, State, and Federal Regulations or recycled/reconditioned at an approved facility.
SPECIAL PRECAUTIONS FOR LAND FILL:	Contact a specialist disposal company or the local waste regulator for advice.

### 14. TRANSPORT INFORMATION

ROAD & RAIL TRANSPORT: ADG REQUIREMENT	Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.
MARITIME TRANSPORT: IMO/IMDG REQUIREMENT	Not classified as a Dangerous Good according to the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
AIR TRANSPORT: ICAO/IATA REQUIREMENT	Not classified as a Dangerous Good according to the criteria of the International Maritime Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

### 15. REGULATORY INFORMATION

POISON SCHEDULE:	Not scheduled.
PACKING & LABELLING:	No special packaging or labelling requirements.
AUSTRALIAN INVENTORY STATUS:	All components are listed or exempted.





# SAFETY DATA SHEET

Page 9 of 9

Issue Date: 10 May 2017

Petroleum Jelly

Version: 3

## 16. OTHER INFORMATION

### CONTACT PERSON/POINT:

General Manager 1300 796 009

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.

### LITERATURE REFERENCES:

- \* NOHSC: 2011 National Code of Practice for the preparation of Material Safety Data Sheets.
- \* NOHSC: 1008 Approved Criteria for Classifying Hazardous Substances.
- \* NOHSC: 10005 List of Designated Hazardous Substances.
- \* NOHSC: 1005 Control of Workplace Hazardous Substances, National Code of Practice.
- \* NOHSC: 2007 Control of Workplace Hazardous Substances, National Code of Practice.
- \* NOHSC: 1003 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, National Exposure Standards.
- \* NOHSC: 3008 Exposure Standards for Atmospheric Contaminants in the Occupational Environment, Guidance Note.
- \* NOHSC: 1015 Storage and Handling of Workplace Dangerous Goods, National Standard.
- \* NOHSC: 2017 Storage and Handling of Workplace Dangerous Goods, National Code of Practice.
- \* SUSDP: Standard for the Uniform Scheduling of Drugs and Poisons
- \* ADG: Australian Dangerous Goods Code
- \* MSDS of component materials.

### LAST CHANGE:

Supersedes document issued: 11<sup>th</sup> March 2016

Reason/s for revision: Minor editorial changes to comply with GHS requirements.

MR715001/1

END OF SDS