



FITTINGS CATALOGUE 2025



INTRODUCTION

“At Ryco we design, manufacture, and supply premium quality and cutting-edge fluid transfer products, and solutions for a large range of industries around the world.”



Our experienced Research & Development team take 2D drawings to 3D models to real life products.



Our world-class hoses, fittings and assembly equipment are manufactured in-house to the highest standards.



We test and validate our products to meet and exceed technical industry standards.

DESIGN

MANUFACTURE

TEST

SUPPLY

INTEGRATED SYSTEMS



We provide the complete solution: hoses, fittings, crimping parameters and assembly equipment for a fully integrated system.



We supply fluid conveyance solutions directly to our customers whenever and wherever they are.

Ryco Hydraulics started manufacturing hoses and fittings in 1946. As the hydraulics industry evolved, the company expanded its range, and the main product line soon became high-pressure hydraulic hose and fittings. Today, Ryco Hydraulics is known for its engineering excellence, customer-focus, and highest quality products which continue to attract new customers, from varied industries right across the world.

With a comprehensive range of hydraulic hoses, hydraulic couplings, industrial hoses, and assembly equipment, Ryco is a global leader in designing, manufacturing, and distributing fluid transfer solutions.

Ryco Hydraulics' products not only meet but exceed industry standards, ensuring maximum performance and reliability. From open-pit and underground mining, to construction, agriculture, marine, forestry and oil & gas industries, our hose assemblies are trusted by clients worldwide.

Whether it's our hoses, fittings, or assembly machines, at Ryco Hydraulics we do more than simply supply a product; we understand our success is dependent on our clients' success, safety, and quality.

With a global presence and a focus on local service, we are dedicated to empowering various industries with reliable, high-performance fluid products and systems tailored to our customer's unique needs.



EXCEPTIONAL PERFORMANCE

Designed to deliver exceptional performance and reliability, Ryco fittings are meticulously crafted to meet or exceed international standards, ensuring the highest level of quality.

Trusted by clients in the mining, construction, agriculture and marine sectors, to name just a few, Ryco hydraulic fittings are built for maximum performance, reliability, and safety.

One-Piece Crimp Fittings - are permanently attached fittings, assembled onto the hose with a crimping machine.

- **T2000** One-Piece Crimp Fittings are designed for use with 1 and 2 wire braid hose types.
- **T4000** One-Piece Crimp Fittings are designed for use with 1 and 2 textile braid hose types.
- **T6000** One-Piece Crimp Fittings are designed for use with wire spiral hose types
- **T7000** One-Piece Crimp Fittings are designed for use with 1 and 2 wire braid and wire spiral hose types.
- **TP000** One-Piece Crimp Fittings are designed for use with thermoplastic hose types.
- **TT000** One-Piece Crimp Fittings are designed for use with Teflon(R) hose types.
- **TG000** One-Piece Crimp Fittings are designed for use with greasing hose types.
- **TW4000** One-Piece Crimp Fittings are designed for use with high-pressure water-blast hose types.

Push-On & Suction & Return Fittings - are field-attachable fittings, designed for low pressure or suction applications.

- **8000 Series Push-On** Hose Fittings are field-attachable fittings, designed for low pressure applications.
- **33000 Series Suction & Return** Hose Fittings are field-attachable fittings, designed for low pressure or suction applications

Field Attachable Fittings - are attached to the hose using commonly available hand tools.

- **Ryco 6000 Field Attachable** system consist of five ferrule styles, each specific to a hose type, and common Insert.
- **Ryco Field Attachable Inserts** and Ferrules can be ordered individually, or as a complete coupling for specific hose types.

INTRODUCTION

INNOVATION

Ryco Hydraulics R&D activities are based at the Manuli Ryco Innovation Centre (MRIC) based in Bologna, Italy, from where it coordinates four specialized centres located in China, Poland, France, and the United Kingdom. All of our research centres are equipped with advanced design, testing, and validation facilities.

From design and manufacturing to assembly, our integrated philosophy makes us the trusted global leader in fluid and material transfer solutions. Our unwavering commitment to performance, safety, and sustainability ensures that customers receive cutting-edge products tailored to their needs.

Our global R&D teams are made up of highly skilled international engineers who are dedicated to the development of integrated solutions for Ryco customers. The quality, wide selection of products, and cost saving initiatives that our Innovation Centres provide allow us to better support our customers whatever their requirements.

CERTIFIED PLANTS

Ryco Hydraulics is committed to environmental, health & safety and quality operational methods worldwide. We activity update our plant certifications to ensure we not only but exceed industry standards.

For information concerning our certified plants, please visit: www.ryco-hydraulics.com/plant-approvals/



SAFETY GUIDE

Ryco hose and fittings products must be assembled in strict accordance with Ryco instructions and limitations. Ryco hose, couplings and assembling machines are tested as an effective and reliable system. The use of different products and machines will affect and nullify any representation and/or warranty on products, their features and/or performance that may have been provided, and may cause premature hose failures, property damage, serious injury or death for which Ryco does not assume any responsibility and/or liability at any title whatsoever. Inside our Ryco Crimp App, you can find the only official technical crimping parameters relating to our products and/or services. Therefore, please be sure to download the latest version of our App.

RYCO MAKES NO REPRESENTATIONS AND/OR WARRANTIES, EXPRESS OR IMPLIED, AND ASSUMES NO RESPONSIBILITY AND/OR LIABILITY FOR ANY LOSS OR DAMAGE, WHETHER DIRECT, INDIRECT, CONSEQUENTIAL OR INCIDENTAL WHICH MIGHT ARISE OUT FROM, OR IN CONNECTION WITH, IMPROPER AND/OR INCORRECT USE OF ITS PRODUCTS AND/OR ASSEMBLY EQUIPMENT OR FROM ANY USE OF CRIMPED HOSE ASSEMBLIES NOT PRODUCED FROM GENUINE RYCO HOSE FITTINGS, HOSE AND EQUIPMENT, AND, IN GENERAL, NOT IN ACCORDANCE WITH OUR PROCESS SPECIFICATIONS FOR EACH SPECIFIC PRODUCT AND/OR ASSEMBLY EQUIPMENT.

DISCLAIMER

We reserve the right to modify or discontinue any product and/or related service described in this documentation without notice. No product is warranted as being fit for a particular purpose and we do not assume any liability in connection with the use of our products other than those technically approved by us for specific products. This document supersedes all previous versions and previously issued documentation.

For more information, please contact us at via our dedicated Contact Form: www.ryco-hydraulics.com/contact-us/



INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES

INTRODUCTION



Contents.....	1
Information.....	2-4
Pictorial index.....	5-14
Index by end style number.....	15-19
Working pressure of hose assemblies.....	20
RYCO ONE PIECE CRIMP COUPLINGS	
T2000 Series One-Piece Crimp Couplings.....	21
T4000 Series One-Piece Crimp Couplings.....	78
T6000 Series One-Piece Crimp Couplings.....	100
T7000 Series One-Piece Crimp Couplings.....	131
TP000 Series One-Piece Crimp Couplings.....	174
TT000 Series One-Piece Crimp Couplings.....	191
TG000 Series One-Piece Crimp Couplings.....	198
TW000 Series One-Piece Crimp Couplings.....	201
RYCO PUSH-ON & SUCTION & RETURN COUPLINGS	
8000 Series Push-On Couplings.....	202
33000 Series Suction and Return Couplings.....	210
RYCO FIELD ATTACHABLE COUPLINGS	
V000 Series Field Attachable Couplings.....	218
Additional coupling end styles.....	218
Cut-off allowance (CA) dimensions for field attachables.....	218
How to order Ryco V Series field attachable couplings.....	219
6000 Series field attachable inserts.....	238-273
HYDRAULIC FITTINGS ACCESSORIES	
SAE flange clamps.....	274
INDEX	284

THIS SECTION IS ARRANGED IN THE FOLLOWING COUPLING SERIES ORDER:

PAGES	COUPLING SERIES	APPLICATION
ONE-PIECE CRIMP COUPLINGS		
21 to 77	T2000	One-Piece Crimp for Wire Braid Hose T3000D, T3000S, T3600D, T3600S, T4000D, T4000S, T5000D, T5000S, T6000D, T6000S, DF1D, DF2D, DK1D, DK1E, DK1S, DK2D, DK2E, DK2S, EC1, EC2, E1, E2, T1D, T1F, T1S, T2D, T2S, T2C, TXA2D, SURVIVOR/1, SURVIVOR/2, TW1, PW2, BT1, TJ2D, CS1000, JS4000, JS6000 and MS1000.
78 to 99	T4000	Suction & Return – SRF/P, SRX/HT. Speciality & High Temperature – T5, SURVIVOR/R5. Textile Braid – M2, M2G, MP1, PL1D, PL1PV.
100 to 130	T6000	ISOBARIC Spiral – H5000D/S/C, H6000D/S.
131 to 173	T7000	ISOBARIC Spiral - H3000D/S, H4000D/S, H5000D/S/C, H6000D/S, C6000D, H12D/S, R4SPD, R4SHD. Braid – E2, T2D/C, TXA2D, Speciality & High Temperature – D2B, SURVIVOR/2.
174 to 190	TP000	Thermoplastic – TP7, TP7N, TP7T, TP7TN, TP8, TP8N, TP8T, TP8TN, TP3000.
191 to 197	TT000	TEFLON® - RTH1.
198 to 200	TG000	GREASELINE - TPGL.
201	TW4000	SHOCKWAVE

FIELD ATTACHABLE COUPLINGS & ACCESSORIES		
202 to 209	8000	Textile Braid – PL1D, PL1PV.
210 to 217	33000	Suction & Return – SRF/P, SRX/HT.
220 to 237	6000 & V000	Speciality & High Temperature – SURVIVOR/R5, T5.
238 to 273	6000 & K000, L000, M000, P000	Braid – E1, E2, T1D, T1F, T2D, TXA2D. Speciality & High Temperature – BT1, SURVIVOR/1, SURVIVOR/2. Textile Braid – M2, M2G. GREASELINE - TPGL.
274 to 282	SAE Adaptors	SAE Adaptors, Flanges & Flange Blocks.

TWO INDEXES FOLLOW:		
5 to 14	—	Pictorial Index.
15 to 19	—	Index by End Style Number & Coupling Series.

WITHIN EACH COUPLING SERIES THE LISTING ORDER IS ALPHABETICAL* BY THREAD OR CONNECTOR TYPE:

BSP (BSPT, BSPP, BSPO, BSPP ENCAPSULATED SEAL, BSPP O RING, BANJO)
 NPT* (NPT, NPTF, NPSM)
 GREASELINE
 JSEAL™ / JIC
 JIS (BSP, METRIC)
 JOINER
 METRIC (DKL, DKOL, DKS, DKOS, JIS, BANJO)
 ORFS
 PW
 RYCOLOK, SUPERLOK
 RYCO WEO
 SAE (Thread, then Flange)
 SALVAGE
 STANDPIPE
 TUBE BITE
 UNO (O RING BOSS)
 Hammer Union (wing union)

*NOTE: NPT is not in strict alphabetical order. NPT is similar in concept to BSP therefore has been placed directly after BSP.

WITHIN EACH ALPHABETICAL THREAD OR CONNECTOR TYPE, THE LISTING ORDER IS:

MALE
 FEMALE
 SPECIAL FEATURES (live swivel, etc)
 SPECIAL SEATS (flat, concave, etc)
 ELBOWS (45° then 90°)
 TUBE BENDS (in increasing degree of bend from 10° to 110°)

INTRODUCTION

INFORMATION


Ryco Hydraulics manufacture hose couplings in many different styles and sizes to match each Ryco hose series, with a wide range of thread and connection types.

Hose Couplings must be carefully matched to the hose. When the hose for an application has been selected, it is crucial that the couplings to be fitted are designed specifically for that hose.

HOSE COUPLINGS CAN BE BROADLY DIVIDED INTO TWO TYPES:


1) FIELD ATTACHABLE COUPLINGS

Attached to the hose using commonly available hand tools. Push-On Hose Couplings and Suction and Return Hose Couplings are often classed as Field Attachable couplings.



2) CRIMP, OR SWAGE, COUPLINGS

Permanently attached to the hose using a crimping, or swaging, machine.



DO NOT MIX / MATCH HOSE AND COUPLINGS FROM DIFFERENT MANUFACTURERS.


It is critical that the hose and coupling manufacturer are the same and that they are assembled using the manufacturer's recommended equipment, components and procedures.

Female Swivel Nut fittings are typically illustrated as "Crimp Nut", except T7020H.


Generally, Ryco Fittings are as follows:

1. BSPP, NPSM, JIC, JIS, ORFS and SAE nuts are "Crimp Nut" up to and including 1" Hose Size; and "Wire Nut" 1.1/4" to 2" Hose Size.
2. PW and SAE Inverted Flare Male nuts are always "Slip Nut."
3. JSEAL™, Metric DKL, DKOL, DKS and DKOS nuts are generally "Slip Nut" where possible and "Wire/Crimp Nut" on jump sizes.
4. T7022 is "Wire Nut".


There are many exceptions to these general rules; for precise information, contact Ryco.



CRIMP NUT




WIRE NUT



SLIP NUT

ONE-PIECE CRIMP COUPLINGS

Ryco Crimp Couplings are permanently attached fittings, assembled onto the hose with a swaging press.



Ryco One-Piece Crimp Couplings have the ferrule already attached to the hose insert at the factory. This eliminates the possibility of selecting the wrong ferrule type when fabricating hose assemblies, which can cause failure of the assembly.

Each One-Piece Crimp Coupling Series suits specific styles of hose, as shown in the table below. T2000, T4000, T6000, T7000, TP000 and TT000 One-Piece Crimp Couplings Series can be used on more than one hose style - only the finished crimp diameter changes.

One-Piece Crimp couplings eliminate the need to "skive" the cover off the hose before attaching the couplings - even for Spiral reinforced hoses. This makes assembly simple, quick and efficient. Simply push the coupling onto the hose to the correct mark length, and crimp the ferrule. The teeth inside the ferrule BITE down though the cover to LOK onto the reinforcement wires*.


* T4000 Series for One and Two Braid Textile reinforced hoses do not bite down to the textile reinforcement.

RYCO T2000, T4000, T6000, T7000 SERIES COUPLINGS

Branding of T2000, T4000, T6000 and T7000 Couplings shows a universal prefix "R".

T2000 has two grooves, T4000 has three grooves and T6000 has six grooves (three at the top and three at the bottom of the ferrule) branded on the ferrule (body) of the Couplings signifying their series designation, T7000 has four grooves.

T2000 EXAMPLE




To complete the Part Number for Coupling:
Insert Part Branding is **R090-0608**

Series is **T2000** (from **T2000** Ferrule Branding or Two Series Code Grooves)

Simply replace "R" of Insert Part Branding with "T2" (first two characters of Series): **T2090-0608**

T4000 EXAMPLE



To complete the Part Number for Coupling:
Insert Part Branding is **R090-0608**

Series is **T4000** (from **T4000** Ferrule Branding or Three Series Code Grooves)


Simply replace "R" of Insert Part Branding with "T4" (first two characters of Series): **T4090-0608**

INTRODUCTION

INFORMATION

RYCO T2000, T4000, T6000 AND T7000 SERIES COUPLINGS (CONT)

T6000 EXAMPLE




To complete the Part Number for Coupling:
Insert Part Branding is **6R013-1212**

Series is **T6000** (from Six Series Code Groove, three at each end)

Simply replace "R" of Insert Part Branding with "T6"
(first two characters of Series): **T6013-1212**

T7000 EXAMPLE



To complete the Part Number for Coupling:
Insert Part Branding is **R010-1616**

Series is **T7000** (from **T7000** Ferrule Branding or Four Series Code Grooves)


Simply replace "R" of Insert Part Branding with "T7"
(first two characters of Series): **T7010-1616**

RYCO TP000, TT000 SERIES COUPLINGS

Branding of TP000 and TT000 Couplings shows a universal prefix "R".

TP000 has two knurls, TT000 has four grooves branded on the ferrule (body) of the Couplings signifying their series designation.

TP000 EXAMPLE




To complete the Part Number for Coupling:
Insert Part Branding is **TP010-1616**

Series is **TP000** (from **TP000** Ferrule Branding or Two Series Code Knurls)

Simply replace "R" of Insert Part Branding with "TP"
(first two characters of Series): **TP010-1616**

TT000 EXAMPLE



To complete the Part Number for Coupling:
Insert Part Branding is **R010-1616**

Series is **TT000** (from **TT000** Ferrule Branding or Four Series Code Grooves)

Simply replace "R" of Insert Part Branding with "TT"
(first two characters of Series): **TT010-1616**

SERIES	SUITS HOSE TYPE	RYCO HOSE SERIES AND SIZES
T2000 Pages 21 to 77	One and two wire braided hoses. TWO SERIES CODE GROOVES (at end of ferrule).	For Ryco Hose Series, T3000D/S, T3600D/S (sizes -04 to -16). For Ryco Hose Series T4000D/S (sizes -04 to -12). For Ryco Hose Series T5000D/S (sizes -04 to -08). For Ryco Hose Series T6000D/S (sizes -04 to -06). For Ryco Hose Series T1D/S (sizes -03 to -32). For Ryco Hose Series SURVIVOR/1 (sizes -04 to -16). For Ryco Hose Series E1 (sizes -03 to -32). For Ryco Hose Series T3 (sizes -04 to -16). For Ryco Hose Series T2D/S (sizes -04 to -48). For Ryco Hose Series TJD (sizes -24 to -26). For Ryco Hose Series T2C (sizes -04 to -32). For Ryco Hose Series E2/C (sizes -03 to -16). For Ryco Hose Series DF2D (sizes -04 to -20). For Ryco Hose Series D2B (sizes -24 to -32). For Ryco Hose Series JS4000/B/G/BX/GX (sizes -04 to -08). For Ryco Hose Series JS6000/B/G/BX/GX (sizes -04 to -08). For Ryco Hose Series TW (sizes -04 to -08). For Ryco Hose Series PW (sizes -04 to -06). For Ryco Hose Series BT1 (sizes -04 to -16). For Ryco Hose Series MS1000 (sizes -08 to -32).
T4000 Pages 78 to 99	Some one and two textile braided hoses and some speciality hoses. THREE SERIES CODE GROOVES (at end of ferrule).	For Ryco Hose Series SRF/P, SRX/HT (sizes -12 to -48). For Ryco Hose Series RT7/T/7N/7TN (sizes -02 to -12). For Ryco Hose Series T5, SURVIVOR/R5 (sizes -04 to -32). For Ryco Hose Series MP1 (sizes -04 to -20). For Ryco Hose Series M2/G, PL1D, PL1PV (sizes -04 to -12).
T6000 Pages 100 to 130	Selected spiral hoses. TWO SETS OF THREE SERIES CODE GROOVES (one at each end of ferrule).	For Ryco Hose Series H5000 (sizes -24 to -32). For Ryco Hose Series H6000 (sizes -12 to -32).
T7000 Pages 131 to 178	Selected spiral hoses and some one and two wire braided hoses. FOUR SERIES CODE GROOVES (at end of ferrule).	For Ryco Hose Series H3000D/S (sizes -20 to -32). For Ryco Hose Series H4000D/S (sizes -06 to -32). For Ryco Hose Series H5000D/S (sizes -06 to -24). For Ryco Hose Series H6000D/S (sizes -06 to -20). For Ryco Hose Series T2D/S/C (sizes -06 to -32). For Ryco Hose Series E2, HSPD (sizes -06 to -16). For Ryco Hose Series H12D/S (sizes -06 to -20). For Ryco Hose Series R4SH, HSHD (sizes -20 to -32). For Ryco Hose Series T2, TXA2D, SURVIVOR/2 (sizes -06 to -32). For Ryco Hose Series D2B (sizes -24 to -32). For Ryco Hose Series R4SP (cover must be skived) (all sizes).
TP000 Pages 174 to 190	Thermoplastic hoses. TWO SERIES CODE KNURLS (one at each end of ferrule).	For Ryco Hose Series TP7, TP7N, TP7T, TP7TN, TP8, TP8N, TP8T, TP8TN, TP3000 (all sizes).
TT000 Pages 191 to 197	TEFLON® hoses. TWO SERIES CODE GROOVES (one at each end of ferrule).	For Ryco Hose Series RTH1(all sizes).
TG000 Pages 198 to 200	Greasing and lubrication hoses. ONE SERIES CODE KNURL (at end of ferrule).	For Ryco Thermoplastic grease line hoses - TPGL (all sizes).
TW4000 Page 201	SHOCKWAVE hoses. FOUR SERIES CODE GROOVES (at end of ferrule).	For Ryco Hose Series SHOCKWAVE (all sizes).

INDEXES

MALE STRAIGHT

T2010/11 P21	T2013 P22	T2017 P23	T2220 P42	T2320 P24	T2475 P25	T2090 P30	T2091 P30	
T4010 P78	T4013 P78			T4320 P79		T4090 P81		
T6010 P100	T6013 P100					T6090 P102	T6091 P102	
T7010 P131	T7014 P131	T7013 P132				T7090 P136	T7091 P137	
TP010 P174					TP475 P176	TP090 P177		
TT010 P191				TT320 191		TT090 P196		
								
BSPT MALE	BSPT MALE HEAVY	BSPP MALE	BSPP MALE CAPTIVE SEAL	BSPP MALE 60° CONVEX SEAT (JIS)	BSPT MALE SWIVEL	BSP BANJO	NPTF MALE	NPTF MALE EXTENDED

MALE STRAIGHT cont'd

T2320N P31	T2030/31 P33		T2650 P45	T2630 P51	T2470 P55	T2840 P56	T2950 P62	T2480 P64
T4320N P81	T4030/31 P82					T4840 P89		
T6030/31 P103				T6630 P106		T6840 P107		
T7030/31 P137				T7630 P146		T7840 P148		T7480 P154
TP030/31 P178		T7039 P139	TP650 P182	TP630 P184	TP470 186			
TT030/31 P193								
								
NPTF MALE SWIVEL	JIC MALE	JIC MALE SWIVEL JOINT	METRIC DKL MALE 24° CONE	METRIC DKS MALE 24° CONE	METRIC BANJO	ORFS MALE	PW GUN HANDLE TUBE	RYCO WEO MALE

MALE STRAIGHT cont'd

T2870 P63	T2530 P66	T2740 P67	T2200 P76	T2380 P77		T2482 P65	T2871 P63
T4870 P96	T4530 P93	T4740 P94	T4200 P98				
T6870 P110	T6876 P110						T6871 P109
T7870 P152	T7876 P154		T7200 P173			T7482 P154	T7871 P153
							
RYCOLOK MALE	SUPERLOK MALE	SAE MALE	SAE INVERTED MALE FLARE	UN O RING MALE (O RING BOSS)	UN O RING MALE SWIVEL (O RING BOSS)	RYCO WEO MALE 45° TUBE BEND	RYCOLOK MALE 45° ELBOW

MALE 45°

MALE 45°, 60° & 90°

T2750 P68	T2760 P69	T2340 P24	T2340N P6	T2483 P65	T2872 P64	T2780 P68	T2790 P68	T2770 P69
T4750 P95		T4340 P79						T4770 P95
					T6872 P110			
				T7483 P155	T7872 P153			
			TP340N P177					
								
SAE INVERTED MALE FLARE 45° TUBE BEND	SAE INVERTED MALE FLARE 60° TUBE BEND	BSPT MALE SWIVEL 90° ELBOW	NPTF MALE SWIVEL 90° ELBOW	RYCO WEO MALE 90° TUBE BEND	RYCOLOK MALE 90° ELBOW	SAE INVERTED MALE FLARE 90° ELBOW	SAE INVERTED MALE FLARE 90° EXTENDED ELBOW	SAE INVERTED MALE FLARE 90° TUBE BEND

PICTORIAL INDEX

INTRODUCTION

INDEXES

ONE-PIECE COUPLINGS

PUSH-ON SUCTION & RETURN COUPLINGS

FIELD ATTACHABLE COUPLINGS

HYDRAULIC FITTINGS ACCESSORIES

FEMALE STRAIGHT

T2390 P77	T2020 P23	T2028B P24		T2024 P25	T2122 P42	T2027 P7	T2190 P32	T2020N P32
	T4020 P79				T4122 P87			T4020N P82
	T6020 P101		T6022 P101					T6020N 103
	T7020 P132		T7022 P133		T7122 P144	T7027 P135		T7020N 137
	TP020 P174				TP122 P175			TP020N P178
	TT020 P192							
UN O RING MALE SWIVEL (O RING BOSS)	BSPP FEMALE	BSPP FEMALE LIVE SWIVEL	BSPP FEMALE HEAVY	BSPP FEMALE FLAT FACE	BSPP FEMALE 60° CONCAVE SEAT (JIS)	BSPO FEMALE	NPT FEMALE FIXED	NPSM FEMALE

FEMALE STRAIGHT cont'd

T2861 P33	T2040/41 P35		T2600 P46		T2610 P47	T2501 P48	T2711 P52	T2680 P43
T4040/41 P83			T4600 P88		T4501 P89			
T6040 P104			T6045 P104			T6711 P106		
T7040/41 P138		T7044 P138	T7045 P139		T7501 P145		T7711 P146	T7680 P144
TP040/41 P179			TP600 XXX		TP501 P183		TP711 P185	
TT040/41 P194			TT600 XXX					
								
GREASE LINE FIXED FEMALE	JSEAL™ / JIC FEMALE	JIC FEMALE SWIVEL JOINT	JIC FEMALE HIGH PRESSURE	METRIC DKL FEMALE 24°/60° CONE	METRIC DKM FEMALE 60° BALL SEAT	METRIC DKOL FEMALE 24° CONE	METRIC DKOS FEMALE 24° CONE	METRIC FEMALE 60° CONCAVE SEAT (JIS)

FEMALE STRAIGHT cont'd & FEMALE 45°

T2800/01 P56	T2540 P66	T2940 P44	T2060 P25	T2080/81 P36	T2580 P67	T2270 P26	T2277 P29	T2250/51 P38
T4800/01 P90	T4540 P93							T4250/51 P84
T6800/01 P107				T6080 XXX		T6270 P101		T6250 P104
T7800/01 P148			T7060 P133	T7080 P140		T7270 P134	T7277 P136	T7250/51 P140
TP800/01 P188	TP540 P190					TP270 P176		TP250/51 P180
ORFS FEMALE	SAE FEMALE	PRESSURE WASHER FEMALE	BSPP FEMALE 45° ELBOW	JSEAL™ / JIC FEMALE 45° ELBOW	SAE FEMALE 45° ELBOW	BSPP FEMALE 45° TUBE BEND	BSPO FEMALE 45° TUBE BEND	JSEAL™ / JIC FEMALE 45° TUBE BEND

FEMALE STRAIGHT cont'd & FEMALE 45°

T2682 P105	T2682 P43
METRIC JIS FEMALE 60° CONCAVE SEAT 45° TUBE BEND	METRIC JIS FEMALE 60° CONCAVE SEAT 45° TUBE BEND




INDEXES

PICTORIAL INDEX

FEMALE
45°
cont'd
&
FEMALE
90°

T2660 P46	T2510 P49	T2720 P69	T2810/11 P58		T2050 P26	T2057 P28	T2070/71 P37	T2570 P67
T4660 P88	T4810/11 P91			T4550 P94	T4050 P80	T4570 P93		
T6720 P106			T6810/11 P108					
T7510 P145	T7720 P147	T7810/11 P149			T7050 P133	T7057 P135	T7070 P140	
TP510 P183	TP720 P185	TP810/11 P189			TP050 P175		TP570 P190	
TT050 P192								
								
METRIC DKL FEMALE 24°/60° CONE 45° TUBE BEND	METRIC DKOL FEMALE 24° CONE 45° TUBE BEND	METRIC DKOS FEMALE 24° CONE 45° TUBE BEND	ORFS FEMALE 45° TUBE BEND	SAE FEMALE 45° TUBE BEND	BSPP FEMALE 90° ELBOW	BSPO FEMALE 90° ELBOW	JSEAL™ / JIC FEMALE 90° ELBOW	SAE FEMALE 90° ELBOW

FEMALE
90°
cont'd

T2260 P27	T2210 P27	T2267 P29	T2243/44 P39	T2240/41 P40	T2280/81 P41		T2683 P44	T2670 P47
T4260 P80			T4243 P85	T4240/41 P86	T4280/81 P87			T4670 P88
T6260 P102				T6240 P105	T6280 P105			
T7260 P134	T7210 P135	T7267 P136	T7243 P141	T7240/41 P142	T7245 P143	T7280 P143		
TP260 P175				TP240/41 P181	TP280 P182			
TT260 P192		TT240/41 P195				TT670 P196		
								
BSPP FEMALE 90° TUBE BEND	BSPP FEMALE 90° LONG BEND	BSPO FEMALE 90° TUBE BEND	JSEAL™ / JIC FEMALE 90° SHORT BEND	JSEAL™ / JIC FEMALE 90° MEDIUM BEND	JIC FEMALE HIGH PRESSURE 90° MEDIUM BEND	JSEAL™ / JIC FEMALE 90° LONG BEND	METRIC FEMALE 90° CONCAVE SEAT (JIS) 90° TUBE BEND	METRIC DKL FEMALE 24°/60° CONE 90° TUBE BEND

FEMALE
90°
cont'd

T2520 P50	T2730 P54	T2823/24 P59	T2820/21 P60	T2830 P61	T2900 P44
T4820/21 P92		T4830 P92	T4560 P94		
T6730 P107		T6820/21 P109			T6900 P105
T7520 P146	T7730 P147	T7823/24 P150	T7820/21 P151	T7830 P152	T7900 P145
TP520 P184	TP730 P186	TP820/21 P189			
					
METRIC DKOL FEMALE 24° CONE 90° TUBE BEND	METRIC DKOS FEMALE 24° CONE 90° TUBE BEND	ORFS FEMALE 90° SHORT BEND	ORFS FEMALE 90° MEDIUM BEND	ORFS FEMALE 90° LONG BEND	SAE FEMALE 90° TUBE BEND

JOINER



JOINER

SALVAGE
STANDPIPE

T2230 P72	T2180 P73	T2640 P74	T2646 P75
T4230 P98			
T7230 P172	T7640 P172	T7643 XXX	
TP640 P187	TP643 P187	TP646 P187	
			
SALVAGE (LIFESAVER)	IMPERIAL STANDPIPE	METRIC STANDPIPE	METRIC STANDPIPE 45° TUBE BEND

TUBE BITE



TUBE BITE

PICTORIAL INDEX

INTRODUCTION

INDEXES

ONE-PIECE COUPLINGS

PUSH-ON SUCTION & RETURN COUPLINGS

FIELD ATTACHABLE COUPLINGS

HYDRAULIC FITTINGS ACCESSORIES

SAE FLANGE CODE 61

T2130 P70	T2150 P71				T2170 P72	
T4130 P96	T4150 P97				T4170 P97	
T6130 P111	T6290 P112	T6150 P112	T6300 P113	T6160 XXX	T6170 P113	
T7130 P156	T7140 P157	T7290 P158	T7150 P157	T7300 P158	T7160 P159	T7170 P159
CODE 61 FLANGE	CODE 61 FLANGE 22.5° TUBE BEND	CODE 61 FLANGE 30° TUBE BEND	CODE 61 FLANGE 45° TUBE BEND	CODE 61 FLANGE 60° TUBE BEND	CODE 61 FLANGE 67.5° TUBE BEND	CODE 61 FLANGE 90° TUBE BEND

SAE FLANGE CODE 61 cont'd

T4173 P250				
T7171 P160	T7172 P160	T7173 P160	T7174 P161	T7910 P161
CODE 61 FLANGE 90° SPECIAL TUBE BEND	CODE 61 FLANGE 90° SPECIAL TUBE BEND	CODE 61 FLANGE 90° LONG TUBE BEND	CODE 61 FLANGE 90° SPECIAL TUBE BEND	CODE 61 FLANGE 110° TUBE BEND

SAE FLANGE CODE 62

T6330 P114	T6334 P115	T6440 P116	T6450 P118	T6350 P120	T6460 P125	T6360 P122	T6370 P127	T6930 P129
T7330 P162	T7334 P9	T7440 P162	T7450 P163	T7350 P163	T7460 P164	T7360 P164	T7370 P165	T7930 P165
CODE 62 FLANGE	CODE 62 D-RING FLANGE	CODE 62 FLANGE 22.5° TUBE BEND	CODE 62 FLANGE 30° TUBE BEND	CODE 62 FLANGE 45° TUBE BEND	CODE 62 FLANGE 60° TUBE BEND	CODE 62 FLANGE 67.5° TUBE BEND	CODE 62 FLANGE 90° TUBE BEND	CODE 62 FLANGE 110° TUBE BEND

SPECIAL FLANGE RYCO CODE 62C

T6333 P114	T6443 P117	T6444 P117	T6453 P118	T6454 P119	T6353 P120	T6354 P121	T6463 P126	T6464 P126
T7333 P166	T7443 P166	T7444 P166	P167 P300	T7454 P167	T7353 P168	T7354 P168	T7463 P169	T7464 P169
RYCO CODE 62C FLANGE	RYCO CODE 62C FLANGE 22.5° TUBE BEND	RYCO CODE 62C D-RING FLANGE 22.5° TUBE BEND	RYCO CODE 62C FLANGE 30° TUBE BEND	RYCO CODE 62C D-RING FLANGE 30° TUBE BEND	RYCO CODE 62C FLANGE 45° TUBE BEND	RYCO CODE 62C D-RING FLANGE 45° TUBE BEND	RYCO CODE 62C FLANGE 60° TUBE BEND	RYCO CODE 62C D-RING FLANGE 60° TUBE BEND

SPECIAL FLANGE RYCO CODE 62C cont'd

T6363 P124	T6364 P124	T6373 P128	T6374 P125	T6933 P129	T6335 P115	T6912 P116	T6445 P116
T7363 P170	T7364 P170	T7378 P171	T7373 P171	T7374 P171	T7933 P172		
RYCO CODE 62C FLANGE 67.5° TUBE BEND	RYCO CODE 62C D-RING FLANGE 67.5° TUBE BEND	RYCO CODE 62C D-RING FLANGE 90° TUBE BEND	RYCO CODE 62C FLANGE 90° TUBE BEND	RYCO CODE 62C D-RING FLANGE 110° TUBE BEND	RYCO CODE 62C FLANGE 110° TUBE BEND	RYCO CODE 62K FLANGE	RYCO CODE 62C FLANGE 15° TUBE BEND

SPECIAL FLANGE RYCO CODE 62K

T6455 P119	T6355 P121	T6359 P122	T6465 P122	T6914 P123	T6916 P123	T6918 P123	T6375 P127	T6936 P128
RYCO CODE 62K FLANGE 30° TUBE BEND	RYCO CODE 62K FLANGE 45° TUBE BEND	RYCO CODE 62K D-RING FLANGE 45° TUBE BEND	RYCO CODE 62K FLANGE 60° TUBE BEND	RYCO CODE 62K FLANGE 70° TUBE BEND	RYCO CODE 62K FLANGE 75° TUBE BEND	RYCO CODE 62K FLANGE 80° TUBE BEND	RYCO CODE 62K FLANGE 90° TUBE BEND	RYCO CODE 62K FLANGE 100° TUBE BEND

PICTORIAL INDEX

SPECIAL FLANGE RYCO CODE 62K	T6932 P128 	T6914 P123 	T6916 P123 	T6918 P123 	T6375 P127 	HAMMER UNION
	RYCO CODE 62K FLANGE 110° TUBE BEND	RYCO CODE 62K FLANGE 70° TUBE BEND	RYCO CODE 62K FLANGE 75° TUBE BEND	RYCO CODE 62K FLANGE 80° TUBE BEND	RYCO CODE 62K FLANGE 90° TUBE BEND	
	T61502 P129 	T61501 P130 	T71502 P304 	T71501 P304 		
	FIG 1502 MALE (WITH NUT)	FIG 1502 FEMALE (WITH SEAL)				

TW4000 ONE-PIECE CRIMP INTERLOK WATERBLAST COUPLINGS. INTERNAL/EXTERNAL SKIVE

TW4090 P201	TW4027 P201	TW4711 P201
NPTF MALE 60° SEAT	BSPP FEMALE O RING 60° SEAT	DKOS FEMALE METRIC O RING (HEAVY) 24° CONE

TG000 ONE-PIECE CRIMP COUPLINGS FOR TPGL SERIES HOSE (GREASELINE)

TG010 P198	TG320 P198	TG090 P199	TG320N P199	TG030 P200	TG020 P198	TG020N P199	TG040 P200
BSPT MALE	BSPT MALE SWIVEL	NPTF MALE	NPT MALE SWIVEL	JIC MALE	BSPP FEMALE	NPSM FEMALE	JIC FEMALE

8000 PUSH-ON COUPLINGS FOR PL1D, PL1PV.






PL1D, PL1PV Hose simply pushes on to 8000 Series couplings. Clamps are required for critical applications, and when Working Pressure exceeds 50% of the Maximum Static Working Pressure. Do not overtighten Clamps as this will damage hose.



8010/S P203	8111 P202	8090 P204	8030 P204	8530 P206	8740 P207	8200 P208	8020 P202	8040 P205	8540 P207
BSPT MALE	BSPP O RING MALE	NPTF MALE	JIC / SAE MALE	JIC / SAE MALE	SAE INVERTED FLARE MALE	UN O RING MALE (O RING BOSS)	BSPP FEMALE	JIC / SAE FEMALE	JIC / SAE FEMALE

8060 P202	8050 P203	8070 P205	8570 P207	8240 P206	8900 P206	8230 P208	8180 P208	8640 P209	8100 P209
BSPP FEMALE 45° ELBOW	BSPP FEMALE 90° ELBOW	JIC / SAE FEMALE 90° ELBOW	JIC / SAE FEMALE 90° ELBOW	JIC FEMALE 90° TUBE BEND	JOINER	SALVAGE (LIFE SAVER)	IMPERIAL STANDPIPE	METRIC STANDPIPE	200 AIR COUPLING NIPPLE

PICTORIAL INDEX


33000 SUCTION AND RETURN COUPLINGS FOR SRX/HT AND SRF/P SERIES HOSE

RSC 210	33010 P212	33111 P210	33090 P213	33200 P217	33400 P213	33410 P211	33400N P214	33420 P217	33020 P211
									
SUCTION HOSE CLAMP	BSPT MALE	BSPP O RING MALE	NPTF MALE	UN O RING MALE (O RING BOSS)	BSPT MALE 90° ELBOW	BSPP O RING MALE 90° ELBOW	NPTF MALE 90° ELBOW	UN O RING MALE (O RING BOSS) 90° ELBOW	BSPP FEMALE

33024 P212	33040 P214	33130 P215	33150 P216	33170 P216
				
BSPP FEMALE FLAT FACE	JIC FEMALE	CODE 61 FLANGE	CODE 61 FLANGE 45° TUBE BEND	CODE 61 FLANGE 90° TUBE BEND

FIELD ATTACHABLE FERRULES FOR 6000 SERIES INSERTS

The Ryco Field Attachable system consists of five ferrule styles, each specific to a hose type, and one common Insert. Field Attachable Inserts and Ferrules can be ordered individually, or as a complete coupling for specific hose types.



FIELD ATTACHABLE FERRULES FOR 6000 SERIES INSERTS

K000 P238	L000 P238	M000 P238	P000 P238	V000 P241
SUITS RYCO E1, T1D, T1F, SURVIVOR/1, BT1 ONE WIRE NON-SKIVE HOSE	SUITS RYCO E2, T2D, TXA2D, SURVIVOR/2 TWO WIRE NON-SKIVE HOSE	SUITS RYCO M2, M2G TWO TEXTILE BRAID HOSE	SUITS RYCO TPGL GREASELINE	SUITS RYCO SURVIVOR/R5, T5 TEXTILE COVER

6000 SERIES FIELD ATTACHABLE INSERTS





6000 Series Inserts for K000, L000, V000, M000 and P000 ferrules.

6010 P242	6320 P244	6090 P248	6091 P248	6320N P249	6860 P252	6030 P250	6650 P257	6630 P259	6530 P263
BSPT MALE	BSPT MALE SWIVEL	NPTF MALE	NPTF MALE EXTENDED	NPTF MALE SWIVEL	GREASE LINE MALE	JIC MALE	METRIC DKL MALE 24° CONE	METRIC DKS MALE 24° CONE	SAE MALE
6740 P265	6200 P272	6380 P272	6750 P266	6760 P267	6340 P244	6780 P266	6790 P266	6390 P273	6770 P267
SAE INVERTED MALE FLARE	UN O RING MALE (O RING BOSS)	UN O RING MALE SWIVEL (O RING BOSS)	SAE INVERTED MALE FLARE 45° TUBE BEND	SAE INVERTED MALE FLARE 60° TUBE BEND	BSPT MALE SWIVEL 90° ELBOW	SAE INVERTED MALE FLARE 90° ELBOW	SAE INVERTED MALE FLARE 90° EXTENDED ELBOW	UN O RING MALE SWIVEL (O RING BOSS) 90° ELBOW	SAE INVERTED MALE FLARE 90° TUBE BEND
6020 P243	6024 P244	6960B P249	6861 P252	6040 P251	6600 P257	6711 P259	6680 P256	6800 P261	6540 P263
BSPP FEMALE	BSPP FEMALE FLAT FACE	NPSM FEMALE LIVE SWIVEL	GREASE LINE FIXED FEMALE	JIC FEMALE	METRIC DKL FEMALE 24°/60° CONE	METRIC DKS FEMALE 24° CONE	METRIC FEMALE 60° CONCAVE SEAT (JIS)	ORFS FEMALE	SAE FEMALE

PICTORIAL INDEX

6000 SERIES FIELD ATTACHABLE INSERTS (CONTINUED)

6000 Series Inserts for K000, L000, V000, M000 and P000 ferrules.

6060 P245	6080 P253	6580 P264	6270 P246	6250 P254	6660 P258	6720 P260	6810 P261	6550 P264	6050 P246
									
BSPP FEMALE 45° ELBOW	JIC FEMALE 45° ELBOW	SAE FEMALE 45° ELBOW	BSPP FEMALE 45° TUBE BEND	JIC FEMALE 45° TUBE BEND	METRIC DKL FEMALE 24°/60° CONE 45° TUBE BEND	METRIC DKOS FEMALE 24° CONE 45° TUBE BEND	ORFS FEMALE 45° TUBE BEND	SAE FEMALE 45° TUBE BEND	BSPP FEMALE 90° ELBOW
6052 P245	6070 P253	6570 P264	6260 P247	6210 P247	6240 P255	6280 P256	6670 P258	6730 P260	6820 P262
									
BSPP FEMALE FLAT FACE 90° ELBOW	JIC FEMALE 90° ELBOW	SAE FEMALE 90° ELBOW	BSPP FEMALE 90° TUBE BEND	BSPP FEMALE 90° LONG BEND	JIC FEMALE 90° TUBE BEND	JIC FEMALE 90° LONG BEND	METRIC DKL FEMALE 24°/60° CONE 90° TUBE BEND	METRIC DKOS FEMALE 24° CONE 90° TUBE BEND	ORFS FEMALE 90° TUBE BEND
6830 P262	6560 P265	6563 P263	6290 XXX	6150 XXX	6170 P269	6230 P270	6180 P270	6640 P271	6850 P271
									
ORFS FEMALE 90° LONG BEND	SAE FEMALE 90° TUBE BEND	SAE FEMALE 90° LONG BEND	CODE 61 FLANGE	CODE 61 FLANGE 45° TUBE BEND	CODE 61 FLANGE 90° TUBE BEND	SALVAGE (LIFESAVER)	IMPERIAL STANDPIPE	METRIC STANDPIPE	TUBE BITE

INDEX BY END STYLE NUMBER

“Index by End Style Number” is a quick reference if the End Style Number is already known. It can also be used to show the availability of End Styles in different Coupling Series.

Example:

End Style of “013” BSPP Male is available in four Series:

T2000 Series - **T2013** (page 22)

T4000 Series - **T4013** (page 78)

T6000 Series - **T6013** (page 100)

T7000 Series - **T7013** (page 132)

END STYLE NUMBER	END STYLE DESCRIPTION	COUPLING SERIES & PAGE NUMBER										
		T2000	T4000	T6000	T7000	TP000	TT000	TG000	8000	33000	V000	6000
010	BSPT Male	21	23785	100	131	174	191	198	203	212	220	242
013	BSPP Male	22	78	100	132							
014	BSPT Male Heavy				131							
017	BSPP Male Encapsulated Seal	23										
020	BSPP Female	23	79	101	132	174	192	198	202	211	221	243
020N	NPSM Female	32	82	103	137	178		199				
022	BSPP Female Heavy			101	133							
024	BSPP Female Flat Face	25								212		244
027	BSPP Female O Ring	28			135							
028B	BSPP Female Live Swivel	24										
030	JIC Male	33	82	103	137	178	193	200	204		225	250
031	JIC Male - Metric Af	34	82	103	138	178	193					
039	JIC Male Swivel Joint				139							
040	JSEAL™ / JIC Female	35	83	104	138	179	194	200	205	214	225	251
041	JSEAL™ / JIC Female - Metric Af	36	84		139	179	194					
044	JIC Female Swivel Joint				143							
045	JIC Female High-Pressure			104	139							
050	BSPP Female 90° Elbow	26	85		133	175	192		203			246
051	BSPP Female 90° Elbow - Metric Af											
052	BSPP Female Flat Face 90° Elbow - Metric Af											245
057	BSPP O Ring Female 90° Elbow - Metric Af	28			135							
060	BSPP Female 45° Elbow	30			133				202			245
070	JSEAL™ / JIC Female 90° Elbow	37			140				205		226	253
071	JSEAL™ / JIC Female 90° Elbow - Metric Af	38										
080	JSEAL™ / JIC Female 45° Elbow	36			140							253
081	JSEAL™ / JIC Female 45° Elbow - Metric Af	37										367
090	NPTF Male	30	81	102	136	177	196	199	204	213	223	248
091	NPTF Male Extended	30		102	137							248
095	NPT Male - Metric Af											
100	Specials								209			
111	BSPP O Ring Male								202	210		
122	BSPP Female 60° Concave Seat (JIS) - Metric Af	42	87		144	175						
130	SAE Code 61 Flange	70	96	111	156					215		111
135	SAE Code 61 High Pressure Flange											
140	SAE Code 61 Flange 22.5° Tube Bend				157							
150	SAE Code 61 Flange 45° Tube Bend	71	97	112	157					216		268

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES

INDEXES

INDEX BY END STYLE NUMBER

END STYLE NUMBER	END STYLE DESCRIPTION	COUPLING SERIES & PAGE NUMBER										
		T2000	T4000	T6000	T7000	TP000	TT000	TG000	8000	33000	V000	6000
160	SAE Code 61 Flange 67.5° Tube Bend				159							
170	SAE Code 61 Flange 90° Tube Bend	72	97	113	159					216		269
171	SAE Code 61 Flange 90° Special Tube Bend				160							
172	SAE Code 61 Flange 90° Special Tube Bend				160							
173	SAE Code 61 Flange 90° Long Tube Bend				160							
174	SAE Code 61 Flange 90° Special Tube Bend				161							
180	Imperial Standpipe	73							208			385
190	NPT Female Fixed	32										
200	UN O Ring Male (O Ring Boss)	76	98		173				208	217	237	272
202	UN O Ring Male (O Ring Boss) - Heavy											
210	BSPP Female 90° Long Tube Bend - Metric Af	27			135							247
220	BSPP Male 60° Convex Seat (JIS) - Metric Af	42										
230	Salvage / Lifesaver	72	98		172				208		236	270
240	JSEAL™ / JIC Female 90° Medium Tube Bend	40	86	105	142	181	195		206		<PB>	255
241	JSEAL™ / JIC Female 90° Medium Tube Bend - Metric Af	40	86		142	181	195					
243	JSEAL™ / JIC Female 90° Short Tube Bend	39	85		141							
244	JSEAL™ / JIC Female 90° Short Tube Bend - Metric Af	39			141							
245	JSEAL™ / JIC Female High-Pressure 90° Tube Bend				143							
250	JSEAL™ / JIC Female 45° Tube Bend	38	84	104	140	180	194				227	254
251	JSEAL™ / JIC Female 45° Tube Bend - Metric Af		85		141	180.						
255	JSEAL™ / JIC Female High-Pressure 45° Tube Bend											
260	BSPP Female 90° Tube Bend	27	80	102	134	175	192				222	247
267	BSPP O Ring Female 90° Tube Bend - Metric Af	29			136							
270	BSPP Female 45° Tube Bend	26		101	134	176					222	246
271	BSPP Female 45° Tube Bend - Metric Af											
277	BSPP O Ring Female 45° Tube Bend - Metric Af	29			136							
280	JSEAL™ / JIC Female 90° Long Tube Bend	41	87	105	143	182					229	105
281	JSEAL™ / JIC Female 90° Long Tube Bend - Metric Af	41	87			182						
290	SAE Code 61 Flange 30° Tube Bend			112	158							
300	SAE Code 61 Flange 60° Tube Bend			113	158							
311	BSPP Female 60° Concave (JIS) 90° Tube Bend											
320	BSPT Male Swivel	24	79				191	198				244
320N	NPTF Male Swivel	31	81					199				249
330	SAE Code 62 Flange			114	162							
333	Ryco Code 62C Flange			114	166							
334	Ryco Code 62C D-Ring Flange			115								
335	Ryco Code 62K Flange			115								
340	BSPT Male Swivel 90° Elbow	24	79									244
340N	NPTF Male Swivel 90° Elbow	31				177						
350	SAE Code 62 Flange 45° Tube Bend			120	163							
353	Ryco Code 62C Flange 45° Tube Bend			120	168							
354	Ryco Code 62C D-Ring Flange 45° Tube Bend			121	168							
355	Ryco Code 62K Flange 45° Tube Bend			121								
359	Ryco Code 62K Flange 45° Long Tube Bend			122								
360	SAE Code 62 Flange 67.5° Tube Bend			122	164							
363	Ryco Code 62C Flange 67.5° Tube Bend			124	170							

INDEX BY END STYLE NUMBER

END STYLE NUMBER	END STYLE DESCRIPTION	COUPLING SERIES & PAGE NUMBER										
		T2000	T4000	T6000	T7000	TP000	TT000	TG000	8000	33000	V000	6000
364	Ryco Code 62C D-Ring Flange 67.5° Tube Bend			124	170							
370	Ryco Code 62 Flange 90° Bend			127	165							
373	Ryco Code 62C Flange 90° Bend			128	171							
374	Ryco Code 62C D-Ring Flange 90° Tube Bend			125	171							
375	Ryco Code 62K Flange 90° Bend			127								
378	Ryco Code 62C D-Ring Flange 90° Long Tube Bend				171							
380	UN O Ring Male Swivel	77										272
390	UN O RING Male Swivel 90° Elbow	77										
400	BSPT Male 90° Elbow									213		
400N	NPTF Male 90° Elbow									214		
410	BSPP O Ring Male 90° Elbow									211		
420	UN O Ring Male 90° Elbow									217		
440	SAE Code 62 Flange 22.5° Tube Bend			116	162							
443	Ryco Code 62C Flange 22.5° Tube Bend			117	166							
444	Ryco Code 62C D-Ring Flange 22.5° Tube Bend			117								
445	Ryco Code 62K Flange 22.5° Tube Bend			116								
450	SAE Code 62 Flange 30° Tube Bend			118	163							
453	Ryco Code 62C Flange 30° Tube Bend			118	167							
454	Ryco Code 62C D-Ring Flange 30° Tube Bend			119								
455	Ryco Code 62K Flange 30° Tube Bend			119								
460	SAE Code 62 Flange 60° Tube Bend			125	164							
463	Ryco Code 62C Flange 60° Tube Bend			126	169							
464	Ryco Code 62C D-Ring Flange 60° Tube Bend			126	169							
465	Ryco Code 62K Flange 60° Tube Bend			122								
470	Metric Banjo Straight	55				186						
475	BSP Banjo Straight	25				176						
480	Ryco WEO Male	64			154							
482	Ryco WEO Male 45° Tube Bend	65			154							
483	Ryco WEO Male 90° Tube Bend	65			155							
485	Ryco WEO Male O-Ring											
487	Ryco WEO Male O-Ring 90° Tube Bend											
501	DKOL Female	48			145	183						
510	DKOL Female 45° Tube Bend	49				183						
520	DKOL Female 90° Tube Bend	50				184						
530	SAE Male	66	93						206		233	263
540	SAE Female	66	93			190	197		207		233	263
550	SAE Female 45° Tube Bend		94								234	264
560	SAE Female 90° Tube Bend		94									265
563	SAE Female 90° Long Tube Bend											265
570	SAE Female 90° Elbow	67	93			190			207			264
580	SAE Female 45° Elbow	67										264
600	DKL Female 24° / 60° Cone	46	88				196					257
610	DKM Female 60° Ball Seat	47										XXX
630	DKS Male	51	XXX	106	146	184						259
640	Metric Standpipe	74			172	187			209			271
643	Metric Standpipe 45° Tube Bend					187						

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES

INDEXES

INDEX BY END STYLE NUMBER

END STYLE NUMBER	END STYLE DESCRIPTION	COUPLING SERIES & PAGE NUMBER										
		T2000	T4000	T6000	T7000	TP000	TT000	TG000	8000	33000	V000	6000
646	Metric Standpipe 90° Tube Bend					187						
650	DKL Male 24° Cone	45				182						257
660	DKL Female 45° Tube Bend	46	88									258
670	DKL Female 90° Tube Bend	47	88				196					258
680	Metric Female 60° Concave Seat (JIS)	43			144							256
682	Metric Female 60° Concave Seat (JIS) 45° Tube Bend	43										XXX
683	Metric Female 60° Concave Seat (JIS) 90° Tube Bend	44										XXX
711	DKOS Female 24° Cone	52		106	146	185						259
720	DKOS Female 24° Cone 45° Tube Bend	53		106	147	185						260
730	DKOS Female 24° Cone 90° Tube Bend	54		107	147	186						260
733	DKOS Female 90° Long Tube Bend											
740	SAE Inverted Male Flare	67	94								234	265
750	SAE Inverted Male Flare 45° Tube Bend	68	95								235	266
760	SAE Inverted Flare Male 60° Tube Bend	69										267
770	SAE Inverted Flare Male 90° Tube Bend	69	95									267
780	SAE Inverted Flare Male 90° Elbow	68										266
790	SAE Inverted Flare Male 90° Long Elbow	68										266
800	ORFS Female	56	90	107	148	188					230	261
801	ORFS Female - Metric AF	57	90	108	149	188						
810	ORFS Female 45° Tube Bend	58	91	91	149						231	261
811	ORFS Female 45° Tube Bend - Metric AF	58	91	108	150	189						
813	ORFS Female 45° Short Tube Bend											
820	ORFS Female 90° Medium Tube Bend	60	92	109	151	189					231	262
821	ORFS Female 90° Medium Tube Bend - Metric AF	61	92	109	151	190						
823	ORFS Female 90° Short Tube Bend	59			150							
824	ORFS Female 90° Short Tube Bend - Metric AF	59			150							
830	ORFS Female 90° Long Tube Bend	61	92		152						232	262
831	ORFS Female 90° Long Tube Bend - Metric AF	62			152							
840	ORFS Male	148	89	107	148							
841	ORFS Male - Metric AF											
850	Tube Bite	76	99									
860	Grease Line Male (UNS)											252
861	Grease Line Fixed Female (UNS)	33										252
864	RYCOLOK Male Hammer Ring											
865	RYCOLOK Male Easy Out											
866	SUPERLOK Male Hammer Ring											
867	SUPERLOK Male Easy Out											
870	RYCOLOK Male	63	96	110	152							
871	RYCOLOK Male 45° Elbow	63			153							
872	RYCOLOK Male 90° Elbow	64			153							
874	RYCOLOK Fixed Female											
876	SUPERLOK Male			110	154							
900	Joiner	44		105	145				206			
901	Joiner 90° Tube Bend											
910	SAE Code 61 Flange 110° Tube Bend				161							

INDEX BY END STYLE NUMBER

END STYLE NUMBER	END STYLE DESCRIPTION	COUPLING SERIES & PAGE NUMBER										
		T2000	T4000	T6000	T7000	TP000	TT000	TG000	8000	33000	V000	6000
912	Ryco Code 62K Flange 15° Tube Bend			116								
914	Ryco Code 62K Flange			123								
916	Ryco Code 62K Flange 75° Tube Bend			123								
918	Ryco Code 62K Flange 80° Tube Bend			123								
930	SAE Code 62 Flange 110° Tube Bend			129	165							
932	Ryco Code 62k Flange 100° Bend			128								
933	Ryco Code 62C Flange 110° Tube Bend			129								
936	Ryco Code 62K Flange 100° Tube Bend			128								
940	Pressure Washer Female	62										
950	Pressure Washer Gun Handle Tube	62										
960B	NPSM Female Live Swivel											249
1501	Figure 1502 Hammer Union Female (male thread)			130	173							
1502	Figure 1502 Hammer Union Male (with nut)			129	173							
1502A	Figure 1502 Hammer Union Male (reduced head dia.)											

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES

WORKING PRESSURE OF HOSE ASSEMBLIES

Working Pressure of each Hose Coupling End Style Termination is shown in the Technical section. In most cases, the Working Pressure of the Hose Coupling End Style Termination that can be chosen for a particular hose exceeds the Maximum Working Pressure of the Hose. It is possible however, to select a Hose Coupling with an End Style having a lower Working Pressure than the Hose. In this case, as noted in SAE J516 and SAE J517, the rated Working Pressure of the Hose Assembly must not exceed the lower of the respective Working Pressure rated values.

EXAMPLE 1.

T28D Hose Assembly with **T2040-0812** coupling one end and **T2090-0808** coupling other end.

Maximum Working Pressure of **T28D** is 350 bar.*

Maximum Working Pressure of **T2040-0812** is 690 bar.*

Maximum Working Pressure of **T2090-0808** is 690 bar.*

The Maximum Working Pressure of the Hose Assembly is therefore 350 bar, the lowest of the respective Maximum Working Pressure rated values (in this case, the hose).

EXAMPLE 2.

H5016D Hose Assembly with **T7130-1620** coupling one end and **T7030-1621** coupling other end.

Maximum Working Pressure of **H5016D** is 350 bar.*

Maximum Working Pressure of **T7130-1620** is 280 bar.*

Maximum Working Pressure of **T7030-1621** is 420 bar.*

The Maximum Working Pressure of the Hose Assembly is therefore 280 bar, the lowest of the respective Maximum Working Pressure rated values (in this case, the **T7130-1620**).

33000 SERIES COUPLINGS FOR SRX/HT AND SRF/P SERIES HOSE

The Maximum Working Pressure of a **SRX/HT** or **SRF/P** Series Hose Assembly depends on the couplings used, and the method of attachment.*

33000 Series Couplings with **RSC** Clamps are suited to Suction Applications, and Low Pressure Delivery (up to 25% of Maximum Working Pressure of the hose).

T4000 One-Piece Crimp Couplings are suited to Suction Applications, and High Pressure Delivery (up to 100% of Maximum Working Pressure of the hose).

EXAMPLE:

SRF20 Hose Assembly with **33020-2020** Couplings each end secured with **RSC-4347** Clamps.

Maximum Working Pressure of **SRF20** hose is 14 bar.*

Maximum Working Pressure of **33020-2020** coupling is 215 bar.*

Maximum Working Pressure of the Hose Assembly is 25% of 14 bar = 3,5 bar.

If this Hose Assembly was made with **T4020-2020** One-Piece Crimp Couplings instead:

Maximum Working Pressure of **SRF20** hose is 14 bar.*

Maximum Working Pressure of **T4020-2020** coupling is 215 bar.*

Maximum Working Pressure of the Hose Assembly is 100% of 14 bar = 14 bar.

* Refer to **2025 Ryco Hydraulics Hoses Catalogue**

8000 SERIES COUPLINGS FOR PL1.

PL1D, **PL1PV** and **8000** Series Push-On Fittings, are recommended for use in systems with Static Working Pressures (constant loads without pressure spikes) only. They are not recommended for vibration or pressure surge applications.

PL1D, **PL1PV** hose should not be used at both maximum working pressure and maximum temperature simultaneously.

8000 Series Push-On pages 202 to 209.

PL1D, **PL1PV** hose simply pushes on to **8000** Series Couplings, and for Static Working Pressures up to 50% of Maximum Static Working Pressures a clamp is not required. For diesel fuel and other potentially dangerous or critical applications, and Static Working Pressures above 50% of maximum; a clamp around the hose is required. Do not overtighten clamp as this will damage hose. Factory crimped couplings are also available in some sizes. Contact Ryco for more information.

DROP LENGTH & CUT-OFF ALLOWANCE DIMENSIONS FOR COUPLINGS

In this Product Technical Manual, dimensional values for Drop Length (DL), Cut-off Allowance (CA), Seat to Ferrule (L), Back up Hex (AF), Male Hex (HM) and Female Hex (HF) are published.

Due to different manufacturing methods and design changes, DL, CA, L, AF, HM and HF values may vary from time to time.

Before attaching couplings to the hose, measure and check that the DL, CA and L dimensions of the actual coupling to be used complies with that published, or is suitable for the application.

NOTE: Drop Length (DL), Cut-off Allowance (CA), Seat to Ferrule (L), Back up Hex (AF), Male Hex (HM) and Female Hex (HF) dimensions shown are for reference only, and may vary according to manufacturing method.

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

HOSE COMPATIBILITY FOR T2000 SERIES

NON-SKIVE

For Ryco Hose Series T3000D/S (sizes -04 to -16).
 For Ryco Hose Series T3600D/S (sizes -04 to -16).
 For Ryco Hose Series T4000D/S (sizes -04 to -12).
 For Ryco Hose Series T5000D/S (sizes -04 to -08).
 For Ryco Hose Series T6000D/S (sizes -04 to -06).
 For Ryco Hose Series SURVIVOR/1 (sizes -04 to -16).
 For Ryco Hose Series E1, E2/C, T1D/S, T2D/S (sizes -03 to -48).
 For Ryco Hose Series TJD (sizes -24 to -26).
 For Ryco Hose Series DF2D (sizes -04 to -20).


NON-SKIVE

For Ryco Hose Series D2B (sizes -24 to -32).
 For Ryco Hose Series DK1D/E/S (sizes -04 to -20).
 For Ryco Hose Series DK2D/E/S (sizes -04 to -20).
 For Ryco Hose Series JS4000/B/G/BX/GX (sizes -04 to -08).
 For Ryco Hose Series JS6000/B/G/BX/GX (sizes -04 to -08).
 For Ryco Hose Series TW (sizes -04 to -08).
 For Ryco Hose Series PW (sizes -04 to -06).
 For Ryco Hose Series BT1 (sizes -04 to -16).
 For Ryco Hose Series MS1000 (sizes -08 to -32).

BSPT

T2010

BSPT MALE
60°SEAT



PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER				
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm					inch	mm
T2010-0302	5	3/16	1/8" -28		-0302	1.73	44	0.98	25					1/2	
T2010-0402	6	1/4	1/8" -28		-0402	2.01	51	1.02	26					1/2	
T2010-0404	6	1/4	1/4" -19		-0404	2.17	55	1.18	30					9/16	
T2010-0406	6	1/4	3/8" -19		-0406	2.17	55	1.18	30					11/16	
T2010-0408	6	1/4	1/2" -14		-0408	2.36	60	1.38	35					7/8	22
T2010-0506	8	5/16	3/8" -19		-0506	2.17	55	1.18	30					11/16	
T2010-0508	8	5/16	1/2" -14		-0508	2.36	60	1.38	35		-			7/8	22
T2010-0604	10	3/8	1/4" -19		-0604	2.24	57	1.30	33					5/8	16
T2010-0606	10	3/8	3/8" -19		-0606	2.24	57	1.30	33					11/16	
T2010-0608	10	3/8	1/2" -14		-0608	2.44	62	1.46	37					7/8	22
T2010-0806	12	1/2	3/8" -19		-0806	2.32	59	1.38	35					11/16	
T2010-0808	12	1/2	1/2" -14		-0808	2.52	64	1.57	40					7/8	22
T2010-0810	12	1/2	5/8" -14		-0810	2.52	64	1.57	40					1	
T2010-0812	12	1/2	3/4" -14		-0812	2.60	66	1.61	41					1.1/16	27
T2010-1008	16	5/8	1/2" -14		-1008	2.80	71	1.61	41					7/8	22
T2010-1010	16	5/8	5/8" -14		-1010	2.80	71	1.61	41					1	
T2010-1012	16	5/8	3/4" -14		-1012	2.80	71	1.61	41					1.1/16	27
T2010-1212	19	3/4	3/4" -14		-1212	2.80	71	1.61	41					1.1/16	27
T2010-1216	19	3/4	1" -11		-1216	2.99	76	1.81	46					1.3/8	35
T2010-1616	25	1	1" -11		-1616	3.11	79	1.89	48					1.3/8	35
T2010-1620	25	1	1.1/4" -11		-1620	3.23	82	2.01	51					1.3/4	
T2010-2020	31	1.1/4	1.1/4" -11		-2020	4.06	103	2.09	53					1.3/4	
T2010-2424	38	1.1/2	1.1/2" -11		-2424	4.21	107	2.17	55					2	50
T2010-3232	51	2	2" -11		-3232	4.80	122	2.60	66					2.1/2	
T2010-4040	63	2.1/2	2 1/2" -11		-4040	5.87	149	2.83	72					3	76


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

BSPP

T2013

BSPP MALE
60° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
T2013-0302	5	3/16	1/8" -28		-0302	1.65	42	0.87	22					5/8	16
T2013-0304	5	3/16	1/4" -19		-0304	1.89	48	1.10	28					3/4	19
T2013-0402	6	1/4	1/8" -28		-0402	1.97	50	0.94	24						14
T2013-0404	6	1/4	1/4" -19		-0404	2.09	53	1.10	28					3/4	19
T2013-0406	6	1/4	3/8" -19		-0406	2.09	53	1.10	28					7/8	22
T2013-0408	6	1/4	1/2" -14		-0408	2.28	58	1.30	33					1.1/16	27
T2013-0504	8	5/16	1/4" -19		-0504	2.09	53	1.10	28					3/4	19
T2013-0506	8	5/16	3/8" -19		-0506	2.13	54	1.14	29					7/8	22
T2013-0604	10	3/8	1/4" -19		-0604	2.09	53	1.10	28					3/4	19
T2013-0606	10	3/8	3/8" -19		-0606	2.13	54	1.14	29					7/8	22
T2013-0608	10	3/8	1/2" -14		-0608	2.28	58	1.30	33					1.1/16	27
T2013-0806	12	1/2	3/8" -19		-0806	2.17	55	1.18	30					7/8	22
T2013-0808	12	1/2	1/2" -14		-0808	2.28	58	1.34	34					1.1/16	27
T2013-0810	12	1/2	5/8" -14		-0810	2.40	61	1.42	36					1.3/16	30
T2013-0812	12	1/2	3/4" -14		-0812	2.48	63	1.54	39					1.1/4	32
T2013-1008	16	5/8	1/2" -14		-1008	2.52	64	1.30	33					1.1/16	27
T2013-1010	16	5/8	5/8" -14		-1010	2.64	67	1.46	37					1.3/16	30
T2013-1012	16	5/8	3/4" -14		-1012	2.72	69	1.50	38					1.1/4	32
T2013-1208	19	3/4	1/2" -14		-1208	2.52	64	1.34	34					1.1/16	27
T2013-1212	19	3/4	3/4" -14		-1212	2.72	69	1.54	39					1.1/4	32
T2013-1612	25	1	3/4" -14		-1612	2.80	71	1.57	40					1.1/4	32
T2013-1616	25	1	1" -11		-1616	2.95	75	1.77	45					1.5/8	41
T2013-1620	25	1	1.1/4" -11		-1620	3.15	80	1.93	49					2	50
T2013-2020	31	1.1/4	1.1/4" -11		-2020	3.98	101	2.01	51					2	50
T2013-2424	38	1.1/2	1.1/2" -11		-2424	4.17	106	2.13	54					2.3/16	55
T2013-2432	38	1.1/2	2" -11		-2432	4.65	118	2.64	67					2.3/4	70
T2013-3232	51	2	2" -11		-3232	4.84	123	2.64	67					2.3/4	70

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

BSPP

T2017

BSPP MALE
ENCAPSULATED SEAL




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
T2017-0404	6	1/4	1/4" -19		-0404	2.17	55	1.18	30					3/4	19
T2017-0606	10	3/8	3/8" -19		-0606	2.13	54	1.18	30					7/8	22
T2017-0808	12	1/2	1/2" -14		-0808	2.36	60	1.38	35					1.1/16	27
T2017-1212	19	3/4	3/4" -14		-1212	2.72	69	1.54	39					1.1/4	32
T2017-1616	25	1	1" -11		-1616	2.95	75	1.77	45					1.5/8	41
T2017-2020	31	1.1/4	1.1/4" -11		-2020	3.98	101	2.01	51					2	50

BSPP

T2020

BSPP FEMALE
60° CONE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
T2020-0302	5	3/16	1/8" -28		-0302	1.61	41	0.83	21				14	7/16	11
T2020-0304	5	3/16	1/4" -19		-0304	1.61	41	0.87	22			3/4	19	1/2	
T2020-0402	6	1/4	1/8" -28		-0402	1.93	49	0.91	23				14	1/2	
T2020-0404	6	1/4	1/4" -19		-0404	1.93	49	0.94	24			3/4	19	1/2	
T2020-0406	6	1/4	3/8" -19		-0406	2.05	52	1.02	26			7/8	22	5/8	16
T2020-0504	8	5/16	1/4" -19		-0504	1.85	47	0.87	22			3/4	19	9/16	
T2020-0506	8	5/16	3/8" -19		-0506	1.93	49	0.94	24			7/8	22	5/8	16
T2020-0604	10	3/8	1/4" -19		-0604	1.93	49	0.94	24			3/4	19	5/8	16
T2020-0606	10	3/8	3/8" -19		-0606	2.05	52	1.06	26			7/8	22	5/8	16
T2020-0608	10	3/8	1/2" -14		-0608	2.09	55	1.10	30			1.1/16	27	3/4	19
T2020-0806	12	1/2	3/8" -19		-0806	2.05	52	1.06	27			7/8	22	3/4	19
T2020-0808	12	1/2	1/2" -14		-0808	2.09	53	1.10	28			1.1/16	27	3/4	19
T2020-0812	12	1/2	3/4" -14		-0812	2.13	57	1.18	32			1.1/4	32	1	
T2020-1008	16	5/8	1/2" -14		-1008	2.40	61	1.18	30			1.1/16	27	7/8	22
T2020-1010	16	5/8	5/8" -14		-1010	2.36	60	1.14	29			1.3/16	30	7/8	22
T2020-1012	16	5/8	3/4" -14		-1012	2.28	58	1.06	27			1.1/4	32	1	
T2020-1208	19	3/4	1/2" -14		-1208	2.52	64	1.30	33			1.1/16	27	15/16	24
T2020-1212	19	3/4	3/4" -14		-1212	2.44	60	1.30	31			1.1/4	32	1.1/16	27
T2020-1216	19	3/4	1" -11		-1216	2.72	67	1.54	37			1.1/2	38	1.1/16	27
T2020-1612	25	1	3/4" -14		-1612	2.56	65	1.34	34			1.1/4	32	1.1/4	32
T2020-1616	25	1	1" -11		-1616	2.68	68	1.46	36			1.1/2	38	1.1/4	32
T2020-1620	25	1	1.1/4" -11		-1620	2.91	74	1.69	43			2	50	1.1/4	37
T2020-2020	31	1.1/4	1.1/4" -11		-2020	3.70	94	1.77	45			2	50	1.5/8	41
T2020-2424	38	1.1/2	1.1/2" -11		-2424	3.90	99	1.85	47			2.3/16	55	2	50
T2020-3232	51	2	2" -11		-3232	4.33	110	2.13	54			2.3/4	70	2.1/2	
T2020-4040	63	2.1/2	2 1/2" -11		-4040	4.72	120	1.73	44			3.1/2	90		


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

BSPT

T2320

BSPT MALE SWIVEL




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M		
	DN	inch	inch			inch	mm	inch	mm			inch	mm			
T2320-0606	10	3/8	3/8" -19		-0606	2.32	59	1.34	34			7/8	22			
T2320-0608	10	3/8	1/2" -14		-0608	2.32	59	1.34	34			1				
T2320-0808	12	1/2	1/2" -14		-0808	2.80	71	1.81	46			1				

BSPT

T2340

BSPT MALE SWIVEL
90° ELBOW




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M		
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	
T2340-0606	10	3/8	3/8" -19		-0606	1.89	48	0.91	23	1.77	45	7/8	22	3/4	19	
T2340-0608	10	3/8	1/2" -14		-0608	1.89	48	0.91	23	1.97	50	1		3/4	19	
T2340-0808	12	1/2	1/2" -14		-0808	2.13	54	1.14	29	2.05	52	1		7/8	22	
T2340-1212	19	3/4	3/4" -14		-1212	2.36	60	1.22	31	1.77	45	1.1/4	32	1.1/16	27	

BSPP

T2028B

BSPP FEMALE
LIVE SWIVEL
60° CONE




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER							
						L		C _A		D _L		H _F		H _M						
	DN	inch	inch			inch	mm	inch	mm			inch	mm	inch	mm					
T2028B-0404						6	1/4	1/4" -19		-0404	2.64	67	1.61	41			3/4	19	11/16	
T2028B-0604						10	3/8	1/4" -19		-0604	2.60	66	1.65	42			3/4	19	11/16	

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

BSPP

T2024

BSPP FEMALE
FLAT FACE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
T2024-0404	6	1/4	1/4" -19		-0404	1.85	47	0.87	22			3/4	19	1/2	
T2024-0606	10	3/8	3/8" -19		-0606	1.93	49	0.94	24			7/8	22	5/8	16
T2024-0608	10	3/8	1/2" -14		-0608	1.81	46	0.83	21			1.1/16	27	3/4	19
T2024-0808	12	1/2	1/2" -14		-0808	1.85	47	0.87	22			1.1/16	27	3/4	19
T2024-0812	12	1/2	3/4" -14		-0812	2.09	53	1.10	28			1.1/4	32	1	
T2024-1212	19	3/4	3/4" -14		-1212	2.28	58	1.14	29			1.1/4	32	1	
T2024-1216	19	3/4	1" -11		-1216	2.40	61	1.26	32			1.1/2	38	1.1/4	32
T2024-1616	25	1	1" -11		-1616	2.52	64	1.30	33			1.1/2	38	1.1/4	32

BSPP

T2060

BSPP FEMALE
60° CONE
45° ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T2060-0404	6	1/4	1/4" -19		-0404	1.57	40	0.55	14	0.59	15	3/4	19	9/16	
T2060-0606	10	3/8	3/8" -19		-0606	1.65	42	0.67	17	0.71	18	7/8	22	3/4	19
T2060-0808	12	1/2	1/2" -14		-0808	1.81	46	0.83	21	0.71	18	1.1/16	27	7/8	22
T2060-1212	19	3/4	3/4" -14		-1212	2.13	54	0.98	25	0.79	20	1.1/4	32	1.1/16	27
T2060-1616	25	1	1" -11		-1616	2.32	59	1.10	28	1.02	26	1.1/2	38	1.5/16	
T2060-2020	31	1.1/4	1.1/4" -11		-2020	3.07	78	1.10	28	1.14	29	2	50	1.7/8	

BSPP

T2475

BSP BANJO STRAIGHT



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch					
T2475-0404	6	1/4	1/4		0	-0404	1.97	50	0.98	25					


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

BSPP

T2050

BSPP FEMALE
60° CONE
90° ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T2050-0404	6	1/4	1/4" -19		-0404	1.85	47	0.83	21	0.94	24	3/4	19	9/16	
T2050-0406	6	1/4	3/8" -19		-0406	1.85	47	0.83	21	1.10	28	7/8	22	3/4	19
T2050-0506	8	5/16	3/8" -19		-0506	1.85	47	0.87	22	1.10	28	7/8	22	3/4	19
T2050-0604	10	3/8	1/4" -19		-0604	1.81	46	0.87	22	0.94	24	3/4	19	9/16	
T2050-0606	10	3/8	3/8" -19		-0606	1.89	48	0.91	23	1.10	28	7/8	22	3/4	19
T2050-0608	10	3/8	1/2" -14		-0608	1.89	48	0.91	23	1.22	31	1.1/16	27	7/8	22
T2050-0808	12	1/2	1/2" -14		-0808	2.13	54	1.14	29	1.22	31	1.1/16	27	7/8	22
T2050-1212	19	3/4	3/4" -14		-1212	2.36	60	1.22	31	1.42	36	1.1/4	32	1.1/16	27
T2050-1616	25	1	1" -11		-1616	2.48	63	1.26	32	1.77	45	1.1/2	38	1.5/16	
T2050-2020	31	1.1/4	1.1/4" -11		-2020	3.66	93	1.69	43	2.05	52	2	50	1.7/8	
T2050-2424	38	1.1/2	1.1/2" -11		-2424	4.41	112	2.36	60	2.32	59	2.3/16	55	2.1/2	
T2050-3232	51	2	2" -11		-3232	4.45	113	2.20	56	2.44	62	2.3/4	70	2.1/2	

BSPP

T2270

BSPP FEMALE
60° CONE
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2270-0404	6	1/4	1/4" -19		-0404	2.36	60	1.38	35	0.67	17	3/4	19		
T2270-0406	6	1/4	3/8" -19		-0406	2.44	62	1.46	37	0.67	17	7/8	22		
T2270-0506	8	5/16	3/8" -19		-0506	2.60	66	1.61	41	0.71	18	7/8	22		
T2270-0606	10	3/8	3/8" -19		-0606	2.60	66	1.61	41	0.71	18	7/8	22		
T2270-0608	10	3/8	1/2" -14		-0608	2.76	70	1.77	45	0.79	20	1.1/16	27		
T2270-0808	12	1/2	1/2" -14		-0808	2.95	75	1.97	50	0.87	22	1.1/16	27		
T2270-0810	12	1/2	5/8" -14		-0810	2.91	74	1.93	49	0.91	23	1.3/16	30		
T2270-1010	16	5/8	5/8" -14		-1010	3.66	93	2.44	62	0.91	23	1.3/16	30		
T2270-1012	16	5/8	3/4" -14		-1012	3.50	89	2.28	58	1.10	28	1.1/4	32		
T2270-1212	19	3/4	3/4" -14		-1212	4.25	106	3.11	77	1.14	29	1.1/4	32		
T2270-1616	25	1	1" -11		-1616	4.57	116	3.35	83	1.65	42	1.1/2	38		32
T2270-2020	31	1.1/4	1.1/4" -11		-2020	8.46	215	6.50	165	1.81	46	2	50		
T2270-2424	38	1.1/2	1.1/2" -11		-2424	6.69	170	4.65	118	2.05	52	2.3/16	55		
T2270-3232	51	2	2" -11		-3232	8.11	206	5.91	150	2.56	65	2.3/4	70		

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

BSPP

T2260

BSPP FEMALE
60° CONE
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm		
T2260-0302	5	3/16	1/8" -28		-0302	1.85	47	1.06	27	1.10	28		14		
T2260-0304	5	3/16	1/4" -19		-0302	1.85	47	1.06	27	1.14	29	3/4	19		
T2260-0402	6	1/4	1/8" -28		-0402	2.05	52	1.06	27	1.18	30		14		
T2260-0404	6	1/4	1/4" -19		-0404	2.05	52	1.06	27	1.14	29	3/4	19		
T2260-0406	6	1/4	3/8" -19		-0406	2.05	52	1.06	27	1.10	28	7/8	22		
T2260-0504	8	5/16	1/4" -19		-0504	2.05	52	1.06	27	1.26	32	3/4	19		
T2260-0506	8	5/16	3/8" -19		-0506	2.32	59	1.34	34	1.30	33	7/8	22		
T2260-0604	10	3/8	1/4" -19		-0604	2.36	60	1.38	35	1.30	33	3/4	19		
T2260-0606	10	3/8	3/8" -19		-0606	2.32	59	1.38	35	1.30	33	7/8	22		
T2260-0608	10	3/8	1/2" -14		-0608	2.32	59	1.38	35	1.30	33	1.1/16	27		
T2260-0806	12	1/2	3/8" -19		-0806	2.60	66	1.61	41	1.65	42	7/8	22		
T2260-0808	12	1/2	1/2" -14		-0808	2.48	66	1.50	41	1.77	45	1.1/16	27		
T2260-0810	12	1/2	5/8" -14		-0810	2.60	66	1.61	41	1.77	45	1.3/16	30		
T2260-0812	12	1/2	3/4" -14		-0812	2.60	66	1.61	41	1.85	47	1.1/4	32		
T2260-1010	16	5/8	5/8" -14		-1010	2.99	76	1.77	45	1.97	50	1.3/16	30		
T2260-1012	12	1/2	3/4" -14		-1012	2.99	76	1.77	45	2.20	56	1.1/4	32		
T2260-1208	19	3/4	1/2" -14		-1208	3.35	85	2.09	53	1.77	45		27		
T2260-1212	19	3/4	3/4" -14		-1212	3.35	87	2.17	57	2.32	59	1.1/4	32		
T2260-1216	19	3/4	1" -11		-1216	3.50	89	2.24	57	2.44	62	1.1/2	38		
T2260-1616	25	1	1" -11		-1616	3.90	99	2.68	74	3.07	78	1.1/2	38		32
T2260-2016	31	1.1/4	1" -11		-2016	5.47	139	3.54	90	3.03	77	1.1/2	38		
T2260-2020	31	1.1/4	1.1/4" -11		-2020	5.20	132	3.23	82	3.58	91	2	50		
T2260-2424	38	1.1/2	1.1/2" -11		-2424	5.91	150	3.86	98	4.13	105	2.3/16	55		
T2260-3232	51	2	2" -11		-3232	7.60	193	5.39	137	5.20	132	2.3/4	70		

BSPP

T2210

BSPP FEMALE
60° CONE
90° LONG TUBE BEND



Part No.	Hose Size		Thread Size	Tube Size	Dash Size	Dimensions						Spanner			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm		
T2210-0404	6	1/4	1/4" -19		-0404	3.35	85	2.36	60	2.01	51	3/4	19		
T2210-0606	10	3/8	3/8" -19		-0606	2.91	74	1.93	49	2.32	59	7/8	22		
T2210-0808	12	1/2	1/2" -14		-0808	3.35	85	2.36	60	2.83	72	1.1/16	27		
T2210-0810	12	1/2	5/8" -14		-0810	2.80	71	1.81	46	2.83	72	1.3/16	30		
T2210-1010	16	5/8	5/8" -14		-1010	3.23	82	2.01	51	3.19	81	1.3/16	30		
T2210-1212	19	3/4	3/4" -14		-1212	3.50	87	2.32	57	3.74	95	1.1/4	32		
T2210-1616	25	1	1" -11		-1616	3.78	96	2.56	74	4.57	116	1.1/2	38		
T2210-2020	31	1.1/4	1.1/4" -11		-2020	5.87	149	3.94	100	5.59	142	2	50		


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

BSPP

T2027

BSPP FEMALE O RING
60° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm		mm	inch	mm	inch	mm
T2027-0404	6	1/4	1/4" -19		-0404	1.89	48	0.91	23		0	3/4	19	1/2	0
T2027-0406	6	1/4	3/8" -19		-0406	2.04	52	1.06	27		29	7/8	22	1/2	0
T2027-0808	12	1/2	1/2" -14		-0808	2.09	53	1.10	28		33	1 1/16	27	3/4	0
T2027-1212	12	1/2	3/4" -14		-1212	2.44	60	1.30	31		450	1 1/4	32	1 1/16	24
T2027-1616	25	1	1" -11		-1616	2.72	69	1.50	36		59	1 1/2	38	1 1/4	0
T2027-2020	31	1.1/4	1.1/4" -11		-2020	3.70	94	1.77	45		78	2	50	1 5/8	0
T2027-2424	38	1.1/2	1.1/2" -11		-2424	3.90	99	1.85	47		91	2 3/16	55	2	0
T2027-3232	51	2	2" -11		-3232	4.37	111	2.17	55		105	2 3/4	70	0	0

BSPP

T2057

BSPP
FEMALE O RING
60° CONE
90° ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T2057-0404	6	1/4	1/4" -19		-0404	1.85	47	0.83	21	0.94	24	3/4	19	9/16	
T2057-0606	10	3/8	3/8" -19		-0606	1.89	48	0.91	23	1.10	28	7/8	22	3/4	19
T2057-0808	12	1/2	1/2" -14		-0808	2.13	54	1.14	29	1.30	33	1.1/16	27	7/8	22
T2057-1212	19	3/4	3/4" -14		-1212	2.36	60	1.18	30	1.50	38	1.1/4	32	1.1/16	27

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

BSPP

T2277

BSPP FEMALE O RING
60° CONE
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T2277-0404	6	1/4	1/4" -19		-0404	2.56	65	1.57	40	0.67	17	3/4	19	0	0
T2277-0606	10	3/8	3/8" -19		-0606	2.60	66	1.61	41	0.71	18	7/8	22	0	0
T2277-0808	12	1/2	1/2" -14		-0808	2.95	75	1.97	50	0.87	22	1 1/16	27	0	0
T2277-1212	19	3/4	3/4" -14		-1212	4.25	106	3.11	77	1.14	29	1 1/4	32	0	0
T2277-1616	25	1	1" -11		-1616	4.57	116	3.35	83	1.65	42	1 1/2	38	0	0
T2277-2020	31	1.1/4	1.1/4" -11		-2020	8.46	215	6.50	165	1.81	46	2	50	0	0
T2277-2424	38	1.1/2	1.1/2" -11		-2424	7.09	180	5.04	128	2.05	52	2 3/16	55	0	0
T2277-3232	51	2	2" -11		-3232	8.11	206	5.91	150	2.56	65	2 3/4	70	0	0

BSPP

T2267

BSPP FEMALE O RING
60° CONE
90° TUBE BEND



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T2267-0404	6	1/4	1/4" -19		-0404	2.24	57	1.26	32	0.67	17	3/4	19	0	0
T2267-0606	10	3/8	3/8" -19		-0606	2.36	60	1.38	35	0.71	18	7/8	22	0	0
T2267-0808	12	1/2	1/2" -14		-0808	2.60	66	1.61	41	0.87	22	1 1/16	27	0	0
T2267-1212	19	3/4	3/4" -14		-1212	3.50	87	2.32	57	1.14	29	1 1/4	32	0	0
T2267-1616	25	1	1" -11		-1616	3.90	99	2.68	74	1.65	42	1 1/2	38	0	0
T2267-2020	31	1.1/4	1.1/4" -11		-2020	5.87	149	3.94	100	1.81	46	2	50	0	0
T2267-2424	38	1.1/2	1.1/2" -11		-2424	6.22	158	4.17	106	2.05	52	2 3/16	55	0	0
T2267-3232	51	2	2" -11		-3232	7.61	193	5.39	137	2.56	65	2 3/4	70	0	0


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

NPTF

T2090

NPTF MALE
60° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm					inch	mm
T2090-0302	5	3/16	1/8" -27		-0302	1.73	44	0.94	24					7/16	11
T2090-0304	5	3/16	1/4" -18		-0304	1.97	50	1.18	30					9/16	
T2090-0402	6	1/4	1/8" -27		-0402	2.01	51	1.02	26					1/2	
T2090-0404	6	1/4	1/4" -18		-0404	2.17	55	1.18	30					9/16	
T2090-0406	6	1/4	3/8" -18		-0406	2.17	55	1.18	30					11/16	
T2090-0408	6	1/4	1/2" -14		-0408	2.28	58	1.26	32					7/8	22
T2090-0504	8	5/16	1/4" -18		-0504	2.17	55	1.18	30					9/16	
T2090-0506	8	5/16	3/8" -18		-0506	2.17	55	1.18	30					11/16	
T2090-0604	10	3/8	1/4" -18		-0604	2.24	57	1.30	33					5/8	16
T2090-0606	10	3/8	3/8" -18		-0606	2.24	57	1.30	33					11/16	
T2090-0608	10	3/8	1/2" -14		-0608	2.44	62	1.46	37					7/8	22
T2090-0806	12	1/2	3/8" -18		-0806	2.32	59	1.38	35					11/16	
T2090-0808	12	1/2	1/2" -14		-0808	2.52	64	1.57	40					7/8	22
T2090-0812	12	1/2	3/4" -14		-0812	2.40	61	1.46	37					1.1/16	27
T2090-1008	16	5/8	1/2" -14		-1008	2.80	71	1.61	41					7/8	22
T2090-1012	16	5/8	3/4" -14		-1012	2.80	71	1.61	41					1.1/16	27
T2090-1208	19	3/4	1/2" -14		-1208	2.80	71	1.61	41					1.1/16	27
T2090-1212	19	3/4	3/4" -14		-1212	2.80	71	1.61	41					1.1/16	27
T2090-1216	19	3/4	1" -11,5		-1216	2.87	73	1.73	44					1.3/8	35
T2090-1612	25	1	3/4" -14		-1612	2.91	74	1.69	43					1.3/8	35
T2090-1616	25	1	1" -11,5		-1616	3.11	79	1.89	48					1.3/8	35
T2090-1620	25	1	1.1/4" -11,5		-1620	2.99	76	1.81	46					1.3/4	
T2090-2016	31	1.1/4	1" -11,5		-2016	4.02	102	2.05	52					1.3/4	
T2090-2020	31	1.1/4	1.1/4" -11,5		-2020	4.06	103	2.09	53					1.3/4	
T2090-2424	38	1.1/2	1.1/2" -11,5		-2424	4.21	107	2.17	55					2	50
T2090-3232	51	2	2" -11,5		-3232	4.80	122	2.60	66					2.1/2	

NPTF

T2091

NPTF MALE EXTENDED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm					inch	mm
T2091-0406	6	1/4	3/8" -18		-0406	2.48	63	1.50	38					3/4	19
T2091-0606	10	3/8	3/8" -18		-0606	2.56	65	1.57	40					3/4	19

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

NPTF

T2320N

NPTF MALE SWIVEL




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch	mm		
T2320N-0402	6	1/4	1/8" -27		-0402	2.13	54	1.14	29			11/16			
T2320N-0404	6	1/4	1/4" -18		-0404	2.13	54	1.14	29			11/16			
T2320N-0406	6	1/4	3/8" -18		-0406	2.32	59	1.34	34			7/8	22		
T2320N-0604	10	3/8	1/4" -18		-0604	2.13	54	1.14	29			11/16			
T2320N-0606	10	3/8	3/8" -18		-0606	2.32	59	1.34	34			7/8	22		
T2320N-0608	10	3/8	1/2" -14		-0608	2.32	59	1.34	34			1			
T2320N-0806	12	1/2	3/8" -18		-0806	2.32	59	1.38	35			7/8	22		
T2320N-0808	12	1/2	1/2" -14		-0808	2.32	59	1.38	35			1			
T2320N-1212	19	3/4	3/4" -14		-1212	2.60	66	1.46	37			1.1/4	32		
T2320N-1616	25	1	1" -11,5		-1616	2.91	74	1.69	43			1.1/2	38		

NPT

T2340N

NPT MALE SWIVEL
90° ELBOW



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T2340N-0404	6	1/4	1/4" -18		-0404	1.85	47	0.83	21	1.61	41	11/16		9/16	
T2340N-0606	10	3/8	3/8" -18		-0606	1.89	48	0.91	23	1.85	47	7/8	22	3/4	19
T2340N-0808	12	1/2	1/2" -14		-0808	2.13	54	1.14	29	2.09	53	1		7/8	22
T2340N-1212	19	3/4	3/4" -14		-1212	2.36	60	1.22	31	2.24	57	1.1/4	32	1.1/16	27
T2340N-1616	25	1	1" -11,5		-1616	2.68	68	1.46	37	2.83	72	1.1/2	38	1.5/16	


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

NPT

T2190

NPT FEMALE
FIXED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
T2190-0402	6	1/4	1/8" -27		-0402	1.73	44	0.75	19					9/16	
T2190-0404	6	1/4	1/4" -18		-0404	2.01	51	1.02	26					3/4	19
T2190-0406	6	1/4	3/8" -18		-0406	2.13	54	1.10	28					7/8	22
T2190-0604	10	3/8	1/4" -18		-0604	2.01	51	1.02	26					3/4	19
T2190-0606	10	3/8	3/8" -18		-0606	2.13	54	1.14	29					7/8	22
T2190-0608	10	3/8	1/2" -14		-0608	2.28	58	1.30	33					1.1/16	27
T2190-0806	12	1/2	3/8" -18		-0806	2.09	53	1.10	28					7/8	22
T2190-0808	12	1/2	1/2" -14		-0808	2.28	58	1.34	34					1.1/16	27
T2190-1012	16	5/8	3/4" -14		-1012	2.64	67	1.46	37					1.3/8	35
T2190-1212	19	3/4	3/4" -14		-1212	2.64	67	1.46	37					1.3/8	35

NPSM

T2020N

NPSM FEMALE
60° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
T2020N-0402	6	1/4	1/8" -27		-0402	1.85	47	0.83	21			9/16		1/2	
T2020N-0404	6	1/4	1/4" -18		-0404	1.85	47	0.87	22			11/16		1/2	
T2020N-0504	8	5/16	1/4" -18		-0504	1.85	47	0.87	22			11/16		9/16	
T2020N-0604	10	3/8	1/4" -18		-0604	1.85	47	0.87	22			11/16		9/16	
T2020N-0606	10	3/8	3/8" -18		-0606	1.93	49	0.94	24			7/8	22	5/8	16
T2020N-0608	10	3/8	1/2" -14		-0608	2.05	52	1.06	27			1		3/4	19
T2020N-0808	12	1/2	1/2" -14		-0808	2.01	51	1.02	26			1		3/4	19
T2020N-1212	19	3/4	3/4" -14		-1212	2.28	58	1.10	28			1.1/4	32	1	
T2020N-1616	25	1	1" -11,5		-1616	2.52	64	1.30	33			1.1/2	38	1.1/4	32
T2020N-2020	31	1.1/4	1.1/4" -11,5		-2020	3.58	91	1.61	41			1 7/8		1.3/4	
T2020N-2424	38	1.1/2	1.1/2" -11,5		-2424	3.82	97	1.77	45			2.1/4	57	2	50
T2020N-3232	51	2	2" -11,5		-3232	4.33	110	2.13	54			2.3/4	70	2.1/2	

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

GREASE LINE

T2861

GREASE LINE
FIXED FEMALE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch	inch		inch	mm	inch	mm					inch	mm
T2861-0408	6	1/4	1/2	5/16	-0408	1.89	48	0.91	23					11/16	

JIC

T2030

JIC 37° CONE MALE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm					inch	mm
T2030-0407	6	1/4	7/16" -20		-0407	2.17	55	1.14	29					1/2	
T2030-0408	6	1/4	1/2" - 20		-0408	2.17	55	1.14	29					9/16	
T2030-0409	6	1/4	9/16" -18		-0409	2.17	55	1.18	30					5/8	16
T2030-0412	6	1/4	3/4" -16		-0412	2.28	58	1.26	32					13/16	
T2030-0508	8	5/16	1/2" - 20		-0508	2.17	55	1.14	29					9/16	
T2030-0509	8	5/16	9/16" -18		-0509	2.17	55	1.18	30					5/8	16
T2030-0609	10	3/8	9/16" -18		-0609	2.24	57	1.26	32					5/8	16
T2030-0612	10	3/8	3/4" -16		-0612	2.32	59	1.38	35					3/4	19
T2030-0614	10	3/8	7/8" -14		-0614	2.44	62	1.46	37					7/8	22
T2030-0812	12	1/2	3/4" -16		-0812	2.40	61	1.46	37					3/4	19
T2030-0814	12	1/2	7/8" -14		-0814	2.52	64	1.54	39					15/16	24
T2030-0817	12	1/2	1.1/16" -12		-0817	2.64	67	1.65	42					1.1/8	
T2030-1014	16	5/8	7/8" -14		-1014	2.80	71	1.57	40					15/16	24
T2030-1017	16	5/8	1.1/16" -12		-1017	2.87	73	1.69	43					1.1/8	
T2030-1214	19	3/4	7/8" -14		-1214	2.80	71	1.61	41					1	
T2030-1217	19	3/4	1.1/16" -12		-1217	2.87	73	1.73	44					1.1/8	
T2030-1219	19	3/4	1.3/16" -12		-1219	2.91	74	1.77	45					1.1/4	32
T2030-1221	19	3/4	1.5/16" -12		-1221	2.95	75	1.77	45					1.3/8	35
T2030-1621	25	1	1.5/16" -12		-1621	3.03	77	1.85	47					1.3/8	35
T2030-1626	25	1	1.5/8"-12		-1626	3.11	79	1.89	48					1.3/4	
T2030-2026	31	1.1/4	1.5/8"-12		-2026	4.02	102	2.05	52					1.3/4	
T2030-2430	38	1.1/2	1.7/8"-12		-2430	4.29	109	2.24	57					2	50
T2030-3240	51	2	2.1/2" -12		-3240	5.12	130	2.87	73					2.1/2	


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

JIC

T2031

JIC
37° CONE MALE
METRIC HEX ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm						mm
T2031-0407	6	1/4	7/16" -20		-0407	2.17	55	1.14	29						12
T2031-0508	8	5/16	1/2" - 20		-0508	2.17	55	1.14	29						14
T2031-1221	19	3/4	1.5/16" -12		-1221	2.95	75	1.77	45						36
T2031-1621	25	1	1.5/16" -12		-1621	3.03	77	1.85	47						36

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

T2040

JSEAL™ / JIC
FEMALE
CONVEX SEAT



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
T2040-0307	5	3/16	7/16" -20		-0307	1.61	41	0.87	22			9/16		1/2	
T2040-0406	6	1/4	3/8" -24		-0406	1.85	47	0.87	22			1/2		1/2	
T2040-0407	6	1/4	7/16" -20		-0407	1.77	45	0.79	20			9/16		1/2	
T2040-0408	6	1/4	1/2" -20		-0408	1.85	47	0.83	21			5/8	16	1/2	
T2040-0409	6	1/4	9/16" -18		-0409	1.89	48	0.91	23			11/16		1/2	
T2040-0412	6	1/4	3/4" -16		-0412	1.93	49	0.94	24			7/8	22	1/2	
T2040-0507	8	5/16	7/16" -20		-0507	1.85	47	0.87	22			9/16		9/16	
T2040-0508	8	5/16	1/2" -20		-0508	1.85	47	0.87	22			5/8	16	9/16	
T2040-0509	8	5/16	9/16" -18		-0509	1.89	48	0.87	22			11/16		9/16	
T2040-0512	8	5/16	3/4" -16		-0512	2.01	51	0.98	25			7/8	22	9/16	
T2040-0607	10	3/8	7/16" -20		-0607	1.85	47	0.87	22			9/16		5/8	16
T2040-0609	10	3/8	9/16" -18		-0609	1.85	47	0.87	22			11/16		5/8	16
T2040-0612	10	3/8	3/4" -16		-0612	1.97	50	0.98	25			7/8	22	5/8	16
T2040-0614	10	3/8	7/8" -14		-0614	2.05	52	1.06	27			1		5/8	16
T2040-0809	12	1/2	9/16" -18		-0809	2.68	68	1.69	43			11/16		3/4	19
T2040-0812	12	1/2	3/4" -16		-0812	1.97	50	0.98	25			7/8	22	3/4	19
T2040-0814	12	1/2	7/8" -14		-0814	2.05	52	1.06	27			1		3/4	19
T2040-0817	12	1/2	1.1/16" -12		-0817	2.20	56	1.22	31			1.1/4	32	3/4	19
T2040-1012	16	5/8	3/4" -16		-1012	2.20	56	0.98	25			7/8	22	7/8	22
T2040-1014	16	5/8	7/8" -14		-1014	2.24	57	1.06	27			1		7/8	22
T2040-1017	16	5/8	1.1/16" -12		-1017	2.40	61	1.18	30			1.1/4	32	7/8	22
T2040-1212	19	3/4	3/4" -16		-1212	2.36	60	1.18	28			7/8	22	1.1/16	27
T2040-1214	19	3/4	7/8" -14		-1214	2.48	63	1.34	32			1		1.1/16	27
T2040-1217	19	3/4	1.1/16" -12		-1217	2.36	60	1.14	29			1.1/4	32	15/16	24
T2040-1219	19	3/4	1.3/16" -12		-1219	2.40	61	1.22	31			1.3/8	35	1.1/8	
T2040-1221	19	3/4	1.5/16" -12		-1221	2.68	68	1.50	36			1.1/2	38	1.1/16	27
T2040-1617	25	1	1.1/16" -12		-1617	2.56	65	1.34	37			1.1/4	32	1.1/4	32
T2040-1621	25	1	1.5/16" -12		-1621	2.60	66	1.38	33			1.1/2	38	1.1/4	32
T2040-1626	25	1	1.5/8" -12		-1626	2.83	72	1.61	38			2	50	1.1/4	32
T2040-1630	25	1	1.7/8" -12		-1630	3.07	78	1.85	47			2.1/4	57	1.1/4	32
T2040-2026	31	1.1/4	1.5/8" -12		-2026	3.62	92	1.69	43			2	50	1.5/8	41
T2040-2030	31	1.1/4	1.7/8" -12		-2030	3.98	101	2.05	52			2.1/4	57	1.5/8	41
T2040-2430	38	1.1/2	1.7/8" -12		-2430	4.13	105	2.09	53			2.1/4	57	2	50
T2040-3240	51	2	2.1/2" -12		-3240	4.65	118	2.44	62			2.7/8	73	2.1/2	
T2040-4048	63	2.1/2	3" -12		-4048	4.57	116	1.54	39			3.1/2	90		

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

T2041

JSEAL™ / JIC
FEMALE CONVEX SEAT
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
T2041-0307	5	3/16	7/16" -20		-0307	1.61	41	0.87	22				14	1/2	
T2041-0407	6	1/4	7/16" -20		-0407	1.77	45	0.79	20				14	1/2	
T2041-0409	6	1/4	9/16" -18		-0409	1.89	48	0.91	23			3/4	19	1/2	
T2041-0507	8	5/16	7/16" -20		-0507	1.85	47	0.87	22				14	9/16	
T2041-0509	8	5/16	9/16" -18		-0509	1.89	48	0.87	22			3/4	19	9/16	
T2041-0607	10	3/8	7/16" -20		-0607	1.85	47	0.87	22				14	5/8	16
T2041-0609	10	3/8	9/16" -18		-0609	1.85	47	0.87	22			3/4	19	5/8	16
T2041-0809	12	1/2	9/16" -18		-0809	2.68	68	1.69	43			3/4	19	3/4	19

JSEAL™ / JIC

T2080

JSEAL™ / JIC
FEMALE CONVEX SEAT
45° ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T2080-0406	6	1/4	3/8" - 24		-0406	2.09	53	1.10	28	0.51	13	1/2		9/16	
T2080-0407	6	1/4	7/16" -20		-0407	2.09	53	1.10	28	0.51	13	9/16		9/16	
T2080-0408	6	1/4	1/2" - 20		-0408	2.09	53	1.10	28	0.51	13	5/8	16	9/16	
T2080-0409	6	1/4	9/16" -18		-0409	2.01	51	1.02	26	0.47	12	11/16		9/16	
T2080-0609	10	3/8	9/16" -18		-0609	2.20	56	1.26	32	0.55	14	11/16		3/4	19
T2080-0612	10	3/8	3/4" -16		-0612	1.65	42	0.67	17	0.59	15	7/8	22	3/4	19
T2080-0812	12	1/2	3/4" -16		-0812	1.81	46	0.83	21	0.63	16	7/8	22	7/8	22
T2080-0814	12	1/2	7/8" -14		-0814	2.48	63	1.50	38	0.67	17	1		7/8	22
T2080-1217	19	3/4	1.1/16" -12		-1217	2.13	54	0.98	25	0.67	17	1.1/4	32	1.1/16	27
T2080-1621	25	1	1.5/16" -12		-1621	2.32	59	1.10	28	0.83	21	1.1/2	38	1.5/16	

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

T2081

JSEAL™ / JIC
FEMALE
CONVEX SEAT
45° ELBOW
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T2081-0407	6	1/4	7/16" -20		-0407	2.09	53	1.10	28	0.51	13		14	9/16	
T2081-0409	6	1/4	9/16" -18		-0409	2.01	51	1.02	26	0.47	12	3/4	19	9/16	
T2081-0609	10	3/8	9/16" -18		-0609	2.20	56	1.26	32	0.55	14	3/4	19	3/4	19

JSEAL™ / JIC

T2070

JSEAL™ / JIC
FEMALE
CONVEX SEAT
90° ELBOW



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T2070-0307	5	3/16	7/16" -20		-0307	1.61	41	0.87	22	0.71	18	9/16		9/16	
T2070-0406	6	1/4	3/8" -24		-0406	1.85	47	0.87	22	0.67	17	1/2		9/16	
T2070-0407	6	1/4	7/16" -20		-0407	1.85	47	0.83	21	0.67	17	9/16		9/16	
T2070-0408	6	1/4	1/2" -20		-0408	1.85	47	0.87	22	0.67	17	5/8	16	9/16	
T2070-0409	6	1/4	9/16" -18		-0409	1.85	47	0.83	21	0.87	22	11/16		9/16	
T2070-0609	10	3/8	9/16" -18		-0609	1.89	48	0.91	23	0.91	23	11/16		3/4	19
T2070-0612	10	3/8	3/4" -16		-0612	1.89	48	0.91	23	0.94	24	7/8	22	3/4	19
T2070-0812	12	1/2	3/4" -16		-0812	2.13	54	1.14	29	1.06	27	7/8	22	7/8	22
T2070-0814	12	1/2	7/8" -14		-0814	2.13	54	1.14	29	1.22	31	1		7/8	22
T2070-0817	12	1/2	1.1/16" -12		-0817	2.13	54	1.14	29	1.26	32	1.1/4	32	1.1/16	27
T2070-1217	19	3/4	1.1/16" -12		-1217	2.36	60	1.22	31	1.26	32	1.1/4	32	1.1/16	27
T2070-1621	25	1	1.5/16" -12		-1621	2.48	63	1.26	32	1.50	38	1.1/2	38	1.5/16	


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

T2071

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° ELBOW
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T2071-0307	5	3/16	7/16" -20		-0307	1.61	41	0.87	22	0.71	18		14	9/16	
T2071-0407	6	1/4	7/16" -20		-0407	1.85	47	0.83	21	0.67	17		14	9/16	
T2071-0409	6	1/4	9/16" -18		-0409	1.85	47	0.83	21	0.87	22	3/4	19	9/16	
T2071-0609	10	3/8	9/16" -18		-0609	1.89	48	0.91	23	0.91	23	3/4	19	3/4	19

JSEAL™ / JIC

T2250

JSEAL™ / JIC
FEMALE CONVEX SEAT
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2250-0407	6	1/4	7/16" -20		-0407	2.56	65	1.57	40	0.59	15	9/16			
T2250-0408	6	1/4	1/2" - 20		-0408	2.28	58	1.30	33	0.59	15	5/8	16		
T2250-0409	6	1/4	9/16" -18		-0409	2.28	58	1.30	33	0.59	15	11/16			
T2250-0509	8	5/16	9/16" -18		-0509	2.60	66	1.57	40	0.63	16	11/16			
T2250-0609	10	3/8	9/16" -18		-0609	2.48	63	1.50	38	0.55	14	11/16			
T2250-0612	10	3/8	3/4" -16		-0612	2.52	64	1.54	39	0.67	17	7/8	22		
T2250-0812	12	1/2	3/4" -16		-0812	2.80	71	1.81	46	0.83	21	7/8	22		
T2250-0814	12	1/2	7/8" -14		-0814	2.83	72	1.85	47	0.87	22	1			
T2250-0817	12	1/2	1.1/16" -12		-0817	2.83	72	1.85	47	0.83	21	1.1/4	32		
T2250-1014	16	5/8	7/8" -14		-1014	3.66	93	2.44	62	0.94	24	1			
T2250-1017	16	5/8	1.1/16" -12		-1017	3.35	85	2.13	54	0.94	24	1.1/4	32		
T2250-1214	19	3/4	7/8" -14		-1214	3.82	95	2.64	65	0.94	24	1			
T2250-1217	19	3/4	1.1/16" -12		-1217	4.25	108	3.03	77	1.10	28	1.1/4	32		
T2250-1219	19	3/4	1.3/16" -12		-1219	3.66	93	2.52	64	0.94	24	1.3/8	35		
T2250-1221	19	3/4	1.5/16" -12		-1221	4.69	117	3.50	87	1.50	38	1.1/2	38		
T2250-1621	25	1	1.5/16" -12		-1621	4.53	115	3.31	82	1.38	35	1.1/2	38		
T2250-1626	25	1	1.5/8" -12		-1626	4.69	119	3.50	86	1.54	39	2	50		
T2250-2026	31	1.1/4	1.5/8" -12		-2026	5.87	149	3.94	100	1.54	39	2	50		
T2250-2030	31	1.1/4	1.7/8" -12		-2030	5.98	152	4.06	103	1.65	42	2.1/4	57		
T2250-2430	38	1.1/2	1.7/8" -12		-2430	7.09	180	5.04	128	1.97	50	2.1/4	57		
T2250-3240	51	2	2.1/2" -12		-3240	8.66	220	6.46	164	2.48	63	2.7/8	73		

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

T2251

JSEAL™ / JIC FEMALE
CONVEX SEAT
45° TUBE BEND
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm		
T2251-0407	6	1/4	7/16" -20		-0407	2.56	65	1.57	40	0.59	15		14		
T2251-0409	6	1/4	9/16" -18		-0409	2.28	58	1.30	33	0.59	15	3/4	19		
T2251-0509	8	5/16	9/16" -18		-0509	2.60	66	1.57	40	0.63	16	3/4	19		
T2251-0609	10	3/8	9/16" -18		-0609	2.48	63	1.50	38	0.55	14	3/4	19		

JSEAL™ / JIC

T2243

JSEAL™ / JIC
FEMALE CONVEX SEAT
90° SHORT TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm		
T2243-0407	6	1/4	7/16" -20		-0407	2.44	62	1.46	37	0.83	21	9/16			
T2243-0409	6	1/4	9/16" -18		-0409	2.05	52	1.06	27	0.87	22	11/16			
T2243-0609	10	3/8	9/16" -18		-0609	2.20	56	1.22	31	0.91	23	11/16			
T2243-0812	12	1/2	3/4" -16		-0812	2.68	68	1.69	43	1.14	29	7/8	22		
T2243-1014	16	5/8	7/8" -14		-1014	3.31	84	2.09	53	1.34	34	1			
T2243-1214	19	3/4	7/8" -14		-1214	3.27	81	2.09	51	1.34	34	1			
T2243-1217	19	3/4	1.1/16" -12		-1217	3.78	94	2.60	64	1.85	47	1.1/4	32		
T2243-1617	25	1	1.1/16" -12		-1617	3.39	86	2.17	58	1.85	47	1.1/4	32		
T2243-1621	25	1	1.5/16" -12		-1621	4.41	112	3.19	71	2.28	58	1.1/2	38		

JSEAL™ / JIC

T2244

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° SHORT TUBE BEND
METRIC NUT ONLY



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm		
T2244-0407	6	1/4	7/16" -20		-0407	2.44	62	1.46	37	0.83	21		14		
T2244-0409	6	1/4	9/16" -18		-0409	2.05	52	1.06	27	0.87	22	3/4	19		
T2244-0609	10	3/8	9/16" -18		-0609	2.20	56	1.22	31	0.91	23	3/4	19		


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

T2240

JSEAL™ / JIC
FEMALE CONVEX SEAT
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2240-0407	6	1/4	7/16" -20		-0407	2.52	64	1.54	39	1.26	32	9/16			
T2240-0408	6	1/4	1/2" - 20		-0408	2.24	57	1.26	32	1.26	32	5/8	16		
T2240-0409	6	1/4	9/16" -18		-0409	2.28	58	1.30	33	1.50	38	11/16			
T2240-0412	6	1/4	3/4" -16		-0412	2.01	51	1.02	26	1.50	38	7/8	22		
T2240-0509	8	5/16	9/16" -18		-0509	2.32	59	1.34	34	1.18	30	11/16			
T2240-0512	8	5/16	3/4" -16		-0512	2.36	60	1.38	35	1.61	41	7/8	22		
T2240-0609	10	3/8	9/16" -18		-0609	2.32	59	1.34	34	1.02	26	11/16			
T2240-0612	10	3/8	3/4" -16		-0612	2.36	60	1.38	35	1.18	30	7/8	22		
T2240-0614	10	3/8	7/8" -14		-0614	2.36	60	1.38	35	1.61	41	1			
T2240-0812	12	1/2	3/4" -16		-0812	2.60	66	1.61	41	1.50	38	7/8	22		
T2240-0814	12	1/2	7/8" -14		-0814	2.60	66	1.61	41	1.61	41	1			
T2240-0817	12	1/2	1.1/16" -12		-0817	2.60	66	1.61	41	1.77	45	1.1/4	32		
T2240-1012	16	5/8	3/4" -16		-1012	3.15	80	1.97	50	1.61	41	7/8	22		
T2240-1014	16	5/8	7/8" -14		-1014	2.99	76	1.77	45	1.85	47	1			
T2240-1017	16	5/8	1.1/16" -12		-1017	2.99	76	1.77	45	1.89	48	1.1/4	32		
T2240-1214	19	3/4	7/8" -14		-1214	3.35	83	2.17	53	1.89	48	1			
T2240-1217	19	3/4	1.1/16" -12		-1217	3.50	89	2.24	57	2.24	57	1.1/4	32		
T2240-1219	19	3/4	1.3/16" -12		-1219	3.35	85	2.17	55	2.28	58	1.3/8	35		
T2240-1221	19	3/4	1.5/16" -12		-1221	3.50	87	2.32	57	2.80	71	1.1/2	38		
T2240-1617	25	1	1.1/16" -12		-1617	3.39	86	2.17	58	2.32	59	1.1/4	32		
T2240-1621	25	1	1.5/16" -12		-1621	3.86	98	2.68	74	2.83	72	1.1/2	38		
T2240-1626	25	1	1.5/8" -12		-1626	3.90	99	2.68	74	3.07	78	2	50		
T2240-2026	31	1.1/4	1.5/8" -12		-2026	5.87	149	3.94	100	3.19	81	2	50		
T2240-2430	38	1.1/2	1.7/8" -12		-2430	6.22	158	4.17	106	4.17	106	2.1/4	57		
T2240-3240	51	2	2.1/2" -12		-3240	8.03	204	5.83	148	5.20	132	2.7/8	73		

JSEAL™ / JIC

T2241

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° TUBE BEND
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2241-0407	6	1/4	7/16" -20		-0407	2.52	64	1.54	39	1.26	32		14		
T2241-0409	6	1/4	9/16" -18		-0409	2.28	58	1.30	33	1.50	38	3/4	19		
T2241-0509	8	5/16	9/16" -18		-0509	2.32	59	1.34	34	1.18	30	3/4	19		
T2241-0609	10	3/8	9/16" -18		-0609	2.32	59	1.34	34	1.02	26	3/4	19		

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

T2280

JSEAL™ / JIC
FEMALE CONVEX SEAT
90° LONG TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2280-0407	6	1/4	7/16" -20		-0407	2.68	68	1.69	43	1.85	47	9/16			
T2280-0409	6	1/4	9/16" -18		-0409	2.83	72	1.85	47	2.13	54	11/16			
T2280-0609	10	3/8	9/16" -18		-0609	3.03	77	2.05	52	2.17	55	11/16			
T2280-0612	10	3/8	3/4" -16		-0612	3.03	77	2.05	52	2.52	64	7/8	22		
T2280-0812	12	1/2	3/4" -16		-0812	2.99	76	2.01	51	2.36	60	7/8	22		
T2280-0814	12	1/2	7/8" -14		-0814	3.15	80	2.17	55	2.76	70	1			
T2280-1014	16	5/8	7/8" -14		-1014	3.23	82	2.01	51	2.76	70	1			
T2280-1017	16	5/8	1.1/16" -12		-1017	3.23	82	2.01	51	3.78	96	1.1/4	32		
T2280-1217	19	3/4	1.1/16" -12		-1217	3.50	89	2.24	57	3.78	96	1.1/4	32		
T2280-1621	25	1	1.5/16" -12		-1621	4.17	106	2.95	74	4.49	114	1.1/2	38		
T2280-2026	31	1.1/4	1.5/8" -12		-2026	5.87	149	3.94	100	5.08	129	2	50		
T2280-2430	38	1.1/2	1.7/8" -12		-2430	6.22	158	4.17	106	5.55	141	2.1/4	57		
T2280-3240	51	2	2.1/2" -12		-3240	8.03	204	5.83	148	8.74	222	2.7/8	73		

JSEAL™ / JIC

T2281

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° LONG TUBE BEND
METRIC NUT ONLY



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2281-0407	6	1/4	7/16" -20		-0407	2.68	68	1.69	43	1.85	47		14		
T2281-0409	6	1/4	9/16" -18		-0409	2.83	72	1.85	47	2.13	54	3/4	19		
T2281-0609	10	3/8	9/16" -18		-0609	3.03	77	2.05	52	2.17	55	3/4	19		


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

JIS - BSPP

T2220

JAPANESE INDUSTRIAL STANDARD (JIS)
BSPP MALE
60° CONVEX SEAT (JIS)




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm					inch	mm
T2220-0404	6	1/4	1/4" -19		-0404	2.20	56	1.22	31					11/16	
T2220-0606	10	3/8	3/8" -19		-0606	2.36	60	1.38	35					3/4	19
T2220-0808	12	1/2	1/2" -14		-0808	2.52	64	1.54	39					1	

JIC - BSPP

T2122

JAPANESE INDUSTRIAL STANDARD (JIS)
BSPP FEMALE
60° CONCAVE SEAT (JIS)




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm			inch	mm	inch	mm
T2122-0404	6	1/4	1/4" -19		-0404	1.93	49	0.94	24			3/4	19		14
T2122-0606	10	3/8	3/8" -19		-0606	1.97	50	0.98	25			7/8	22		17
T2122-0608	10	3/8	1/2" -14		-0608	2.01	51	1.06	27			1.1/16	27	3/4	19
T2122-0808	12	1/2	1/2" -14		-0808	2.05	52	1.06	27			1.1/16	27	3/4	19
T2122-1012	16	5/8	3/4" -16		-1012	2.28	58	1.10	28				36	1.1/16	27
T2122-1212	19	3/4	3/4" -16		-1212	2.36	60	1.18	30				36	1.1/16	27
T2122-1616	25	1	1" -11		-1616	2.48	63	1.26	32			1.5/8	41		36

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

JIS

T2680

JAPANESE INDUSTRIAL STANDARD (JIS)
METRIC FEMALE
60° CONCAVE SEAT (JIS)




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	mm			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
T2680-0414	6	1/4	M 14X1,5		-0414	1.77	45	0.79	20			3/4	19		14
T2680-0418	6	1/4	M 18X1,5		-0418	1.89	48	0.91	23			15/16	24		17
T2680-0516	8	5/16	M 16X1,5		-0516	1.89	48	0.91	23					5/8	16
T2680-0616	10	3/8	M 16X1,5		-0616	1.85	47	0.87	22				21		
T2680-0618	10	3/8	M 18X1,5		-0618	1.85	47	0.87	22			15/16	24		17
T2680-0620	10	3/8	M 20X1,5		-0620	2.01	51	1.02	26			1.1/16	27	3/4	19
T2680-0622	10	3/8	M 22X1,5		-0622	2.05	52	1.06	27			1.1/16	27	7/8	22
T2680-0822	12	1/2	M 22X1,5		-0822	2.09	53	1.10	28			1.1/16	27	7/8	22
T2680-0824	12	1/2	M 24X1,5		-0824	2.09	53	1.10	28			1.1/4	32	7/8	22
T2680-1024	16	5/8	M 24X1,5		-1024	2.20	56	1.02	26			1.1/4	32	7/8	22
T2680-1030	16	5/8	M 30X1,5		-1030	2.48	63	1.30	33				36	1.1/4	32
T2680-1224	19	3/4	M 24X1,5		-1224	2.24	57	1.06	27			1.1/4	32	1.1/16	27
T2680-1230	19	3/4	M 30X1,5		-1230	2.52	64	1.34	34				36	1.1/4	32
T2680-1233	19	3/4	M 33X1,5		-1233	2.36	60	1.18	30			1.5/8	41	1.1/4	32
T2680-1633	25	1	M 33X1,5		-1633	2.40	61	1.18	30			1.5/8	41	1.1/4	32
T2680-2036	31	1.1/4	M 36X1,5		-2036	3.43	87	1.46	37				46	1.1/2	38
T2680-2042	31	1.1/4	M 42X1,5		-2042	3.50	89	1.54	39			2	50	1.5/8	41

JIS

T2682

METRIC FEMALE
60° CONCAVE SEAT (JIS) 45° BEND



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	mm			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2682-0414	6	1/4	M 14X1,5		-0414	2.28	58	1.30	33	0.59	15	3/4	19		
T2682-0618	10	3/8	M 18X1,5		-0618	2.52	64	1.54	39	0.75	19	15/16	24		
T2682-0822	12	1/2	M 22X1,5		-0822	2.87	73	1.89	48	0.87	22	1.1/16	27		
T2682-1024	16	5/8	M 24X1,5		-1024	3.27	83	2.09	53	0.94	24	1.1/4	32		
T2682-1230	19	3/4	M 30X1,5		-1230	3.78	96	2.64	67	1.10	28		36		
T2682-1633	25	1	M 33X1,5		-1633	5.55	141	3.27	83	1.34	34		41		


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

JIS

T2683

JAPANESE INDUSTRIAL STANDARD (JIS)
METRIC FEMALE
60° CONCAVE SEAT (JIS) 90° BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	mm			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2683-0414	6	1/4	M 14X1,5		-0414	2.05	52	1.06	27	1.18	30	3/4	19		
T2683-0618	10	3/8	M 18X1,5		-0618	2.36	60	1.38	35	1.30	33	15/16	24		
T2683-0822	12	1/2	M 22X1,5		-0822	2.52	64	1.54	39	1.65	42	1.1/16	27		
T2683-1024	16	5/8	M 24X1,5		-1024	2.95	75	1.77	45	1.89	48	1.1/4	32		
T2683-1230	19	3/4	M 30X1,5		-1230	3.35	85	2.20	56	2.20	56		36		
T2683-1633	25	1	M 33X1,5		-1633	4.06	103	2.83	72	2.83	72		41		

JOINER

T2900

JOINER




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch		inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm						
T2900-0404	6	1/4		1/4	-0404	2.52	64	0.51	13						
T2900-0505	8	5/16		5/16	-0505	2.52	64	0.51	13						
T2900-0606	10	3/8		3/8	-0606	2.52	64	0.59	15						
T2900-0808	12	1/2		1/2	-0808	2.56	65	0.59	15						
T2900-1010	16	5/8		5/8	-1010	2.95	75	0.55	14						
T2900-1212	19	3/4		3/4	-1212	2.95	75	0.63	16						
T2900-1616	25	1		1	-1616	3.43	87	0.98	25						
T2900-2020	31	1.1/4		1.1/4	-2020	4.88	124	0.94	24						
T2900-2424	38	1.1/2		1.1/2	-2424	5.08	129	1.02	26						
T2900-3232	51	2		2	-3232	5.47	139	1.06	27						
T2900-4040	63	2.1/2		2.1/2	-4040	7.05	179	1.02	26						
T2900-4848	76	3		3	-4848	7.05	179	1.02	26						

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

METRIC - DKL

T2650

DKL MALE
24° SEAT



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	mm	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
T2650-0412	6	1/4	M 12X1,5	6	-0412	2.01	51	0.98	25						14
T2650-0414	6	1/4	M 14X1,5	8	-0414	2.01	51	0.98	25						14
T2650-0416	6	1/4	M 16X1,5	10	-0416	2.05	52	1.02	26						17
T2650-0418	6	1/4	M 18X1,5	12	-0418	2.05	52	1.02	26					3/4	19
T2650-0516	8	5/16	M 16X1,5	10	-0516	2.13	54	1.14	29						17
T2650-0518	8	5/16	M 18X1,5	12	-0518	2.05	52	1.02	26					3/4	19
T2650-0616	10	3/8	M 16X1,5	10	-0616	2.13	54	1.14	29						17
T2650-0618	10	3/8	M 18X1,5	12	-0618	2.13	54	1.14	29					3/4	19
T2650-0622	10	3/8	M 22X1,5	15	-0622	2.05	52	1.06	27					15/16	24
T2650-0818	12	1/2	M 18X1,5	12	-0818	2.13	54	1.18	30					3/4	19
T2650-0822	12	1/2	M 22X1,5	15	-0822	2.24	57	1.26	32					7/8	22
T2650-0826	12	1/2	M 26X1,5	18	-0826	2.24	57	1.26	32					1.3/16	30
T2650-1026	16	5/8	M 26X1,5	18	-1026	2.32	59	1.14	29					1.3/16	30
T2650-1030	16	5/8	M 30X2	22	-1030	2.40	61	1.22	31					1.1/4	32
T2650-1226	19	3/4	M 26X1,5	18	-1226	2.32	59	1.18	30					1.3/16	30
T2650-1230	19	3/4	M 30X2	22	-1230	2.40	61	1.26	32					1.1/4	32
T2650-1636	25	1	M 36X2	28	-1636	2.68	68	1.50	38					1.5/8	41
T2650-2045	31	1.1/4	M 45X2	35	-2045	3.66	93	1.69	43						46
T2650-2452	38	1.1/2	M 52X2	42	-2452	3.90	99	1.89	48					2.3/16	55

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

METRIC - DKL

T2600

DKL FEMALE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
						L		C _A		D _L		H _F		H _M	
	DN	inch	mm	mm		inch	mm	inch	mm			inch	mm		
T2600-0412	6	1/4	M 12X1,5	6	-0412	1.85	47	0.83	21				14		
T2600-0414	6	1/4	M 14X1,5	8	-0414	1.85	47	0.87	22				17		
T2600-0416	6	1/4	M 16X1,5	10	-0416	1.89	48	0.91	23			3/4	19		
T2600-0516	8	5/16	M 16X1,5	10	-0516	1.89	48	0.91	23			3/4	19		
T2600-0518	8	5/16	M 18X1,5	12	-0518	1.89	48	0.91	23			7/8	22		
T2600-0614	10	3/8	M 14X1,5	8	-0614	1.85	47	0.87	22				17		
T2600-0616	10	3/8	M 16X1,5	10	-0616	1.89	48	0.91	23			3/4	19		
T2600-0618	10	3/8	M 18X1,5	12	-0618	1.89	48	0.91	23			7/8	22		
T2600-0622	10	3/8	M 22X1,5	15	-0622	2.01	51	1.02	26			1.1/16	27		
T2600-0818	12	1/2	M 18X1,5	12	-0818	1.93	49	0.94	24			7/8	22		
T2600-0822	12	1/2	M 22X1,5	15	-0822	1.97	50	0.98	25			1.1/16	27		
T2600-0826	12	1/2	M 26X1,5	18	-0826	2.01	51	1.06	27			1.1/4	32		
T2600-1026	16	5/8	M 26X1,5	18	-1026	2.20	56	1.02	26			1.1/4	32		
T2600-1226	19	3/4	M 26X1,5	18	-1226	2.20	56	1.06	27			1.1/4	32		
T2600-1230	19	3/4	M 30X2	22	-1230	2.24	57	1.06	27				36		
T2600-1636	25	1	M 36X2	28	-1636	2.40	61	1.18	30			1.5/8	41		
T2600-2045	31	1.1/4	M 45X2	35	-2045	3.31	84	1.34	34			2	50		

METRIC - DKL

T2660

DKL FEMALE
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	mm	mm		inch	mm	inch	mm	inch	mm	inch	mm		
T2660-0412	6	1/4	M 12X1,5	6	-0412	2.40	61	1.42	36	0.71	18		14		
T2660-0414	6	1/4	M 14X1,5	8	-0414	2.40	61	1.42	36	0.67	17		17		
T2660-0516	8	5/16	M 16X1,5	10	-0516	2.76	70	1.77	45	0.79	20	3/4	19		
T2660-0616	10	3/8	M 16X1,5	10	-0616	2.76	70	1.77	45	0.79	20	3/4	19		
T2660-0618	10	3/8	M 18X1,5	12	-0618	2.76	70	1.77	45	0.79	20	7/8	22		
T2660-0822	12	1/2	M 22X1,5	15	-0822	2.95	75	1.97	50	0.87	22	1.1/16	27		
T2660-0826	12	1/2	M 26X1,5	18	-0826	2.95	75	1.97	50	0.87	22	1.1/4	32		
T2660-1026	16	5/8	M 26X1,5	18	-1026	3.54	90	2.36	60	1.10	28	1.1/4	32		
T2660-1230	19	3/4	M 30X2	22	-1230	4.06	103	2.87	73	1.26	32		36		
T2660-1636	25	1	M 36X2	28	-1636	4.45	113	3.23	82	1.65	42	1.5/8	41		

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

METRIC - DKL

T2670

DKL FEMALE
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	mm	mm		L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2670-0412	6	1/4	M 12X1,5	6	-0412	2.05	52	1.06	27	1.22	31		14		
T2670-0414	6	1/4	M 14X1,5	8	-0414	2.05	52	1.06	27	1.22	31		17		
T2670-0416	6	1/4	M 16X1,5	10	-0416	2.05	52	1.06	27	1.26	32	3/4	19		
T2670-0614	10	3/8	M 14X1,5	8	-0614	2.28	58	1.30	33	1.22	31		17		
T2670-0616	10	3/8	M 16X1,5	10	-0616	2.36	60	1.38	35	1.38	35	3/4	19		
T2670-0618	10	3/8	M 18X1,5	12	-0618	2.32	59	1.34	34	1.38	35	7/8	22		
T2670-0622	10	3/8	M 22X1,5	15	-0622	2.32	59	1.34	34	1.46	37	1.1/16	27		
T2670-0822	12	1/2	M 22X1,5	15	-0822	2.56	65	1.57	40	1.73	44	1.1/16	27		
T2670-0826	12	1/2	M 26X1,5	18	-0826	2.44	62	1.46	37	1.97	50	1.1/4	32		
T2670-1026	16	5/8	M 26X1,5	18	-1026	3.03	77	1.85	47	2.09	53	1.1/4	32		
T2670-1230	19	3/4	M 30X2	22	-1230	3.39	86	2.20	56	2.52	64		36		
T2670-1636	25	1	M 36X2	28	-1636	3.94	100	2.72	69	2.87	73	1.5/8	41		

METRIC - DKM

T2610

DKM FEMALE
60° CONE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	mm		L		CA		DL		HF		HM	
						inch	mm	inch	mm				mm	inch	mm
T2610-0616	10	3/8	M 16X1,5	10	-0616	1.91	49	0.94	24				19		
T2610-1230	19	3/4	M 30X2	22	-1230	2.17	55	0.98	25				36		
T2610-2052	31	1.1/4	M 52X2	42	-2052	3.53	90	1.56	40				60		
T2610-2452	38	1.1/2	M 52X2	42	-2452	3.62	92	1.59	41				60		


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

METRIC - DKOL

T2501

DKOL FEMALE
24° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
						L		C _A		D _L		H _F		H _M	
	DN	inch	mm	mm		inch	mm	inch	mm			inch	mm	inch	mm
T2501-0312	5	3/16	M 12X1,5	6	-0312	1.61	41	0.83	21				14		
T2501-0412	6	1/4	M 12X1,5	6	-0412	1.81	46	0.83	21				14		
T2501-0414	6	1/4	M 14X1,5	8	-0414	2.05	52	1.02	26				17	1/2	
T2501-0416	6	1/4	M 16X1,5	10	-0416	2.13	54	1.10	28			3/4	19	1/2	
T2501-0514	8	5/16	M 14X1,5	8	-0514	1.85	47	0.87	22				17		
T2501-0516	8	5/16	M 16X1,5	10	-0516	2.13	54	1.14	29			3/4	19	9/16	
T2501-0518	8	5/16	M 18X1,5	12	-0518	2.17	55	1.14	29			7/8	22	9/16	
T2501-0612	10	3/8	M 12X1,5	6	-0612	2.05	52	1.05	27				14	5/8	16
T2501-0614	10	3/8	M 14X1,5	8	-0614	2.05	52	1.06	27				17	5/8	16
T2501-0616	10	3/8	M 16X1,5	10	-0616	2.13	54	1.14	29			3/4	19	5/8	16
T2501-0618	10	3/8	M 18X1,5	12	-0618	2.17	55	1.18	30			7/8	22	5/8	16
T2501-0622	10	3/8	M 22X1,5	15	-0622	2.24	57	1.26	32			1.1/16	27	5/8	16
T2501-0818	12	1/2	M 18X1,5	12	-0818	2.13	54	1.14	29			7/8	22	3/4	19
T2501-0822	12	1/2	M 22X1,5	15	-0822	2.24	57	1.26	32			1.1/16	27	3/4	19
T2501-0826	12	1/2	M 26X1,5	18	-0826	2.28	58	1.30	33			1.1/4	32	3/4	19
T2501-1026	16	5/8	M 26X1,5	18	-1026	2.56	65	1.34	34			1.1/4	32	7/8	22
T2501-1030	16	5/8	M 30X2	22	-1030	2.60	66	1.42	36				36	7/8	22
T2501-1226	19	3/4	M 26X1,5	18	-1226	2.68	66	1.54	37			1.1/4	32	1.1/16	27
T2501-1230	19	3/4	M 30X2	22	-1230	2.68	66	1.50	36				36	1.1/16	27
T2501-1636	25	1	M 36X2	28	-1636	2.91	74	1.69	39			1.5/8	41	1.1/4	32
T2501-2045	31	1.1/4	M 45X2	35	-2045	3.82	97	1.85	47			2	50	1.5/8	41
T2501-2452	38	1.1/2	M 52X2	42	-2452	3.43	87	1.38	35			2.3/8	60		

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

METRIC - DKOL

T2510

DKOL FEMALE
24° CONE
45° TUBE BEND



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	mm	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2510-0412	6	1/4	M 12X1,5	6	-0412	2.40	61	1.42	36	0.71	18		14		
T2510-0414	6	1/4	M 14X1,5	8	-0414	2.36	60	1.38	35	0.67	17		17		
T2510-0416	6	1/4	M 16X1,5	10	-0416	2.36	60	1.38	35	0.67	17	3/4	19		
T2510-0418	6	1/4	M 18X1,5	12	-0418	2.44	62	1.46	37	0.79	20	7/8	22		
T2510-0516	8	5/16	M 16X1,5	10	-0516	2.76	70	1.77	45	0.79	20	3/4	19		
T2510-0518	8	5/16	M 18X1,5	12	-0518	2.76	70	1.77	45	0.79	20		22		
T2510-0612	10	3/8	M 12X1,5	6	-0612	2.68	68	1.69	43	0.67	17		14		
T2510-0616	10	3/8	M 16X1,5	10	-0616	2.76	70	1.77	45	0.75	19	3/4	19		
T2510-0618	10	3/8	M 18X1,5	12	-0618	2.76	70	1.77	45	0.79	20	7/8	22		
T2510-0822	12	1/2	M 22X1,5	15	-0822	3.03	77	2.05	52	0.87	22	1.1/16	27		
T2510-0826	12	1/2	M 26X1,5	18	-0826	3.07	78	2.09	53	0.94	24	1.1/4	32		
T2510-1026	16	5/8	M 26X1,5	18	-1026	3.50	89	2.28	58	1.10	28	1.1/4	32		
T2510-1030	16	5/8	M 30X2	22	-1030	3.54	90	2.36	60	1.14	29		36		
T2510-1230	19	3/4	M 30X2	22	-1230	4.09	102	2.91	72	1.22	31		36		
T2510-1636	25	1	M 36X2	28	-1636	4.84	123	3.62	94	1.81	46	1.5/8	41		
T2510-2045	31	1.1/4	M 45X2	35	-2045	5.91	150	3.98	101	1.57	40	2	50		
T2510-2452	38	1.1/2	M 52X2	42	-2452	6.65	169	4.65	118	1.93	49	2.3/8	60		

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

METRIC - DKOL

T2520

DKOL FEMALE
24° CONE
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	mm	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2520-0412	6	1/4	M 12X1,5	6	-0412	2.05	52	1.06	27	1.22	31		14		
T2520-0414	6	1/4	M 14X1,5	8	-0414	2.28	58	1.30	33	1.22	31		17		
T2520-0416	6	1/4	M 16X1,5	10	-0416	2.05	52	1.06	27	1.22	31	3/4	19		
T2520-0418	6	1/4	M 18X1,5	12	-0418	2.28	58	1.30	33	1.34	34	7/8	22		
T2520-0516	8	5/16	M 16X1,5	10	-0516	2.32	59	1.34	34	1.38	35	3/4	19		
T2520-0518	8	5/16	M 18X1,5	12	-0518	2.40	61	1.42	36	1.38	35	7/8	22		
T2520-0616	10	3/8	M 16X1,5	10	-0616	2.36	60	1.38	35	1.42	36	3/4	19		
T2520-0618	10	3/8	M 18X1,5	12	-0618	2.36	60	1.38	35	1.38	35	7/8	22		
T2520-0622	10	3/8	M 22X1,5	15	-0622	2.56	65	1.57	40	1.73	44	1.1/16	27		
T2520-0822	12	1/2	M 22X1,5	15	-0822	2.60	66	1.61	41	1.73	44	1.1/16	27		
T2520-0826	12	1/2	M 26X1,5	18	-0826	2.60	66	1.61	41	1.89	48	1.1/4	32		
T2520-1026	16	5/8	M 26X1,5	18	-1026	3.07	78	1.89	48	2.13	54	1.1/4	32		
T2520-1230	19	3/4	M 30X2	22	-1230	3.50	87	2.32	57	2.56	65		36		
T2520-1636	25	1	M 36X2	28	-1636	3.94	100	2.72	45	3.11	79	1.5/8	41		
T2520-2045	31	1.1/4	M 45X2	35	-2045	5.87	149	3.94	100	2.99	76	2	50		
T2520-2452	38	1.1/2	M 52X2	42	-2452	5.94	151	3.90	99	4.02	102	2.3/8	60		

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

METRIC - DKS

T2630

DKS MALE
24° SEAT



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	mm	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
T2630-0414	6	1/4	M 14X1,5	6	-0414	2.09	53	1.06	27						17
T2630-0416	6	1/4	M 16X1,5	8	-0416	2.09	53	1.06	27						17
T2630-0418	6	1/4	M 18X1,5	10	-0418	1.93	49	0.94	24					3/4	19
T2630-0420	6	1/4	M 20X1,5	12	-0420	2.06	52	1.06	27						
T2630-0422	6	1/4	M 22X1,5	14	-0422	2.18	55	1.18	30						
T2630-0520	8	5/16	M 20X1,5	12	-0520	2.17	55	1.18	30					7/8	22
T2630-0618	10	3/8	M 18X1,5	10	-0618	1.89	48	0.94	24					3/4	19
T2630-0620	10	3/8	M 20X1,5	12	-0620	2.17	55	1.18	30					7/8	22
T2630-0622	10	3/8	M 22X1,5	14	-0622	2.13	54	1.14	29					15/16	24
T2630-0824	12	1/2	M 24X1,5	16	-0824	2.13	54	1.18	30					1.1/16	27
T2630-0830	12	1/2	M 30X2	20	-0830	2.20	56	1.26	32					1.1/4	32
T2630-1030	16	5/8	M 30X2	20	-1030	2.44	62	1.22	31					1.1/4	32
T2630-1230	19	3/4	M 30X2	20	-1230	2.56	65	1.38	35					1.1/4	32
T2630-1236	19	3/4	M 36X2	25	-1236	2.64	67	1.46	37					1.5/8	41
T2630-1636	25	1	M 36X2	25	-1636	2.83	72	1.61	41					1.5/8	41
T2630-1642	25	1	M 42X2	30	-1642	2.91	74	1.69	43						46
T2630-2042	31	1.1/4	M 42X2	30	-2042	3.86	98	1.89	48						46
T2630-2052	31	1.1/4	M 52X2	38	-2052	3.82	97	1.85	47					2.3/16	55
T2630-2452	38	1.1/2	M 52X2	38	-2452	4.12	105	2.09	53						

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

METRIC - DKOS

T2711

DKOS FEMALE
24° CONE




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER				
						L		C _A		D _L		H _F		H _M	
	DN	inch	mm	mm		inch	mm	inch	mm			inch	mm	inch	mm
T2711-0414	6	1/4	M 14X1,5	6	-0414	1.77	45	0.79	20				17		
T2711-0416	6	1/4	M 16X1,5	8	-0416	2.09	53	1.06	27			3/4	19	1/2	
T2711-0418	6	1/4	M 18X1,5	10	-0418	1.97	50	0.98	25			7/8	22		
T2711-0518	8	5/16	M 18X1,5	10	-0518	2.20	56	1.22	31			7/8	22	9/16	
T2711-0520	8	5/16	M 20X1,5	12	-0520	2.20	56	1.22	31			15/16	24	9/16	
T2711-0616	10	3/8	M 16X1,5	8	-0616	2.09	53	1.10	28			3/4	19	5/8	16
T2711-0618	10	3/8	M 18X1,5	10	-0618	2.20	56	1.22	31			7/8	22	5/8	16
T2711-0620	10	3/8	M 20X1,5	12	-0620	2.20	56	1.22	31			15/16	24	5/8	16
T2711-0622	10	3/8	M 22X1,5	14	-0622	2.28	58	1.30	33			1.1/16	27	5/8	16
T2711-0624	10	3/8	M 24X1,5	16	-0624	2.28	58	1.30	33			1.3/16	30	5/8	16
T2711-0820	12	1/2	M 20X1,5	12	-0820	2.20	56	1.22	31			15/16	24	3/4	19
T2711-0822	12	1/2	M 22X1,5	14	-0822	2.28	58	1.30	33			1.1/16	27	3/4	19
T2711-0824	12	1/2	M 24X1,5	16	-0824	2.28	58	1.30	33			1.3/16	30	3/4	19
T2711-1030	16	5/8	M 30X2	20	-1030	2.80	71	1.57	40				36	7/8	22
T2711-1230	19	3/4	M 30X2	20	-1230	2.80	69	1.65	40				36	1.1/16	24
T2711-1236	19	3/4	M 36X2	25	-1236	2.99	74	1.81	44				46	1.1/16	24
T2711-1636	25	1	M 36X2	25	-1636	2.99	76	1.81	42				46	1.1/4	32
T2711-1642	25	1	M 42X2	30	-1642	3.03	77	1.81	42			2	50	1.1/4	32
T2711-2042	31	1.1/4	M 42X2	30	-2042	3.46	88	1.50	38			2	50		
T2711-2052	31	1.1/4	M 52X2	38	-2052	3.66	93	1.69	43			2.3/8	60		
T2711-2452	38	1.1/2	M 52X2	38	-2452	3.78	96	1.73	44			2.3/8	60		

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

METRIC - DKOS

T2720

DKOS FEMALE
24° CONE
45° TUBE BEND



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	mm	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2720-0414	6	1/4	M 14X1,5	6	-0414	2.36	60	1.38	35	0.63	16		17		
T2720-0416	6	1/4	M 16X1,5	8	-0416	2.40	61	1.42	36	0.67	17	3/4	19		
T2720-0418	6	1/4	M 18X1,5	10	-0418	2.36	60	1.38	35	0.67	17	7/8	22		
T2720-0518	8	5/16	M 18X1,5	10	-0518	2.80	71	1.81	46	0.67	17	7/8	22		
T2720-0520	8	5/16	M 20X1,5	12	-0520	2.80	71	1.81	46	0.79	20	15/16	24		
T2720-0616	10	3/8	M 16X1,5	8	-0616	2.56	65	1.57	40	0.67	17	3/4	19		
T2720-0618	10	3/8	M 18X1,5	10	-0618	2.76	70	1.77	45	0.67	17	7/8	22		
T2720-0620	10	3/8	M 20X1,5	12	-0620	2.80	71	1.81	46	0.79	20	15/16	24		
T2720-0622	10	3/8	M 22X1,5	14	-0622	2.80	71	1.81	46	0.79	20	1.1/16	27		
T2720-0822	12	1/2	M 22X1,5	14	-0822	3.07	78	2.09	53	0.94	24	1.1/16	27		
T2720-0824	12	1/2	M 24X1,5	16	-0824	3.07	78	2.09	53	0.94	24	1.3/16	30		
T2720-1030	16	5/8	M 30X2	20	-1030	3.66	93	2.48	63	1.22	31		36		
T2720-1230	19	3/4	M 30X2	20	-1230	4.09	102	2.91	72	1.38	35		36		
T2720-1236	19	3/4	M 36X2	25	-1236	4.17	104	2.99	74	1.38	35		46		
T2720-1636	25	1	M 36X2	25	-1636	4.76	121	3.54	83	1.38	35		46		
T2720-1642	25	1	M 42X2	30	-1642	4.65	118	3.43	85	1.46	37	2	50		32
T2720-2052	31	1.1/4	M 52X2	38	-2052	6.14	156	4.17	106	1.89	48	2.3/8	60		

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

METRIC - DKOS

T2730

DKOS FEMALE
24° CONE
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	mm	mm		L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2730-0414	6	1/4	M 14X1,5	6	-0414	2.05	52	1.06	27	1.10	28		17		
T2730-0416	6	1/4	M 16X1,5	8	-0416	2.05	52	1.06	27	1.22	31	3/4	19		
T2730-0418	6	1/4	M 18X1,5	10	-0418	2.28	58	1.30	33	1.26	32	7/8	22		
T2730-0520	8	5/16	M 20X1,5	12	-0520	2.40	61	1.42	36	1.42	36	15/16	24		
T2730-0616	10	3/8	M 16X1,5	8	-0616	2.36	60	1.38	35	1.26	32	3/4	19		
T2730-0618	10	3/8	M 18X1,5	10	-0618	2.05	52	1.06	27	1.18	30	7/8	22		
T2730-0620	10	3/8	M 20X1,5	12	-0620	2.40	61	1.42	36	1.42	36	15/16	24		
T2730-0622	10	3/8	M 22X1,5	14	-0622	2.40	61	1.42	36	1.42	36	1.1/16	27		
T2730-0822	12	1/2	M 22X1,5	14	-0822	2.60	66	1.61	41	1.89	48	1.1/16	27		
T2730-0824	12	1/2	M 24X1,5	16	-0824	2.60	66	1.61	41	1.89	48	1.3/16	30		
T2730-1030	16	5/8	M 30X2	20	-1030	2.95	75	1.77	45	2.28	58		36		
T2730-1230	19	3/4	M 30X2	20	-1230	3.50	87	2.32	57	2.68	68		36		
T2730-1236	19	3/4	M 36X2	25	-1236	3.50	87	2.32	57	2.68	68		46		
T2730-1636	25	1	M 36X2	25	-1636	3.94	100	2.72	74	3.03	77		46		
T2730-1642	25	1	M 42X2	30	-1642	3.94	100	2.72	74	3.03	77	2	50		
T2730-2052	31	1.1/4	M 52X2	38	-2052	5.31	135	3.35	85	3.50	89	2.3/8	60		
T2730-2452	38	1.1/2	M 52X2	38	-2452	5.63	143	3.58	91	3.50	89	2.3/8	60		

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

METRIC BANJO

T2470

METRIC BANJO
STRAIGHT



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
						L		C _A		D _L		H _F		H _M	
	DN	inch	mm	inch		inch	mm	inch	mm						
T2470-0412	6	1/4	12		-0412	1.89	48	0.91	23						
T2470-0414	6	1/4	14		-0414	1.97	50	0.98	25						
T2470-0416	6	1/4	16		-0416	2.05	52	1.06	27						
T2470-0512	8	5/16	12		-0512	1.97	50	0.98	25						
T2470-0514	8	5/16	14		-0514	2.52	64	1.54	39						
T2470-0516	8	5/16	16		-0516	2.05	52	1.06	27						
T2470-0612	10	3/8	12		-0612	1.97	50	0.98	25						
T2470-0614	10	3/8	14		-0614	2.05	52	1.06	27						
T2470-0616	10	3/8	16		-0616	2.05	52	1.06	27						
T2470-0618	10	3/8	18		-0618	2.13	54	1.14	29						
T2470-0620	10	3/8	20		-0620	2.13	54	1.14	29						
T2470-0622	10	3/8	22		-0622	2.32	59	1.34	34						
T2470-0818	12	1/2	18		-0818	2.13	54	1.18	30						
T2470-0822	12	1/2	22		-0822	2.24	57	1.30	33						
T2470-1022	16	5/8	22		-1022	2.48	63	1.26	32						
T2470-1026	16	5/8	26		-1026	2.66	68	1.47	37						
T2470-1226	19	3/4	26		-1226	2.68	68	1.50	38						
T2470-1230	19	3/4	30		-1230	2.91	74	1.73	44						
T2470-1236	19	3/4	36		-1236	3.46	88	2.28	58						
T2470-1630	25	1	30		-1630	3.03	77	1.81	46						
T2470-1636	25	1	36		-1636	3.50	89	2.28	58						

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

ORFS

T2840

ORFS MALE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
T2840-0409	6	1/4	9/16" - 18		-0409	1.97	50	0.98	25					5/8	16
T2840-0411	6	1/4	11/16" - 16		-0411	2.05	52	1.06	27					3/4	19
T2840-0611	10	3/8	11/16" - 16		-0611	2.13	54	1.14	29					3/4	19
T2840-0613	10	3/8	13/16" - 16		-0613	2.20	56	1.22	31					7/8	22
T2840-0616	10	3/8	1" - 14		-0616	2.36	60	1.38	35					1 1/16	27
T2840-0813	12	1/2	13/16" - 16		-0813	2.28	58	1.30	33					7/8	22
T2840-0816	12	1/2	1" - 14		-0816	2.36	60	1.42	36					1.1/16	27
T2840-1016	16	5/8	1" - 14		-1016	2.64	67	1.46	37					1.1/16	27
T2840-1019	16	5/8	1.3/16" - 12		-1019	2.68	68	1.50	38					1.1/4	32
T2840-1219	19	3/4	1.3/16" - 12		-1219	2.72	69	1.54	39					1.1/4	32
T2840-1223	19	3/4	1.7/16" - 12		-1223	2.72	69	1.57	40					1.1/2	38
T2840-1623	25	1	1.7/16" - 12		-1623	2.83	72	1.61	41					1.1/2	38
T2840-2027	31	1.1/4	1.11/16" - 12		-2027	3.74	95	1.77	45					1.3/4	

ORFS

T2800

ORFS FEMALE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
T2800-0409	6	1/4	9/16" - 18		-0409	2.17	55	1.14	29			11/16		1/2	
T2800-0411	6	1/4	11/16" - 16		-0411	2.20	56	1.22	31			13/16		1/2	
T2800-0511	8	5/16	11/16" - 16		-0511	2.20	56	1.18	30			13/16		5/8	16
T2800-0609	10	3/8	9/16" - 18		-0609	2.20	56	1.22	31			11/16		5/8	16
T2800-0611	10	3/8	11/16" - 16		-0611	2.24	57	1.26	32			7/8	22	5/8	16
T2800-0613	10	3/8	13/16" - 16		-0613	2.36	60	1.38	35			15/16	24	5/8	16
T2800-0811	12	1/2	11/16" - 16		-0811	2.28	58	1.30	33			7/8	22	3/4	19
T2800-0813	12	1/2	13/16" - 16		-0813	2.40	61	1.42	36			15/16	24	3/4	19
T2800-0816	12	1/2	1" - 14		-0816	2.56	63	1.57	38			1.1/8		15/16	19
T2800-0819	12	1/2	1.3/16" - 12		-0819	2.60	66	1.65	42			1.3/8	35	3/4	19
T2800-1016	16	5/8	1" - 14		-1016	2.80	71	1.57	40			1.1/8		7/8	22
T2800-1019	16	5/8	1.3/16" - 12		-1019	2.91	74	1.69	43			1.3/8	35	7/8	22
T2800-1216	19	3/4	1" - 14		-1216	2.68	71	1.54	42			1.1/8		1	24
T2800-1219	19	3/4	1.3/16" - 12		-1219	2.87	73	1.61	41			1.3/8	35	15/16	24
T2800-1223	19	3/4	1.7/16" - 12		-1223	2.99	74	1.85	45			1.5/8	41	1.1/16	24
T2800-1619	25	1	1.3/16" - 12		-1619	3.07	78	1.85	45			1.3/8	35	1.1/4	32
T2800-1623	25	1	1.7/16" - 12		-1623	3.07	78	1.89	42			1.5/8	41	1.1/4	32
T2800-2027	31	1.1/4	1.11/16" - 12		-2027	4.13	105	2.17	55			2	50	1.5/8	41
T2800-2432	38	1.1/2	2" - 12		-2432	4.33	110	2.32	59			2.1/4	57	2	50

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

ORFS

T2801

ORFS FEMALE
(ROUND BAR)




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
T2801-0409	6	1/4	9/16" - 18		-0409	2.17	55	1.14	29				17	1/2	
T2801-0411	6	1/4	11/16" - 16		-0411	2.20	56	1.22	31			7/8	22	1/2	
T2801-0511	8	5/16	11/16" - 16		-0511	2.24	57	1.26	32			7/8	22	9/16	
T2801-0609	10	3/8	9/16" - 18		-0609	2.20	56	1.22	31				17	5/8	16
T2801-0816	12	1/2	1" - 14		-0816	2.48	63	1.50	38			1.3/16	30	3/4	19
T2801-0819	12	1/2	1.3/16" - 12		-0819	2.60	66	1.65	42				36	3/4	19
T2801-1016	16	5/8	1" - 14		-1016	2.80	71	1.57	40			1.3/16	30	7/8	22
T2801-1019	16	5/8	1.3/16" - 12		-1019	2.91	74	1.69	43				36	7/8	22
T2801-1219	19	3/4	1.3/16" - 12		-1219	2.87	73	1.61	41				36	15/16	24

ORFS

T2813

ORFS FEMALE
45° SHORT TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2813-0409	6	1/4	9/16" - 18		-0409	2.28	58	1.30	33	0.43	11	11/16			
T2813-0611	10	3/8	11/16" - 16		-0611	2.48	63	1.50	38	0.47	12	7/8	22		
T2813-0813	12	1/2	13/16" - 16		-0813	2.72	69	1.73	44	0.59	15	15/16	24		
T2813-1016	16	5/8	1" - 14		-1016	2.99	76	1.77	45	0.63	16	1.1/8			
T2813-1219	19	3/4	1.3/16" - 12		-1219	3.62	92	2.36	60	0.83	21	1.3/8			

ORFS

T2814

ORFS FEMALE 45°
SHORT TUBE BEND METRIC NUT ONLY



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2814-0409	6	1/4	9/16" - 18		-0409	2.28	58	1.30	33	0.43	11		17		
T2814-1016	16	5/8	1" - 14		-1016	2.99	76	1.77	45	0.63	16	1.3/16	30		
T2814-1219	19	3/4	1.3/16" - 12		-1219	3.62	92	2.36	60	0.83	21		36		


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

ORFS

T2810

ORFS FEMALE
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2810-0409	6	1/4	9/16" - 18		-0409	2.52	64	1.54	39	0.71	18	11/16			
T2810-0411	6	1/4	11/16" - 16		-0411	2.52	64	1.54	39	0.71	18	13/16			
T2810-0611	10	3/8	11/16" - 16		-0611	2.76	70	1.77	45	0.79	20	7/8	22		
T2810-0613	10	3/8	13/16" - 16		-0613	2.56	65	1.57	40	0.67	17	15/16	24		
T2810-0811	12	1/2	11/16" - 16		-0811	3.11	79	2.13	54	0.87	22	7/8	22		
T2810-0813	12	1/2	13/16" - 16		-0813	2.87	73	1.93	49	0.75	19	15/16	24		
T2810-0816	12	1/2	1" - 14		-0816	2.87	73	1.89	48	0.75	19	1.1/8			
T2810-1016	16	5/8	1" - 14		-1016	3.50	89	2.32	59	0.79	20	1.1/8			
T2810-1019	16	5/8	1.3/16" - 12		-1019	3.50	89	2.32	59	0.94	24	1.3/8	35		
T2810-1219	19	3/4	1.3/16" - 12		-1219	4.29	109	3.03	77	1.14	29	1.3/8	35		
T2810-1223	19	3/4	1.7/16" - 12		-1223	4.17	104	3.03	75	1.02	26	1.5/8	41		
T2810-1623	25	1	1.7/16" - 12		-1623	4.61	117	3.39	84	1.34	34	1.5/8	41		
T2810-2027	31	1.1/4	1.11/16" - 12		-2027	5.94	151	4.02	102	1.77	45	2	50		

ORFS

T2811

ORFS FEMALE
45° TUBE BEND
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2811-0409	6	1/4	9/16" - 18		-0409	2.52	64	1.54	39	0.71	18		17		
T2811-0411	6	1/4	11/16" - 16		-0411	2.52	64	1.54	39	0.71	18	7/8	22		
T2811-0816	12	1/2	1" - 14		-0816	2.87	73	1.89	48	0.75	19	1.3/16	30		
T2811-1016	16	5/8	1" - 14		-1016	3.54	90	2.32	59	0.79	20	1.3/16	30		
T2811-1019	16	5/8	1.3/16" - 12		-1019	3.54	90	2.32	59	0.94	24		36		
T2811-1219	19	3/4	1.3/16" - 12		-1219	4.29	109	3.03	77	1.14	29		36		

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

ORFS

T2823

ORFS FEMALE
90° SHORT TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2823-0409	6	1/4	9/16" - 18		-0409	2.05	52	1.06	27	0.83	21	11/16			
T2823-0411	6	1/4	11/16" - 16		-0411	2.01	51	1.02	26	1.06	27	13/16			
T2823-0611	10	3/8	11/16" - 16		-0611	2.24	57	1.26	32	0.94	24	7/8	22		
T2823-0613	10	3/8	13/16" - 16		-0613	2.36	60	1.38	35	1.14	29	15/16	24		
T2823-0813	12	1/2	13/16" - 16		-0813	2.68	68	1.69	43	1.18	30	15/16	24		
T2823-0816	12	1/2	1" - 14		-0816	2.60	66	1.65	42	1.38	35	1.1/8			
T2823-0819	12	1/2	1.3/16" - 12		-0819	2.64	67	1.65	42	1.89	48	1.3/8	35		
T2823-1016	16	5/8	1" - 14		-1016	2.76	70	1.57	40	1.26	32	1.1/8			
T2823-1019	16	5/8	1.3/16" - 12		-1019	2.99	76	1.77	45	1.89	48	1.3/8	35		
T2823-1219	19	3/4	1.3/16" - 12		-1219	3.50	89	2.24	57	1.89	48	1.3/8	35		
T2823-1223	19	3/4	1.7/16" - 12		-1223	3.50	87	2.32	57	2.20	56	1.5/8	41		
T2823-1623	25	1	1.7/16" - 12		-1623	4.41	112	3.19	79	2.20	56	1.5/8	41		
T2823-2027	31	1.1/4	1.11/16" - 12		-2027	5.87	149	3.94	100	2.52	64	2	50		

ORFS

T2824

ORFS FEMALE
90° SHORT TUBE BEND
METRIC NUT ONLY



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2824-0409	6	1/4	9/16" - 18		-0409	2.05	52	1.06	27	0.83	21		17		
T2824-0411	6	1/4	11/16" - 16		-0411	2.01	51	1.02	26	1.06	27	7/8	22		
T2824-0816	12	1/2	1" - 14		-0816	2.60	66	1.65	42	1.38	35	1.3/16	30		
T2824-0819	12	1/2	1.3/16" - 12		-0819	2.64	67	1.65	42	1.89	48		36		
T2824-1016	16	5/8	1" - 14		-1016	2.99	76	1.77	45	1.26	32	1.3/16	30		
T2824-1019	16	5/8	1.3/16" - 12		-1019	2.99	76	1.77	45	1.89	48		36		
T2824-1219	19	3/4	1.3/16" - 12		-1219	3.50	89	2.24	57	1.89	48		36		


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

ORFS

T2820

ORFS FEMALE
90° MEDIUM TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN		inch	inch		L		CA		DL		HF		HM	
	inch	mm				inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T2820-0409	6	1/4	9/16" - 18		-0409	2.28	58	1.30	33	1.26	32	11/16			
T2820-0411	6	1/4	11/16" - 16		-0411	2.28	58	1.30	33	1.50	38	13/16			
T2820-0511	8	5/16	11/16" - 16		-0511	2.32	59	1.34	34	1.50	38	13/16			
T2820-0611	10	3/8	11/16" - 16		-0611	2.36	60	1.38	35	1.50	38	7/8	22		
T2820-0613	10	3/8	13/16" - 16		-0613	2.48	63	1.50	38	1.34	34	15/16	24		
T2820-0813	12	1/2	13/16" - 16		-0813	2.60	66	1.61	41	1.61	41	15/16	24		
T2820-0816	12	1/2	1" - 14		-0816	2.60	66	1.61	41	1.85	47	1.1/8			
T2820-0819	12	1/2	1.3/16" - 12		-0819	2.60	66	1.61	41	2.28	58	1.3/8	35		
T2820-1016	16	5/8	1" - 14		-1016	2.99	76	1.81	46	1.85	47	1.1/8			
T2820-1019	16	5/8	1.3/16" - 12		-1019	2.99	76	1.81	46	2.28	58	1.3/8	35		
T2820-1213	19	3/4	13/16" - 16		-1213	3.35	83	2.17	53	1.61	41	15/16	24		
T2820-1216	19	3/4	1" - 14		-1216	3.35	83	2.17	53	1.85	47	1.1/8			
T2820-1219	19	3/4	1.3/16" - 12		-1219	3.50	89	2.24	57	2.32	59	1.3/8	35		
T2820-1223	19	3/4	1.7/16" - 12		-1223	3.50	87	2.32	57	2.09	53	1.5/8	41		
T2820-1623	25	1	1.7/16" - 12		-1623	3.94	100	2.72	74	2.80	71	1.5/8	41		
T2820-2027	31	1.1/4	1.11/16" - 12		-2027	5.87	149	3.94	100	3.54	90	2	50		

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

ORFS

T2821

ORFS FEMALE
90° MEDIUM TUBE BEND
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2821-0409	6	1/4	9/16" - 18		-0409	2.28	58	1.30	33	1.26	32		17		
T2821-0411	6	1/4	11/16" - 16		-0411	2.28	58	1.30	33	1.50	38	7/8	22		
T2821-0511	8	5/16	11/16" - 16		-0511	2.32	59	1.34	34	1.50	38	7/8	22		
T2821-0816	12	1/2	1" - 14		-0816	2.60	66	1.61	41	1.85	47	1.3/16	30		
T2821-0819	12	1/2	1.3/16" - 12		-0819	2.60	66	1.61	41	2.28	58		36		
T2821-1016	16	5/8	1" - 14		-1016	2.99	76	1.77	45	1.85	47	1.3/16	30		
T2821-1019	16	5/8	1.3/16" - 12		-1019	2.99	76	1.77	45	2.28	58		36		
T2821-1216	19	3/4	1" - 14		-1216	3.35	83	2.17	53	1.85	47	1.3/16	30		
T2821-1219	19	3/4	1.3/16" - 12		-1219	3.50	89	2.24	57	2.32	59		36		

ORFS

T2830

ORFS FEMALE
90° LONG TUBE BEND



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2830-0409	6	1/4	9/16" - 18		-0409	2.28	58	1.30	33	1.85	47	11/16			
T2830-0411	6	1/4	11/16" - 16		-0411	2.09	53	1.10	28	2.13	54	13/16			
T2830-0611	10	3/8	11/16" - 16		-0611	2.36	60	1.38	35	2.17	55	7/8	22		
T2830-0613	10	3/8	13/16" - 16		-0613	2.36	60	1.38	35	2.52	64	15/16	24		
T2830-0813	12	1/2	13/16" - 16		-0813	2.68	68	1.69	43	2.56	65	15/16	24		
T2830-0816	12	1/2	1" - 14		-0816	2.80	71	1.81	46	2.76	70	1.1/8			
T2830-0819	12	1/2	1.3/16" - 12		-0819	2.64	67	1.69	43	3.78	96	1.3/8	35		
T2830-1016	16	5/8	1" - 14		-1016	3.23	82	2.01	51	2.76	70	1.1/8			
T2830-1019	16	5/8	1.3/16" - 12		-1019	3.23	82	2.01	51	3.78	96	1.3/8	35		
T2830-1219	19	3/4	1.3/16" - 12		-1219	3.50	89	2.24	57	3.78	96	1.3/8	35		
T2830-1223	19	3/4	1.7/16" - 12		-1223	3.50	87	2.32	57	4.49	114	1.5/8	41		
T2830-1623	25	1	1.7/16" - 12		-1623	4.13	105	2.91	74	4.45	113	1.5/8	41		
T2830-2027	31	1.1/4	1.11/16" - 12		-2027	5.87	149	3.94	100	5.08	129	2	50		


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

ORFS

T2831

ORFS FEMALE
90° LONG TUBE BEND
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T2831-0409	6	1/4	9/16" - 18		-0409	2.28	58	1.30	33	1.85	47		17		
T2831-0411	6	1/4	11/16" - 16		-0411	2.28	58	1.30	33	2.13	54	7/8	22		
T2831-0816	12	1/2	1" - 14		-0816	2.80	71	1.81	46	2.76	70	1.3/16	30		
T2831-0819	12	1/2	1.3/16" - 12		-0819	2.64	67	1.69	43	3.78	96		36		
T2831-1016	16	5/8	1" - 14		-1016	3.23	82	2.01	51	2.76	70	1.3/16	30		
T2831-1019	16	5/8	1.3/16" - 12		-1019	3.23	82	2.01	51	3.78	96		36		
T2831-1219	19	3/4	1.3/16" - 12		-1219	3.50	89	2.24	57	3.78	96		36		

PW

T2940

PW FEMALE
PRESSURE WASHER
SUITS KARCHER STYLE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm						
T2940-0422	6	1/4	M22 X 1,5		-0422	2.17	55	1.18	30						
T2940-0522	8	5/16	M22 X 1,5		-0522	2.17	55	1.18	30						
T2940-0622	10	3/8	M22 X 1,5		-0622	2.17	55	1.18	30						

PW

T2950

PW GUN HANDLE TUBE
PRESSURE WASHER
SUITS KARCHER STYLE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch		inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm						
T2950-0410	6	1/4		9,8	-0410	2.56	65	1.54	39						
T2950-0510	8	5/16		9,8	-0510	2.56	65	1.57	40						

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

RYCOLOK

T2870

RYCOLOK MALE
STAPLE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T2870-0406	6	1/4	-	6	-0406	2.52	64	1.54	39						
T2870-0410	6	1/4	-	10	-0410	2.56	65	1.57	40						
T2870-0610	10	3/8	-	10	-0610	2.48	63	1.50	38						
T2870-0812	12	1/2	-	12	-0812	2.56	65	1.61	41						
T2870-0816	12	1/2	-	16	-0816	2.56	65	1.61	41						
T2870-1012	16	5/8	-	12	-1012	2.80	71	1.57	40						
T2870-1016	16	5/8	-	16	-1016	2.72	69	1.54	39						
T2870-1220	19	3/4	-	20	-1220	2.72	69	1.54	39						
T2870-1625	25	1	-	25	-1625	3.19	81	1.97	50						
T2870-2032	31	1.1/4	-	32	-2032	3.94	100	1.97	50						
T2870-2440	38	1.1/2	-	40	-2440	4.37	111	2.36	60						
T2870-3250	51	2	-	50	-3250	4.49	114	2.28	58						
T2870-4063	63	2.1/2	-	63	-4063	6.57	167	3.54	90						
T2870-4875	76	3	-	75	-4875	7.99	203	5.00	127						

RYCOLOK

T2871

RYCOLOK MALE
45° ELBOW
STAPLE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T2871-0406	6	1/4	-	6	-0406	2.76	70	1.73	44	1.06	27				
T2871-0410	6	1/4	-	10	-0410	2.87	73	1.89	48	1.06	27				
T2871-0610	10	3/8	-	10	-0610	2.72	69	1.77	45	1.06	27			7/8	22
T2871-0812	12	1/2	-	12	-0812	2.99	76	2.02	51	1.06	27				
T2871-1220	19	3/4	-	20	-1220	3.21	82	2.05	52	1.27	32				
T2871-1625	25	1	-	25	-1625	3.67	93	2.44	62	1.26	32				
T2871-2032	31	1.1/4	-	32	-2032	4.49	114	2.52	64	1.43	36				
T2871-2440	38	1.1/2	-	40	-2440	5.28	134	3.23	82	1.73	44			0	
T2871-3250	51	2	-	50	-3250	5.63	143	3.43	87	1.81	46			0	
T2871-4063	63	2.1/2	-	63	-4063	7.52	191	4.49	114	2.87	73				


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

RYCOLOK

T2872

RYCOLOK MALE
90° ELBOW
STAPLE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch		mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm			inch	mm
T2872-0406	6	1/4		6	-0406	1.85	47	0.83	21	1.81	46			3/4	19
T2872-0410	6	1/4		10	-0410	1.89	48	0.87	22	1.81	46			7/8	22
T2872-0610	10	3/8		10	-0610	1.89	48	0.91	23	1.81	46			7/8	22
T2872-0812	12	1/2		12	-0812	2.13	54	1.15	29	1.99	51				
T2872-1016	16	5/8		16	-1016	2.28	58	1.11	28	2.07	53				
T2872-1220	19	3/4		20	-1220	2.36	60	1.19	30	2.19	56				
T2872-1625	25	1		25	-1625	2.81	71	1.60	41	2.68	68				
T2872-2032	31	1.1/4		32	-2032	3.65	93	1.68	43	2.68	68				
T2872-2440	38	1.1/2		40	-2440	4.45	113	2.40	61	3.35	85				
T2872-3250	51	2		50	-3250	4.80	122	2.60	66	3.94	100				
T2872-4063	63	2.1/2		63	-4063	6.18	157	3.15	80	5.51	140				

RYCO WEO

T2480

RYCO WEO MALE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch		inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm						
T2480-0304	5	3/16		1/4	-0304	1.97	50	1.22	31						
T2480-0404	6	1/4		1/4	-0404	2.20	56	1.22	31						
T2480-0406	6	1/4		3/8	-0406	2.36	60	1.38	35						
T2480-0506	8	5/16		3/8	-0506	2.36	60	1.38	35						
T2480-0606	10	3/8		3/8	-0606	2.36	60	1.38	35						
T2480-0608	10	3/8		1/2	-0608	2.36	60	1.38	35						
T2480-0808	12	1/2		1/2	-0808	2.36	60	1.42	36						
T2480-0812	12	1/2		3/4	-0812	2.80	71	1.85	47						
T2480-1012	16	5/8		3/4	-1012	2.95	75	1.73	44						
T2480-1212	19	3/4		3/4	-1212	2.95	75	1.77	45						
T2480-1616	25	1		1	-1616	3.43	87	2.20	56						

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

RYCO WEO

T2482

RYCO WEO MALE
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch		inch		L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm				
T2482-0404	6	1/4		1/4	-0404	2.72	69	1.73	44	0.98	25				
T2482-0506	8	5/16		3/8	-0506	3.11	79	2.13	54	1.06	27				
T2482-0606	10	3/8		3/8	-0606	3.15	80	2.17	55	1.06	27				
T2482-0808	12	1/2		1/2	-0808	3.31	84	2.32	59	1.22	31				
T2482-1012	16	5/8		3/4	-1012	4.02	102	2.83	72	1.57	40				
T2482-1212	19	3/4		3/4	-1212	4.41	112	3.23	82	1.69	43				
T2482-1616	25	1		1	-1616	5.35	136	4.13	105	2.09	53				

RYCO WEO

T2483

RYCO WEO MALE
90° TUBE BEND



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch		inch		L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm				
T2483-0404	6	1/4		1/4	-0404	2.13	54	1.14	29	1.57	40				
T2483-0506	8	5/16		3/8	-0506	2.36	60	1.38	35	2.05	52				
T2483-0606	10	3/8		3/8	-0606	2.36	60	1.38	35	2.05	52				
T2483-0608	10	3/8		1/2	-0608	2.40	61	1.42	36	1.85	47				
T2483-0808	12	1/2		1/2	-0808	2.48	63	1.50	38	2.28	58				
T2483-1012	16	5/8		3/4	-1012	3.31	84	2.13	54	3.23	82				
T2483-1212	19	3/4		3/4	-1212	3.31	84	2.13	54	3.23	82				
T2483-1616	25	1		1	-1616	4.06	103	2.83	72	3.82	97				


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE

T2530

SAE MALE
45° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm					inch	mm
T2530-0410	6	1/4	5/8" -18		-0410	2.20	56	1.22	31					11/16	
T2530-0608	10	3/8	1/2" -20		-0608	2.24	57	1.26	32					5/8	16
T2530-0610	10	3/8	5/8" -18		-0610	2.32	59	1.34	34					3/4	19

SAE

T2540

SAE FEMALE
45° FLARE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch	mm	inch	mm
T2540-0407	6	1/4	7/16" - 20		-0407	1.77	45	0.75	19			9/16		1/2	
T2540-0410	6	1/4	5/8" -18		-0410	1.89	48	0.91	23			3/4	19	5/8	16
T2540-0608	10	3/8	1/2" -20		-0608	1.77	45	0.79	20			5/8	16	5/8	16
T2540-0610	10	3/8	5/8" -18		-0610	1.89	48	0.91	23			3/4	19	5/8	16
T2540-1217	19	3/4	1.1/16" -12		-1217	2.20	56	1.06	27			1.1/4	32	1	

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE

T2580

SAE FEMALE
45° FLARE
45° ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T2580-0608	10	3/8	1/2" -20		-0608	2.20	56	1.26	32	0.55	14	5/8	16	3/4	19
T2580-0610	10	3/8	5/8" -18		-0610	2.24	57	1.26	32	0.59	15	3/4	19	3/4	19

SAE

T2570

SAE
FEMALE
45° FLARE
90° ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T2570-0608	10	3/8	1/2" -20		-0608	1.89	48	0.91	23	0.87	22	5/8	16	3/4	19
T2570-0610	10	3/8	5/8" -18		-0610	1.89	48	0.91	23	0.91	23	3/4	19	3/4	19

SAE

T2740

SAE INVERTED MALE FLARE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T2740-0407	6	1/4	7/16" - 20	1/4	-0407	2.60	66	1.57	40			7/16	11	1/2	
T2740-0610	10	3/8	5/8" -18	3/8	-0610	2.60	66	1.61	41			5/8	16	5/8	16
T2740-0611	10	3/8	11/16" -16	7/16	-0611	2.68	68	1.73	44			11/16		5/8	16
T2750-0610	10	3/8	5/8" -18	3/8	-0610	3.86	98	2.87	73	0.91	23	5/8	16	5/8	16
T2760-0407	6	1/4	7/16" - 20	1/4	-0407	3.46	88	2.48	63	1.14	29	7/16	11	1/2	
T2770-0407	6	1/4	7/16" - 20	1/4	-0407	2.72	69	1.73	44	1.50	38	7/16	11	1/2	
T2770-0610	10	3/8	5/8" -18	3/8	-0610	3.15	80	2.17	55	1.97	50	5/8	16	5/8	16
T2780-0610	10	3/8	5/8" -18	3/8	-0610	1.89	48	0.91	23	1.26	32	5/8	16	3/4	19
T2780-0611	10	3/8	11/16" -16	7/16	-0611	1.69	43	0.71	18	1.42	36	11/16		3/4	19
T2790-0610	10	3/8	5/8" -18	3/8	-0610	1.69	43	0.71	18	2.36	60	5/8	16	3/4	19


ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE

T2780

SAE INVERTED MALE FLARE
90° ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T2780-0610	10	3/8	5/8" -18	3/8	-0610	1.89	48	0.91	23	1.26	32	5/8	16	3/4	19
T2780-0611	10	3/8	11/16" -16	7/16	-0611	1.69	43	0.71	18	1.42	36	11/16		3/4	19

SAE

T2790

SAE INVERTED MALE FLARE
90° LONG ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T2790-0610	10	3/8	5/8" -18	3/8	-0610	1.69	43	0.71	18	2.36	60	5/8	16	3/4	19

SAE

T2750

SAE INVERTED MALE FLARE
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm			inch	mm
T2750-0610	10	3/8	5/8" -18	3/8	-0610	3.86	98	2.87	73	0.91	23			5/8	16

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE

T2760

SAE INVERTED MALE FLARE
60° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm			inch	mm
T2760-0407	6	1/4	7/16" - 20	1/4	-0407	3.46	88	2.48	63	1.14	29			1/2	

SAE

T2770

SAE INVERTED MALE FLARE
90° TUBE BEND



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm			inch	mm
T2770-0407	6	1/4	7/16" - 20	1/4	-0407	2.72	69	1.73	44	1.50	38			1/2	
T2770-0610	10	3/8	5/8" - 18	3/8	-0610	3.15	80	2.17	55	1.97	50			5/8	16

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS


HYDRAULIC FITTINGS
ACCESSORIES

ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

DIMENSIONS FOR SAE CODE 61 AND CODE 62 FLANGES, AND RYCO CODE 62C FLANGES

NOMINAL FLANGE	CODE 61				CODE 62				CODE 62C			
	B		T		B		T		B		T	
inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch
1/2	30,2	1.19	6,73	0.265	31,8	1.25	7,75	0.305				
5/8	34,0	1.34	6,73	0.265								
3/4	38,1	1.50	6,73	0.265	41,3	1.63	8,76	0.345	41,3	1.63	14,20	0.559
1	44,5	1.75	8,00	0.315	47,6	1.88	9,53	0.375	47,6	1.88	14,20	0.559
1.1/4	50,8	2.00	8,00	0.315	54,0	2.12	10,29	0.405	54,0	2.12	14,20	0.559
1.1/2	60,3	2.38	8,00	0.315	63,5	2.50	12,57	0.495	63,5	2.50	14,20	0.559
2	71,4	2.81	9,53	0.375	79,4	3.13	12,57	0.495	79,4	3.13	14,20	0.559
2.1/2	84,1	3.31	9,53	0.375								
3	101,6	4.00	9,53	0.375								




NOTE: Ryco Code 62C fittings conform to the flange OD and bolt hole patterns of SAE Code 62 but require special flange clamps. Ryco Code 62C flange heads are thicker than SAE Code 62 and measure T = 14,2 mm (0.559 inch) in all sizes.

SAE FLANGE

T2130

SAE CODE 61 FLANGE

RYCO CODE 61 CLAMPS
SEE PAGES 442 & 443
O RING NOT SUPPLIED



PART NO.	HOSE SIZE	THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch			L		C _A		D _L		H _F		H _M	
					inch	mm	inch	mm						
T2130-0808	12	1/2		-0808	2.72	69	1.77	45						
T2130-0812	12	1/2		-0812	2.83	72	1.89	48						
T2130-1010	16	5/8		-1010	2.95	75	1.73	44						
T2130-1210	19	3/4		-1210	2.95	75	1.77	45						
T2130-1212	19	3/4		-1212	2.99	76	1.81	46						
T2130-1216	19	3/4		-1216	3.15	80	1.97	50						
T2130-1612	25	1		-1612	3.11	79	1.89	48						
T2130-1616	25	1		-1616	3.27	83	2.05	52						
T2130-1620	25	1		-1620	3.46	88	2.24	57						
T2130-1624	25	1		-1624	4.53	115	3.31	84						
T2130-2016	31	1.1/4		-2016	4.09	104	2.13	54						
T2130-2020	31	1.1/4		-2020	4.29	109	2.32	59						
T2130-2024	31	1.1/4		-2024	5.28	134	3.35	85						
T2130-2424	38	1.1/2		-2424	5.39	137	3.39	86						
T2130-2432	38	1.1/2		-2432	5.79	147	3.78	96						
T2130-3232	51	2		-3232	5.98	152	3.78	96						
T2130-3240	51	2		-3240	6.18	157	3.98	101						
T2130-4040	63	2.1/2		-4040	6.14	156	3.11	79						
T2130-4848	76	3		-4848	6.14	156	3.15	80						


T2000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE FLANGE

T2150

SAE CODE 61 FLANGE
45° TUBE BEND

RYCO CODE 61 CLAMPS
SEE PAGES 442 & 443
O RING NOT SUPPLIED



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T2150-0808	12	1/2			-0808	2.91	74	1.93	49	0.79	20				
T2150-0812	12	1/2			-0812	2.95	75	2.01	51	0.94	24				
T2150-1010	16	5/8			-1010	3.39	86	2.20	56	0.94	24				
T2150-1210	19	3/4			-1210	3.50	89	2.32	59	1.02	26				
T2150-1212	19	3/4			-1212	3.74	95	2.56	65	1.02	26				
T2150-1216	19	3/4			-1216	3.86	98	2.68	68	1.18	30				
T2150-1612	25	1			-1612	2.68	68	1.46	37	1.02	26				
T2150-1616	25	1			-1616	4.41	112	3.19	81	1.18	30				
T2150-1620	25	1			-1620	4.49	114	3.27	83	1.26	32				
T2150-1624	25	1			-1624	4.49	114	3.27	83	1.57	40				
T2150-2016	31	1.1/4			-2016	5.43	138	3.46	88	1.18	30				
T2150-2020	31	1.1/4			-2020	5.91	150	3.94	100	1.42	36				
T2150-2024	31	1.1/4			-2024	6.02	153	4.06	103	1.57	40				
T2150-2424	38	1.1/2			-2424	6.38	162	4.33	110	1.65	42				
T2150-3232	51	2			-3232	8.11	206	5.91	150	2.28	58				

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES

ONE-PIECE COUPLINGS


T2000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE FLANGE

T2170

SAE CODE 61 FLANGE
90° TUBE BEND

RYCO CODE 61 CLAMPS
SEE PAGES 442 & 443
O RING NOT SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T2170-0808	12	1/2			-0808	2.56	65	1.57	40	1.61	41				
T2170-0812	12	1/2			-0812	2.56	65	1.57	40	1.81	46				
T2170-1010	16	5/8			-1010	3.07	78	1.89	48	1.89	48				
T2170-1212	19	3/4			-1212	3.35	85	2.17	55	2.13	54				
T2170-1216	19	3/4			-1216	3.35	85	2.17	55	2.36	60				
T2170-1612	25	1			-1612	3.54	90	2.36	60	2.13	54				
T2170-1616	25	1			-1616	3.90	99	2.68	68	2.68	68				
T2170-1620	25	1			-1620	3.98	101	2.76	70	2.72	69				
T2170-2016	31	1.1/4			-2016	5.04	128	3.07	78	2.68	68				
T2170-2020	31	1.1/4			-2020	5.12	130	3.15	80	3.07	78				
T2170-2024	31	1.1/4			-2024	5.51	140	3.54	90	3.19	81				
T2170-2424	38	1.1/2			-2424	6.14	156	4.09	104	3.66	93				
T2170-3232	51	2			-3232	7.60	193	5.39	137	5.12	130				
T2170-3240	51	2			-3240	7.76	197	5.55	141	5.28	134				

SALVAGE

T2230

SALVAGE (LIFESAVER)
TUBE WELD




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch		inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
T2230-0404	6	1/4		1/4	-0404	1.73	44	0.71	18					1/2	
T2230-0405	6	1/4		5/16	-0405	1.73	44	0.71	18					1/2	
T2230-0406	6	1/4		3/8	-0406	1.73	44	0.71	18					9/16	
T2230-0505	8	5/16		5/16	-0505	1.69	43	0.71	18					9/16	
T2230-0606	10	3/8		3/8	-0606	1.69	43	0.71	18					5/8	16
T2230-0608	10	3/8		1/2	-0608	1.69	43	0.71	18					11/16	
T2230-0808	12	1/2		1/2	-0808	1.73	44	0.75	19					11/16	
T2230-0810	12	1/2		5/8	-0810	1.77	45	0.83	21					7/8	22
T2230-1010	16	5/8		5/8	-1010	2.01	51	0.79	20					1	
T2230-1012	16	5/8		3/4	-1012	2.01	51	0.79	20					1.1/16	27
T2230-1212	19	3/4		3/4	-1212	2.01	51	0.83	21					1	
T2230-1616	25	1		1	-1616	2.28	58	1.10	28					1.3/8	35
T2230-2020	31	1.1/4		1.1/4	-2020	3.19	81	1.22	31					1.3/4	
T2230-2424	38	1.1/2		1.1/2	-2424	3.39	86	1.34	34					2	50
T2230-3232	51	2		2	-3232	3.86	98	1.61	41					2.1/2	

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

STANDPIPE

T2180

IMPERIAL STANDPIPE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch		inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T2180-0406	6	1/4		3/8	-0406	2.24	57	1.26	32						
T2180-0606	10	3/8		3/8	-0606	2.24	57	1.26	32						
T2180-0808	12	1/2		1/2	-0808	2.24	57	1.30	33						
T2180-0810	12	1/2		5/8	-0810	2.52	64	1.57	40						
T2180-1212	19	3/4		3/4	-1212	2.99	76	1.81	46						
T2180-1616	25	1		1	-1616	3.23	82	2.05	52						

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS


HYDRAULIC FITTINGS
ACCESSORIES

ONE-PIECE COUPLINGS

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

STANDPIPE

T2640



METRIC STANDPIPE


PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER				
						L		C _A		D _L		H _F		H _M	
	DN	inch		mm		inch	mm	inch	mm						
T2640-0306	5	3/16		6	-0306	1.97	50	1.22	31						
T2640-0406	6	1/4		6	-0406	2.20	56	1.22	31						
T2640-0408	6	1/4		8	-0408	2.20	56	1.22	31						
T2640-0410	6	1/4		10	-0410	2.24	57	1.26	32						
T2640-0412	6	1/4		12	-0412	2.24	57	1.26	32						
T2640-0510	8	5/16		10	-0510	2.24	57	1.26	32						
T2640-0512	8	5/16		12	-0512	2.24	57	1.26	32						
T2640-0610	10	3/8		10	-0610	2.24	57	1.26	32						
T2640-0612	10	3/8		12	-0612	2.24	57	1.26	32						
T2640-0614	10	3/8		14	-0614	2.48	63	1.50	38						
T2640-0812	12	1/2		12	-0812	2.24	57	1.26	32						
T2640-0814	12	1/2		14	-0814	2.48	63	1.54	39						
T2640-0815	12	1/2		15	-0815	2.32	59	1.38	35						
T2640-0816	12	1/2		16	-0816	2.52	64	1.57	40						
T2640-1016	16	5/8		16	-1016	2.72	69	1.54	39						
T2640-1018	16	5/8		18	-1018	2.56	65	1.38	35						
T2640-1020	16	5/8		20	-1020	2.95	75	1.77	45						
T2640-1022	16	5/8		22	-1022	2.64	67	1.46	37						
T2640-1215	19	3/4		15	-1215	2.56	65	1.38	35						
T2640-1220	19	3/4		20	-1220	2.99	76	1.81	46						
T2640-1222	19	3/4		22	-1222	2.68	68	1.50	38						
T2640-1225	19	3/4		25	-1225	2.99	76	1.81	46						
T2640-1625	25	1		25	-1625	3.15	80	1.93	49						
T2640-1628	25	1		28	-1628	3.15	80	1.93	49						
T2640-1630	25	1		30	-1630	3.46	88	2.24	57						

T2000 SERIES ONE-PIECE CRIMP COUPLINGS

STANDPIPE

T2643

METRIC STANDPIPE
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch		mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T2643-0406	6	1/4		6	-0406	2.64	67	1.65	42	0.81	21				
T2643-0408	6	1/4		8	-0408	2.68	68	1.69	43	0.87	22				
T2643-0410	6	1/4		10	-0410	2.64	67	1.65	42	0.94	24				
T2643-0610	10	3/8		10	-0610	2.76	70	1.77	45	0.91	23				
T2643-0612	10	3/8		12	-0612	2.83	72	1.85	47	0.98	25				
T2643-0614	10	3/8		14	-0614	2.99	76	2.01	51	1.14	29				
T2643-0815	12	1/2		15	-0815	3.27	83	2.28	58	1.10	28				
T2643-0816	12	1/2		16	-0816	3.35	85	2.36	60	1.18	30				
T2643-1018	16	5/8		18	-1018	3.66	93	2.48	63	1.20	31				
T2643-1020	16	5/8		20	-1020	3.86	98	2.68	68	1.42	36				
T2643-1222	19	3/4		22	-1222	3.92	100	2.76	70	1.26	32				
T2643-1225	19	3/4		25	-1225	4.27	109	3.11	79	1.59	41				
T2643-1628	25	1		28	-1628	4.65	118	3.43	87	1.46	37				

STANDPIPE

T2646

METRIC STANDPIPE
90° TUBE BEND



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T2646-0406	6	1/4		6	-0406	-	-	-	-	-	-				
T2646-0408	6	1/4		8	-0408	2.05	52	1.06	27	1.50	38				
T2646-0410	6	1/4		10	-0410	2.05	52	1.06	27	1.61	41				
T2646-0412	6	1/4		12	-0412	2.05	52	1.06	27	1.73	44				
T2646-0610	10	3/8		10	-0610	2.36	60	1.38	35	1.69	43				
T2646-0612	10	3/8		12	-0612	2.36	60	1.38	35	1.77	45				
T2646-0614	10	3/8		14	-0614	2.36	60	1.38	35	2.01	51				
T2646-0812	12	1/2		12	-0812	2.56	65	1.57	40	1.77	45				
T2646-0814	12	1/2		14	-0814	2.56	65	1.57	40	2.01	51				
T2646-0816	16	5/8		16	-0816	2.56	65	1.57	40	2.17	55				
T2646-1018	16	5/8		18	-1018	3.07	78	1.89	48	2.32	59				
T2646-1022	16	5/8		22	-1022	2.68	68	1.89	48	2.48	63				
T2646-1220	19	3/4		20	-1220	3.35	85	2.17	55	2.72	69				
T2646-1222	19	3/4		22	-1222	3.35	85	2.17	55	2.48	63				
T2646-1225	19	3/4		25	-1225	3.35	85	2.17	55	2.95	75				
T2646-1625	25	1		25	-1625	4.06	103	2.83	72	3.03	77				
T2646-1630	25	1		30	-1630	4.06	103	2.83	72	2.64	67				

ONE-PIECE COUPLINGS


T2000 SERIES ONE-PIECE CRIMP COUPLINGS

TUBE BITE

T2850

TUBE BITE

COMPLETE WITH NUT
AND FLARELESS OLIVE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch	inch		inch	mm	inch	mm			inch	mm	inch	mm
T2850-0404	6	1/4	7/16"-20	1/4	-0404	2.05	52	1.06	27			9/16		1/2	
T2850-0405	6	1/4	1/2"-20	5/16	-0405	2.05	52	1.06	27			5/8	16	9/16	
T2850-0505	8	5/16	1/2"-20	5/16	-0505	2.05	52	1.06	27			5/8	16		
T2850-0605	10	3/8	1/2"-20	5/16	-0605	2.13	54	1.14	29			5/8	16	9/16	
T2850-0606	10	3/8	9/16"-18	3/8	-0606	2.17	55	1.18	30			11/16		5/8	16
T2850-0608	10	3/8	3/4"-16	1/2	-0608	2.24	57	1.26	32			7/8	22	13/16	
T2850-0808	12	1/2	3/4"-16	1/2	-0808	2.32	59	1.38	35			7/8	22	13/16	
T2850-0810	12	1/2	7/8"-14	5/8	-0810	2.40	61	1.42	36			1		15/16	24
T2850-1212	19	3/4	1.1/16"-12	3/4	-1212	2.72	69	1.54	39			1.1/4	32	1.1/8	
T2850-1616	25	1	1.5/16"-12	1	-1616	2.83	72	1.61	41			1.1/2	38	1.3/8	35

UNO (O RING BOSS)

T2200

UN O RING MALE

O RING SUPPLIED



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm					inch	mm
T2200-0407	6	1/4	7/16" -20		-0407	1.97	50	0.98	25					9/16	
T2200-0408	6	1/4	1/2" - 20		-0408	1.97	50	0.98	25					5/8	16
T2200-0409	6	1/4	9/16" -18		-0409	2.01	51	0.98	25					11/16	
T2200-0609	10	3/8	9/16" -18		-0609	2.09	53	1.10	28					11/16	
T2200-0612	10	3/8	3/4" -16		-0612	2.13	54	1.14	29					7/8	22
T2200-0614	10	3/8	7/8" -14		-0614	2.09	53	1.10	28					1	
T2200-0812	12	1/2	3/4" -14		-0812	2.20	56	1.22	31					7/8	22
T2200-0814	12	1/2	7/8" -14		-0814	2.24	57	1.30	33					1	
T2200-0817	12	1/2	1.1/16" -12		-0817	2.24	57	1.26	32					1.1/4	32
T2200-1014	16	5/8	7/8" -14		-1014	2.52	64	1.34	34					1	
T2200-1017	16	5/8	1.1/16" -12		-1017	2.44	62	1.26	32					1.1/4	32
T2200-1217	19	3/4	1.1/16" -12		-1217	2.64	67	1.46	37					1.1/4	32
T2200-1221	19	3/4	1.5/16" -12		-1221	2.52	64	1.38	35					1.1/2	38
T2200-1621	25	1	1.5/16" -12		-1621	2.72	69	1.54	39					1.1/2	38
T2200-2026	31	1.1/4	1.5/8"-12		-2026	3.66	93	1.69	43					2	50


T2000 SERIES ONE-PIECE CRIMP COUPLINGS

UNO

T2380

UN O RING
MALE SWIVEL

O RING SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm		
T2380-0609	10	3/8	9/16" -18		-0609	2.13	54	1.14	29			11/16			
T2380-0612	10	3/8	3/4" -16		-0612	2.32	59	1.34	34			7/8	22		
T2380-0812	12	1/2	3/4" -16		-0812	2.32	59	1.38	35			7/8	22		
T2380-0814	12	1/2	7/8" -14		-0814	2.32	59	1.38	35			1			
T2380-0817	12	1/2	1.1/16" -12		-0817	2.40	61	1.42	36			1.1/4	32		
T2380-1014	16	5/8	7/8" -14		-1014	2.48	63	1.30	33			1			
T2380-1217	19	3/4	1.1/16" -12		-1217	2.60	66	1.46	37			1.1/4	32		

UNO

T2390

UN O RING (BOSS) MALE SWIVEL
90° ELBOW



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T2390-0609	10	3/8	9/16" -18		-0609	1.89	48	0.91	23	1.46	37	11/16		3/4	19
T2390-0612	10	3/8	3/4" -16		-0612	1.89	48	0.91	23	1.65	42	7/8	22	3/4	19
T2390-0614	10	3/8	7/8" -14		-0614	1.89	48	0.91	23	1.69	43	1		3/4	19
T2390-0812	12	1/2	3/4" -14		-0812	2.13	54	1.14	29	1.73	44	7/8	22	7/8	22
T2390-0814	12	1/2	7/8" -14		-0814	2.13	54	1.14	29	1.77	45	1		7/8	22
T2390-1217	19	3/4	1.1/16" -12		-1217	2.36	60	1.18	30	2.01	51	1.1/4	32	1.1/16	27

ONE-PIECE COUPLINGS

T4000 SERIES ONE-PIECE CRIMP COUPLINGS

HOSE COMPATIBILITY FOR T4000 SERIES

NON-SKIVE

For Ryco Hose Series SRF/P, SRX/HT (sizes -12 to -48).
 For Ryco Hose Series RT7/T/7N/7TN (sizes -02 to -12).
 For Ryco Hose Series T5, SURVIVOR/R5 (sizes -04 to -32).
 For Ryco Hose Series MP1 (sizes -04 to -20).
 For Ryco Hose Series RST (sizes -08 to -48).
 For Ryco Hose Series PCM (sizes -08 to -16).
 For Ryco Hose Series M2/G, PL1D (sizes -04 to -12).


NON-SKIVE

For Ryco Hose Series TP7, TP7N, TP7T, TP7TN, TP3000, PL1D, PL1PV, , CS1000, MS1000.

BSPT

T4010

BSPT MALE
60° SEAT




PART NO.	HOSE SIZE	THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch		L		CA		DL		HF		HM	
					inch	mm	inch	mm					inch	mm
T4010-0304	5	3/16	1/4" -19	-0304	1.97	50	1.18	30					9/16	
T4010-0404	6	1/4	1/4" -19	-0404	2.17	55	1.18	30					9/16	
T4010-0504	8	5/16	1/4" -19	-0504	2.17	55	1.18	30					9/16	
T4010-0604	10	3/8	1/4" -19	-0604	2.20	56	1.30	33					5/8	16
T4010-0606	10	3/8	3/8" -19	-0606	2.20	56	1.30	33					11/16	
T4010-0608	10	3/8	1/2" -14	-0608	2.40	61	1.46	37					7/8	22
T4010-0806	12	1/2	3/8" -19	-0806	2.36	60	1.38	35					11/16	
T4010-0808	12	1/2	1/2" -14	-0808	2.56	65	1.57	40					7/8	22
T4010-1012	16	5/8	3/4" -14	-1012	2.83	72	1.61	41					1.1/16	27
T4010-1212	19	3/4	3/4" -14	-1212	2.83	72	1.61	41					1.1/16	27
T4010-1616	25	1	1" -11	-1616	3.19	81	1.89	48					1.3/8	35
T4010-2020	31	1.1/4	1.1/4" -11	-2020	3.90	99	2.09	53					1.3/4	
T4010-2424	38	1.1/2	1.1/2" -11	-2424	4.13	105	2.17	55					2	50
T4010-3232	51	2	2" -11	-3232	4.69	119	2.60	66					2.1/2	

BSPP

T4013

BSPP MALE
60° SEAT




PART NO.	HOSE SIZE	THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch		L		CA		DL		HF		HM	
					inch	mm	inch	mm					inch	mm
T4013-0404	6	1/4	1/4" -19	-0404	2.09	53	1.10	28					3/4	19
T4013-0606	10	3/8	3/8" -19	-0606	2.09	53	1.14	29					7/8	22
T4013-0808	12	1/2	1/2" -14	-0808	2.32	59	1.34	34					1.1/16	27
T4013-1212	19	3/4	3/4" -14	-1212	2.76	70	1.54	39					1.1/4	32
T4013-1616	25	1	1" -11	-1616	3.07	78	1.77	45					1.5/8	41
T4013-2020	31	1.1/4	1.1/4" -11	-2020	3.86	98	2.01	51					2	50

T4000 SERIES ONE-PIECE CRIMP COUPLINGS

BSPT

T4320

BSPT MALE SWIVEL
60° SEAT




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS					SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch	inch		inch	mm	inch	mm			inch			
T4320-0202		4	1/8	3/4		-0202	1.89	48	1.34	34			1/2		

BSPP

T4020

BSPP FEMALE
60° CONE




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS					SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch	mm	inch	mm
T4020-0304	5	3/16	1/4" -19		-0304	1.61	41	0.87	22			3/4	19	1/2	
T4020-0404	6	1/4	1/4" -19		-0404	1.93	49	0.94	24			3/4	19	1/2	
T4020-0504	8	5/16	1/4" -19		-0504	1.85	47	0.87	22			3/4	19	9/16	
T4020-0604	10	3/8	1/4" -19		-0604	1.81	46	0.87	22			3/4	19	9/16	
T4020-0606	10	3/8	3/8" -19		-0606	2.01	51	1.06	27			7/8	22	5/8	16
T4020-0608	10	3/8	1/2" -14		-0608	2.05	52	1.10	28			1.1/16	27	3/4	19
T4020-0808	12	1/2	1/2" -14		-0808	2.13	54	1.14	29			1.1/16	27	3/4	19
T4020-0812	12	1/2	3/4" -14		-0812	2.17	55	1.18	30			1.1/4	32	1	
T4020-1010	16	5/8	5/8" -14		-1010	2.36	60	1.14	29			1.3/16	30	7/8	22
T4020-1012	16	5/8	3/4" -14		-1012	2.32	59	1.06	27			1.1/4	32	1	
T4020-1212	19	3/4	3/4" -14		-1212	2.48	61	1.30	31			1.1/4	32	1.1/16	27
T4020-1616	25	1	1" -11		-1616	2.80	71	1.46	36			1.1/2	38	1.1/4	32
T4020-2020	31	1.1/4	1.1/4" -11		-2020	3.70	94	1.77	45			2	50	1.5/8	41
T4020-2424	38	1.1/2	1.1/2" -11		-2424	3.74	95	1.77	45			2.3/16	55	2	50
T4020-3232	51	2	2" -11		-3232	4.21	107	2.13	54			2.3/4	70	2.1/2	

BSPT

T4340

BSPT MALE SWIVEL
90° ELBOW
60° SEAT



PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS					SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch		inch	mm
T4340-0808		12	1/2	1/2" - 14		-0808	2 13	54	1 14	29	2 05	52	1	7/8	22


ONE-PIECE COUPLINGS

T4000 SERIES ONE-PIECE CRIMP COUPLINGS

BSPP

T4050

BSPP FEMALE
60° CONE
90° ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T4050-0808	12	1/2	1/2" -14		-0808	2.13	54	1.14	29	1.22	31	1.1/16	27	7/8	22
T4050-2020	31	1.1/4	1.1/4" -11		-2020	3.50	89	1.69	43	2.05	52	2	50	1.7/8	

BSPP

T4260

BSPP FEMALE
60° CONE
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T4260-0404	6	1/4	1/4" -19		-0404	2.05	52	1.06	27	1.14	29	3/4	19		
T4260-0606	10	3/8	3/8" -19		-0606	2.28	58	1.38	35	1.30	33	7/8	22		
T4260-0608	10	3/8	1/2" -14		-0608	2.28	58	1.38	35	1.30	33	1.1/16	27		
T4260-0808	12	1/2	1/2" -14		-0808	2.48	63	1.50	38	1.77	45	1.1/16	27		
T4260-1010	16	5/8	5/8" -14		-1010	3.03	77	1.77	45	1.97	50	1.3/16	30		
T4260-1212	19	3/4	3/4" -14		-1212	3.39	86	2.17	55	2.32	59	1.1/4	32		
T4260-1616	25	1	1" -11		-1616	4.02	102	2.68	74	3.07	78	1.1/2	38		32

T4000 SERIES ONE-PIECE CRIMP COUPLINGS

NPTF

T4090

**NPTF MALE
60° SEAT**




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm					inch	mm
T4090-0202	4	1/8	1/8" -27		-0202	1.34	34	0.79	20					1/2	
T4090-0302	5	3/16	1/8" -27		-0302	1.73	44	0.94	24					7/16	11
T4090-0304	5	3/16	1/4" -18		-0304	1.97	50	1.18	30					9/16	
T4090-0402	6	1/4	1/8" -27		-0402	2.01	51	1.02	26					1/2	
T4090-0404	6	1/4	1/4" -18		-0404	2.17	55	1.18	30					9/16	
T4090-0504	8	5/16	1/4" -18		-0504	2.17	55	1.18	30					9/16	
T4090-0506	8	5/16	3/8" -18		-0506	2.17	55	1.18	30					11/16	
T4090-0604	10	3/8	1/4" -18		-0604	2.20	56	1.30	33					5/8	16
T4090-0606	10	3/8	3/8" -18		-0606	2.20	56	1.30	33					11/16	
T4090-0608	10	3/8	1/2" -14		-0608	2.40	61	1.46	37					7/8	22
T4090-0806	12	1/2	3/8" -18		-0806	2.36	60	1.38	35					11/16	
T4090-0808	12	1/2	1/2" -14		-0808	2.56	65	1.57	40					7/8	22
T4090-0812	12	1/2	3/4" -14		-0812	2.44	62	1.46	37					1.1/16	27
T4090-1012	16	5/8	3/4" -14		-1012	2.83	72	1.61	41					1.1/16	27
T4090-1212	19	3/4	3/4" -14		-1212	2.83	72	1.61	41					1.1/16	27
T4090-1416	22	7/8	1" -11,5		-1416	2.91	74	1.69	43					1.3/8	35
T4090-1616	25	1	1" -11,5		-1616	3.19	81	1.89	48					1.3/8	35
T4090-1820	28	1.1/8	1.1/4" -11,5		-1820	3.11	79	1.81	46					1.3/4	
T4090-2016	31	1.1/4	1" -11,5		-2016	3.90	99	2.05	52					1.3/4	
T4090-2020	31	1.1/4	1.1/4" -11,5		-2020	3.90	99	2.09	53					1.3/4	
T4090-2224	35	1.3/8	1.1/2" -11,5		-2224	3.98	101	2.13	54					2	50
T4090-2424	38	1.1/2	1.1/2" -11,5		-2424	4.13	105	2.17	55					2	50
T4090-2932	46	1.13/16	2" -11,5		-2932	4.69	119	2.60	66					2.1/2	
T4090-3232	51	2	2" -11,5		-3232	4.69	119	2.60	66					2.1/2	

NPTF

T4320N

**NPTF MALE SWIVEL
60° SEAT**



PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS					SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch	mm	inch	
T4320N-0202	4	1/8	1/8" -27		-0202	1.89	48	1.34	34					1/2	
T4320N-0806	12	1/2	3/8" -18		-0806	2.36	60	1.38	35			7/8	22		


ONE-PIECE COUPLINGS

T4000 SERIES ONE-PIECE CRIMP COUPLINGS

NPSM

T4020N

NPSM FEMALE
60° CONE




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS					SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch	mm	inch	mm
T4020N-0404		6	1/4	1/4" -18		-0404	1.85	47	0.87	22			11/16		1/2
T4020N-0606		10	3/8	3/8" -18		-0606	1.89	48	0.94	24			7/8	22	5/8 16
T4020N-0808		12	1/2	1/2" -14		-0808	2.01	51	1.02	26			1		3/4 19

JIC

T4030

JIC
37° CONE
MALE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm					inch	mm
T4030-0307	5	3/16	7/16" -20		-0307	1.89	48	1.10	28					7/16	11
T4030-0407	6	1/4	7/16" -20		-0407	2.17	55	1.14	29					1/2	
T4030-0408	6	1/4	1/2" - 20		-0408	2.17	55	1.14	29					9/16	
T4030-0409	6	1/4	9/16" -18		-0409	2.17	55	1.18	30					5/8	16
T4030-0609	10	3/8	9/16" -18		-0609	2.20	56	1.26	32					5/8	16
T4030-0612	10	3/8	3/4" -16		-0612	2.28	58	1.38	35					3/4	19
T4030-0812	12	1/2	3/4" -16		-0812	2.44	62	1.46	37					3/4	19
T4030-0814	12	1/2	7/8" -14		-0814	2.52	64	1.54	39					15/16	24
T4030-1014	16	5/8	7/8" -14		-1014	2.83	72	1.57	40					15/16	24
T4030-1017	16	5/8	1.1/16" -12		-1017	2.95	75	1.69	43					1.1/8	
T4030-1217	19	3/4	1.1/16" -12		-1217	2.95	75	1.73	44					1.1/8	
T4030-2430	38	1.1/2	1.7/8"-12		-2430	4.17	106	2.24	57					2	50

JIC

T4031

JIC
37° CONE MALE
METRIC HEX ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm						mm
T4031-0407	6	1/4	7/16" -20		-0407	2.17	55	1.14	29						12

T4000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

T4040

JSEAL™ / JIC FEMALE
CONVEX SEAT



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch	mm	inch	mm
T4040-0307	5	3/16	7/16" -20		-0307	1.61	41	0.87	22			9/16		1/2	
T4040-0308	5	3/16	1/2" - 20		-0308	1.61	41	0.87	22			5/8	16	1/2	
T4040-0309	5	3/16	9/16" -18		-0309	1.65	42	0.87	22			11/16		9/16	
T4040-0406	6	1/4	3/8" - 24		-0406	1.85	47	0.87	22			1/2		1/2	
T4040-0407	6	1/4	7/16" -20		-0407	1.73	44	0.75	19			9/16		1/2	
T4040-0408	6	1/4	1/2" - 20		-0408	1.81	46	0.83	21			5/8	16	1/2	
T4040-0409	6	1/4	9/16" -18		-0409	1.89	48	0.87	22			11/16		1/2	
T4040-0508	8	5/16	1/2" - 20		-0508	1.85	47	0.87	22			5/8	16	9/16	
T4040-0509	8	5/16	9/16" -18		-0509	1.85	47	0.87	22			11/16		9/16	
T4040-0512	8	5/16	3/4" -16		-0512	1.93	49	0.94	24			7/8	22	11/16	
T4040-0607	10	3/8	7/16" -20		-0607	1.85	47	0.87	22			9/16		9/16	
T4040-0609	10	3/8	9/16" -18		-0609	1.85	47	0.87	22			11/16		9/16	16
T4040-0612	10	3/8	3/4" -16		-0612	2.01	50	1.02	25			7/8	22	9/16	16
T4040-0809	12	1/2	9/16" -18		-0809	2.68	68	1.69	43			11/16		11/16	
T4040-0812	12	1/2	3/4" -16		-0812	1.93	51	0.94	25			7/8	22	11/16	19
T4040-0814	12	1/2	7/8" -14		-0814	2.05	52	1.06	27			1		11/16	
T4040-0817	12	1/2	1.1/16" -12		-0817	2.20	56	1.22	31			1.1/4	32	11/16	
T4040-1014	16	5/8	7/8" -14		-1014	2.28	58	1.06	27			1		7/8	22
T4040-1017	16	5/8	1.1/16" -12		-1017	2.44	62	1.18	30			1.1/4	32	7/8	22
T4040-1214	19	3/4	7/8" -14		-1214	2.52	62	1.34	32			1		1.1/16	27
T4040-1217	19	3/4	1.1/16" -12		-1217	2.44	60	1.22	29			1.1/4	32	1.1/16	27
T4040-1421	22	7/8	1.5/16" -12		-1421	2.56	65	1.34	34			1.1/2	38	1.1/4	32
T4040-1617	25	1	1.1/16" -12		-1617	2.68	68	1.34	37			1.1/4	32	1.1/4	32
T4040-1621	25	1	1.5/16" -12		-1621	2.72	69	1.38	33			1.1/2	38	1.1/4	32
T4040-1826	28	1.1/8	1.5/8"-12		-1826	2.95	75	1.61	41			2	50	1.5/8	41
T4040-2021	31	1.1/4	1.5/16" -12		-2021	3.62	92	1.69	43			1.1/2	38	1.5/8	41
T4040-2026	31	1.1/4	1.5/8"-12		-2026	3.62	92	1.69	43			2	50	1.5/8	41
T4040-2230	35	1.3/8	1.7/8"-12		-2230	3.58	91	1.73	44			2.1/4	57	2	50
T4040-2430	38	1.1/2	1.7/8"-12		-2430	4.06	103	2.09	53			2.1/4	57	2	50
T4040-2940	46	1.13/16	2.1/2" -12		-2940	4.45	113	2.36	60			2.7/8	73	2.1/2	
T4040-3240	51	2	2.1/2" -12		-3240	4.49	114	2.44	62			2.7/8	73	2.1/2	

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


ONE-PIECE COUPLINGS

T4000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

T4041

JSEAL™ / JIC FEMALE
CONVEX SEAT
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	
T4041-0307	5	3/16	7/16" -20		-0307	1.61	41	0.87	22				14	1/2	
T4041-0309	5	3/16	9/16" -18		-0309	1.65	42	0.87	22			3/4	19	9/16	
T4041-0407	6	1/4	7/16" -20		-0407	1.73	44	0.75	19				14	1/2	
T4041-0409	6	1/4	9/16" -18		-0409	1.89	48	0.87	22			3/4	19	1/2	
T4041-0509	8	5/16	9/16" -18		-0509	1.85	47	0.87	22			3/4	19	9/16	
T4041-0607	10	3/8	7/16" -20		-0607	1.85	47	0.87	22				14	9/16	
T4041-0609	10	3/8	9/16" -18		-0609	1.85	47	0.87	22			3/4	19	9/16	
T4041-0809	12	1/2	9/16" -18		-0809	2.68	68	1.69	43			3/4	19	11/16	

JSEAL™ / JIC

T4250

JSEAL™ / JIC FEMALE
CONVEX SEAT
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm		
T4250-0307	5	3/16	7/16" -20		-0307	1.97	50	1.22	31	0.39	10	9/16			
T4250-0407	6	1/4	7/16" -20		-0407	2.56	65	1.57	40	0.59	15	9/16			
T4250-0408	6	1/4	1/2" - 20		-0408	2.28	58	1.30	33	0.59	15	5/8	16		
T4250-0409	6	1/4	9/16" -18		-0409	2.28	58	1.30	33	0.59	15	11/16			
T4250-0509	8	5/16	9/16" -18		-0509	2.60	66	1.57	40	0.63	16	11/16			
T4250-1017	16	5/8	1.1/16" -12		-1017	3.39	86	2.13	54	0.94	24	1.1/4	32		
T4250-1217	19	3/4	1.1/16" -12		-1217	4.29	107	3.11	77	1.10	28	1.1/4	32		
T4250-1621	25	1	1.5/16" -12		-1621	4.65	118	3.31	82	1.38	35	1.1/2	38		
T4250-2026	31	1.1/4	1.5/8"-12		-2026	5.87	149	3.94	100	1.54	39	2	50		

T4000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

T4251

JSEAL™ / JIC FEMALE
CONVEX SEAT
45° TUBE BEND
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T4251-0307	5	3/16	7/16" -20		-0307	1.97	50	1.22	31	0.39	10		14		
T4251-0407	6	1/4	7/16" -20		-0407	2.56	65	1.57	40	0.59	15		14		
T4251-0409	6	1/4	9/16" -18		-0409	2.28	58	1.30	33	0.59	15	3/4	19		
T4251-0509	8	5/16	9/16" -18		-0509	2.60	66	1.57	40	0.63	16	3/4	19		

JSEAL™ / JIC

T4243

JSEAL™ / JIC FEMALE
CONVEX SEAT 90° SHORT TUBE BEND



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T4243-0407	6	1/4	7/16" -20		-0407	2.44	62	1.46	37	0.83	21	9/16			
T4243-0409	6	1/4	9/16" -18		-0409	2.05	52	1.06	27	0.87	22	11/16			
T4243-0609	10	3/8	9/16" -18		-0609	2.20	56	1.22	31	0.91	23	11/16			
T4243-0812	12	1/2	3/4" -16		-0812	2.68	68	1.69	43	1.14	29	7/8	22		

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


ONE-PIECE COUPLINGS

T4000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

T4240

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm		
T4240-0307	5	3/16	7/16" -20		-0307	1.85	47	1.06	27	0.98	25	9/16			
T4240-0407	6	1/4	7/16" -20		-0407	2.52	64	1.54	39	1.26	32	9/16			
T4240-0408	6	1/4	1/2" - 20		-0408	2.24	57	1.26	32	1.26	32	5/8	16		
T4240-0409	6	1/4	9/16" -18		-0409	2.28	58	1.30	33	1.50	38	11/16			
T4240-0509	8	5/16	9/16" -18		-0509	2.32	59	1.34	34	1.18	30	11/16			
T4240-0609	10	3/8	9/16" -18		-0609	2.32	59	1.34	34	1.02	26	11/16			
T4240-0612	10	3/8	3/4" -16		-0612	2.36	60	1.38	35	1.18	30	7/8	22		
T4240-0812	12	1/2	3/4" -16		-0812	2.60	66	1.61	41	1.50	38	7/8	22		
T4240-0814	12	1/2	7/8" -14		-0814	2.60	66	1.61	41	1.61	41	1			
T4240-1017	16	5/8	1.1/16" -12		-1017	3.03	77	1.77	45	1.89	48	1.1/4	32		
T4240-1217	19	3/4	1.1/16" -12		-1217	3.54	88	2.32	57	2.24	57	1.1/4	32		
T4240-1621	25	1	1.5/16" -12		-1621	3.98	101	2.68	74	2.83	72	1.1/2	38		
T4240-1826	28	1.1/8	1.5/8" -12		-1826	4.74	121	3.43	87	3.19	81				
T4240-2021	31	1.1/4	1.5/16" -12		-2021	5.47	139	3.54	90	2.83	72	1.1/2	38		
T4240-2026	31	1.1/4	1.5/8" -12		-2026	5.87	149	3.94	100	3.19	81	2	50		
T4240-2430	38	1.1/2	1.7/8" -12		-2430	6.10	155	4.17	106	4.17	106	2.1/4	57		
T4240-3240	51	2	2.1/2" -12		-3240	7.91	201	5.83	148	5.20	132	2.7/8	73		

JSEAL™ / JIC

T4241

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° TUBE BEND
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm		
T4241-0407	6	1/4	7/16" -20		-0407	2.52	64	1.54	39	1.26	32		14		
T4241-0409	6	1/4	9/16" -18		-0409	2.28	58	1.30	33	1.50	38	3/4	19		
T4241-0509	8	5/16	9/16" -18		-0509	2.32	59	1.34	34	1.18	30	3/4	19		
T4241-0609	10	3/8	9/16" -18		-0609	2.32	59	1.34	34	1.02	26	3/4	19		

T4000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

T4280

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° LONG TUBE BEND




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M		
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm			
T4280-0509	8	5/16	9/16" -18		-0509	3.03	77	2.05	52	2.17	55	11/16				
T4280-0609	10	3/8	9/16" -18		-0609	2.99	76	2.05	52	2.17	55	11/16				
T4280-0612	10	3/8	3/4" -16		-0612	2.99	76	2.05	52	2.52	64	7/8	22			

JSEAL™ / JIC

T4281

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° LONG TUBE BEND
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm		
T4281-0509	8	5/16	9/16" -18		-0509	3.03	77	2.05	52	2.17	55	3/4	19		
T4281-0609	10	3/8	9/16" -18		-0609	2.99	76	2.05	52	2.17	55	3/4	19		

JIS

T4122

BSPP FEMALE
60° CONCAVE SEAT (JIS)



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch	mm	inch	mm
T4122-0404	6	1/4	1/4" -19		-0404	1.93	49	0.94	24			3/4	19		14
T4122-0606	10	3/8	3/8" -19		-0606	1.93	49	0.98	25			7/8	22		17
T4122-0608	10	3/8	1/2" -14		-0608	1.99	51	1.05	27			1.1/16	27		
T4122-0808	12	1/2	1/2" -14		-0808	2.05	52	1.06	27			1.1/16	27	3/4	19
T4122-1212	19	3/4	3/4" -14		-1212	2.40	61	1.18	30				36	1.1/16	27
T4122-1616	25	1	1" -11		-1616	2.60	66	1.26	32			1.5/8	41		36


ONE-PIECE COUPLINGS

T4000 SERIES ONE-PIECE CRIMP COUPLINGS

METRIC - DKL

T4600

DKL FEMALE
24° / 60° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	mm			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm		
T4600-0616	10	3/8	M 16X1,5		-0616	1.85	47	0.91	23			3/4	19		
T4600-0618	10	3/8	M 18X1,5		-0618	1.85	47	0.91	23			7/8	22		
T4600-0622	10	3/8	M 22X1,5		-0622	1.97	50	1.02	26			1.1/16	27		
T4600-1230	19	3/4	M 30X2		-1230	2.28	58	1.06	27				36		

METRIC - DKL

T4660

DKL FEMALE
24° / 60° CONE
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	mm			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T4660-0616	10	3/8	M 16X1,5		-0616	2.72	69	1.77	45	0.79	20	3/4	19		
T4660-0618	10	3/8	M 18X1,5		-0618	2.72	69	1.77	45	0.79	20	7/8	22		
T4660-0622	10	3/8	M 22X1,5		-0622	2.76	70	1.81	46	0.83	21	1.1/16	27		
T4660-1230	19	3/4	M 30X2		-1230	4.09	104	2.87	73	1.26	32		36		

DKL

T4670

DKL FEMALE
24° / 60° CONE
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	mm			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T4670-0616	10	3/8	M 16X1,5		-0616	2.32	59	1.38	35	1.38	35	3/4	19		
T4670-0618	10	3/8	M 18X1,5		-0618	2.28	58	1.34	34	1.38	35	7/8	22		
T4670-0622	10	3/8	M 22X1,5		-0622	2.28	58	1.34	34	1.46	37	1.1/16	27		
T4670-1230	19	3/4	M 30X2		-1230	3.43	87	2.20	56	2.52	64		36		

T4000 SERIES ONE-PIECE CRIMP COUPLINGS

METRIC - DKOL

T4501

DKOL FEMALE
24° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	mm			inch	mm	inch	mm			inch	mm	inch	mm
T4501-0822	12	1/2	M 22X1,5		-0822	2.24	57	1.26	32			1.1/16	27	11/16	
T4501-1018	16	5/8	M 18X1,5		-1018	2.48	63	1.23	31			7/8	22		
T4501-1030	16	5/8	M 30X2		-1030	2.64	67	1.42	36				36	7/8	22

ORFS

T4840

ORFS MALE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm					inch	mm
T4840-0409	6	1/4	9/16" - 18		-0409	1.97	50	0.98	25					5/8	16
T4840-0411	6	1/4	11/16" -16		-0411	2.05	52	1.06	27					3/4	19
T4840-0513	8	5/16	13/16" - 16		-0513	2.20	56	1.22	31					7/8	22
T4840-0611	10	3/8	11/16" -16		-0611	2.09	53	1.14	29					3/4	19
T4840-0613	10	3/8	13/16" - 16		-0613	2.17	55	1.22	31					7/8	22
T4840-0813	12	1/2	13/16" - 16		-0813	2.28	58	1.30	33					7/8	22
T4840-1016	16	5/8	1" - 14		-1016	2.68	68	1.46	37					1.1/16	27
T4840-1219	19	3/4	1.3/16" - 12		-1219	2.76	70	1.54	39					1.1/4	32
T4840-1223	19	3/4	1.7/16" - 12		-1223	2.76	70	1.57	40					1.1/2	38
T4840-1623	25	1	1.7/16" - 12		-1623	2.95	75	1.61	41					1.1/2	38
T4840-2027	31	1.1/4	1.11/16" - 12		-2027	3.62	92	1.77	45					1.3/4	


ONE-PIECE COUPLINGS

T4000 SERIES ONE-PIECE CRIMP COUPLINGS

ORFS

T4800

ORFS FEMALE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
T4800-0409	6	1/4	9/16" - 18		-0409	2.17	55	1.14	29			11/16		1/2	
T4800-0411	6	1/4	11/16" - 16		-0411	2.20	56	1.22	31			13/16		1/2	
T4800-0611	10	3/8	11/16" - 16		-0611	2.24	57	1.26	32			7/8	22	9/16	16
T4800-0613	10	3/8	13/16" - 16		-0613	2.36	60	1.38	35			15/16	24	9/16	16
T4800-0813	12	1/2	13/16" - 16		-0813	2.40	61	1.42	36			15/16	24	11/16	19
T4800-1219	19	3/4	1.3/16" - 12		-1219	3.07	72	1.85	41			1.3/8	35	1.1/16	24
T4800-1223	19	3/4	1.7/16" - 12		-1223	3.03	75	1.85	45			1.5/8	41	1.1/16	24
T4800-1619	25	1	1.3/16" - 12		-1619	3.19	81	1.85	45			1.3/8	35	1.1/4	32
T4800-1623	25	1	1.7/16" - 12		-1623	3.19	81	1.89	42			1.5/8	41	1.1/4	32
T4800-2027	31	1.1/4	1.11/16" - 12		-2027	4.13	105	2.17	55			2	50	1.5/8	41

ORFS

T4801

ORFS FEMALE
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
T4801-0409	6	1/4	9/16" - 18		-0409	2.17	55	1.14	29				17	1/2	
T4801-0411	6	1/4	11/16" - 16		-0411	2.20	56	1.22	31			7/8	22	1/2	
T4801-1219	19	3/4	1.3/16" - 12		-1219	3.07	72	1.85	41				36	1.1/16	27
T4801-1619	25	1	1.3/16" - 12		-1619	3.19	81	1.85	47				36	1.1/4	32

T4000 SERIES ONE-PIECE CRIMP COUPLINGS

ORFS

T4810

ORFS FEMALE
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm		
T4810-0409	6	1/4	9/16" - 18		-0409	2.52	64	1.54	39	0.71	18	11/16			
T4810-0611	10	3/8	11/16" - 16		-0611	2.72	69	1.77	45	0.79	20	7/8	22		
T4810-0613	10	3/8	13/16" - 16		-0613	2.52	64	1.57	40	0.67	17	15/16	24		
T4810-0813	12	1/2	13/16" - 16		-0813	2.91	74	1.93	49	0.75	19	15/16	24		
T4810-1016	16	5/8	1" - 14		-1016	3.58	91	2.32	59	0.79	20	1.1/8			
T4810-1219	19	3/4	1.3/16" - 12		-1219	4.29	107	3.11	77	1.14	29	1.3/8	35		
T4810-1623	25	1	1.7/16" - 12		-1623	4.72	120	3.39	84	1.34	34	1.5/8	41		
T4810-2027	31	1.1/4	1.11/16" - 12		-2027	5.94	151	4.02	102	1.77	45	2	50		

ORFS

T4811

ORFS FEMALE
45° TUBE BEND
METRIC NUT ONLY



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm		
T4811-0409	6	1/4	9/16" - 18		-0409	2.52	64	1.54	39	0.71	18		17		
T4811-1016	16	5/8	1" - 14		-1016	3.58	91	2.32	59	0.79	20	1.3/16	30		
T4811-1219	19	3/4	1.3/16" - 12		-1219	4.29	109	3.11	79	1.14	29		36		


ONE-PIECE COUPLINGS

T4000 SERIES ONE-PIECE CRIMP COUPLINGS

ORFS

T4820

ORFS FEMALE
90° MEDIUM TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T4820-0409	6	1/4	9/16" - 18		-0409	2.09	53	1.10	28	1.26	32	11/16			
T4820-0411	6	1/4	11/16" - 16		-0411	2.28	58	1.30	33	1.50	38	13/16			
T4820-0611	10	3/8	11/16" - 16		-0611	2.36	60	1.38	35	1.50	38	7/8	22		
T4820-0613	10	3/8	13/16" - 16		-0613	2.48	63	1.50	38	1.34	34	15/16	24		
T4820-0813	12	1/2	13/16" - 16		-0813	2.48	63	1.50	38	1.61	41	15/16	24		
T4820-1219	19	3/4	1.3/16" - 12		-1219	3.54	88	2.32	57	2.32	59	1.3/8	35		
T4820-1619	25	1	1.3/16" - 12		-1619	4.06	103	2.72	69	2.32	59	1.3/8	35		
T4820-1623	25	1	1.7/16" - 12		-1623	4.06	103	2.72	74	2.80	71	1.5/8	41		
T4820-2027	31	1.1/4	1.11/16" - 12		-2027	5.87	149	3.94	100	3.54	90	2	50		
T4820-2432	38	1.1/2	2" - 12		-2432	6.10	155	4.17	106	4.21	107	2.1/4	57		

ORFS

T4821

ORFS FEMALE
90° MEDIUM TUBE BEND
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T4821-0409	6	1/4	9/16" - 18		-0409	2.28	58	1.30	33	1.26	32		17		
T4821-1016	16	5/8	1" - 14		-1016	3.03	77	1.77	45	1.85	47	1.3/16	30		
T4821-1219	19	3/4	1.3/16" E-12		-1219	3.54	88	2.32	57	2.32	59		36		

ORFS

T4830

ORFS FEMALE
90° LONG BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T4830-1623	25	1	1.7/16" - 12		-1623	4.25	108	2.91	74	4.45	113	1.5/8	41		

T4000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE

T4530

SAE MALE
45° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm					inch	mm
T4530-0510	8	5/16	5/8" -18		-0510	2.20	56	1.22	31					11/16	
T4530-0610	10	3/8	5/8" -18		-0610	2.28	58	1.34	34					3/4	19

SAE

T4540

SAE FEMALE
45° FLARE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch	mm	inch	mm
T4540-0410	6	1/4	5/8" -18		-0410	1.89	48	0.91	23			3/4	19	5/8	16
T4540-0510	8	5/16	5/8" -18		-0510	1.77	45	0.79	20			3/4	19	5/8	16
T4540-0610	10	3/8	5/8" -18		-0610	1.85	47	0.91	23			3/4	19	5/8	16

SAE

T4570

SAE FEMALE
45° FLARE
90° ELBOW



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T4570-0610	10	3/8	5/8" -18		-0610	1.85	47	0.91	23	0.91	23	3/4	19	3/4	19


ONE-PIECE COUPLINGS

T4000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE

T4550

SAE FEMALE
45° FLARE
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T4550-0510	8	5/16	5/8" -18		-0510	2.56	65	1.57	40	0.63	16	3/4	19		
T4550-0610	10	3/8	5/8" -18		-0610	2.48	63	1.54	39	0.67	17	3/4	19	3/4	19

SAE

T4560

SAE FEMALE
45° FLARE
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T4560-0610	10	3/8	5/8" -18		-0610	2.32	59	1.38	35	1.26	32	3/4	19		

SAE

T4740

SAE INVERTED FLARE MALE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
T4740-0610	10	3/8	5/8" -18		-0610	2.60	66	1.61	41			9/16			
T4740-0611	10	3/8	11/16" -16		-0611	2.64	67	1.73	44			5/8	16		

T4000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE

T4750

SAE INVERTED FLARE MALE
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm			inch	mm
T4750-0510	8	5/16	5/8" -18		-0510	3.86	98	2.87	73	0.91	23	9/16			
T4750-0610	10	3/8	5/8" -18		-0610	3.82	97	2.87	73	0.91	23	5/8	16		

SAE

T4770

SAE INVERTED FLARE MALE
90° TUBE BEND



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm			inch	mm
T4770-0510	8	5/16	5/8" -18		-0510	3.15	80	2.17	55	1.97	50	9/16			
T4770-0610	10	3/8	5/8" -18		-0610	3.11	79	2.17	55	1.97	50	5/8	16		

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS


HYDRAULIC FITTINGS
ACCESSORIES

ONE-PIECE COUPLINGS

T4000 SERIES ONE-PIECE CRIMP COUPLINGS

DIMENSIONS FOR SAE CODE 61 AND CODE 62 FLANGES, AND RYCO CODE 62C FLANGES

NOMINAL FLANGE	CODE 61				CODE 62				CODE 62C			
	B		T		B		T		B		T	
inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch
1/2	30,2	1.19	6,73	0.265	31,8	1.25	7,75	0.305				
5/8	34,0	1.34	6,73	0.265								
3/4	38,1	1.50	6,73	0.265	41,3	1.63	8,76	0.345	41,3	1.63	14,20	0.559
1	44,5	1.75	8,00	0.315	47,6	1.88	9,53	0.375	47,6	1.88	14,20	0.559
1.1/4	50,8	2.00	8,00	0.315	54,0	2.12	10,29	0.405	54,0	2.12	14,20	0.559
1.1/2	60,3	2.38	8,00	0.315	63,5	2.50	12,57	0.495	63,5	2.50	14,20	0.559
2	71,4	2.81	9,53	0.375	79,4	3.13	12,57	0.495	79,4	3.13	14,20	0.559
2.1/2	84,1	3.31	9,53	0.375								
3	101,6	4.00	9,53	0.375								




NOTE: Ryco Code 62C fittings conform to the flange OD and bolt hole patterns of SAE Code 62 but require special flange clamps. Ryco Code 62C flange heads are thicker than SAE Code 62 and measure T = 14,2 mm (0.559 inch) in all sizes.

RYCOLOK

T4870

RYCOLOK MALE STAPLE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER			
	DN	inch		mm		L		C_A		D_L		H_F	
						inch	mm	inch	mm				
T4870-3250	51	2		50	-3250	4.33	110	2.28	58				

SAE FLANGE

T4130

SAE CODE 61 FLANGE

CLAMPS - SEE PAGES 274 & 282
O RING NOT SUPPLIED



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER			
	DN	inch				L		C_A		D_L		H_F	
						inch	mm	inch	mm				
T4130-1212	19	3/4			-1212	3.03	77	1.81	46				
T4130-1216	19	3/4			-1216	3.19	81	1.97	50				
T4130-1616	25	1			-1616	3.35	85	2.05	52				
T4130-1620	25	1			-1620	3.54	90	2.24	57				
T4130-2020	31	1.1/4			-2020	4.13	105	2.32	59				
T4130-2024	31	1.1/4			-2024	5.16	131	3.35	85				
T4130-2424	38	1.1/2			-2424	5.31	135	3.39	86				
T4130-2432	38	1.1/2			-2432	5.71	145	3.78	96				
T4130-3232	51	2			-3232	5.87	149	3.78	96				
T4130-4040	63	2.1/2			-4040	5.75	146	3.11	79				


T4000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE FLANGE

T4150

SAE CODE 61 FLANGE
45° TUBE BEND

CLAMPS - SEE PAGES 274 & 282
O RING NOT SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T4150-1212	19	3/4			-1212	3.78	96	2.56	65	1.02	26				
T4150-1616	25	1			-1616	4.53	115	3.19	81	1.18	30				
T4150-2020	31	1.1/4			-2020	5.79	147	3.94	100	1.42	36				
T4150-2420	38	1.1/2			-2420	5.76	146	3.82	97	1.42	36				
T4150-2424	38	1.1/2			-2424	6.26	159	4.33	110	1.65	42				
T4150-2432	38	1.1/2			-2432	6.65	169	4.72	120	1.85	47				

SAE FLANGE

T4170

SAE CODE 61 FLANGE
90° TUBE BEND

CLAMPS - SEE PAGES 274 & 282
O RING NOT SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T4170-1212	19	3/4			-1212	3.39	86	2.17	55	2.13	54				
T4170-1616	25	1			-1616	4.02	102	2.68	68	2.68	68				
T4170-2020	31	1.1/4			-2020	5.00	127	3.15	80	3.07	78				
T4170-2424	38	1.1/2			-2424	6.02	153	4.09	104	3.66	93				
T4170-2432	38	1.1/2			-2432	5.75	146	3.82	97	3.90	99				
T4170-3232	51	2			-3232	7.48	190	5.39	137	5.12	130				
T4170-3240	51	2			-3240	7.64	194	5.55	141	5.28	134				

SAE FLANGE

T4173

SAE CODE 61 FLANGE
90° LONG TUBE BEND

CLAMPS - SEE PAGES 274 & 282
O RING NOT SUPPLIED



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T4173-1620	25	1			-1620	3.98	101	2.64	67	3.66	93				

ONE-PIECE COUPLINGS


T4000 SERIES ONE-PIECE CRIMP COUPLINGS

UNO

T4200

UN O RING MALE

O RING SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
T4200-0407	6	1/4	7/16" -20	1/4	-0407	1.97	50	0.98	25					9/16	
T4200-1621	25	1	1.5/16" -12	1	-1621	2.83	72	1.54	39					1.1/2	38

SALVAGE / LIFESAVER

T4230

SALVAGE / LIFESAVER
TUBE WELD



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch		inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
T4230-0506	8	5/16		3/8	-0506	1.69	43	0.71	18					9/16	
T4230-0606	10	3/8		3/8	-0606	1.65	42	0.71	18					5/8	16
T4230-0808	12	1/2		1/2	-0808	1.73	44	0.75	19					11/16	
T4230-1212	19	3/4		3/4	-1212	2.05	52	0.83	21					1	
T4230-1012	16	5/8		3/4	-1012	2.05	52	0.79	20					1.1/16	27
T4230-1616	25	1		1	-1616	2.40	61	1.10	28					1.3/8	35
T4230-2020	31	1.1/4		1.1/4	-2020	3.07	78	1.22	31					1.3/4	
T4230-2424	38	1.1/2		1.1/2	-2424	3.31	84	1.34	34					2	50
T4230-3232	51	2		2	-3232	3.70	94	1.61	41					2.1/2	


T4000 SERIES ONE-PIECE CRIMP COUPLINGS

TUBE BITE

T4850

TUBE BITE

COMPLETE WITH NUT
AND FLARELESS OLIVE



PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M		
	DN	inch		inch		inch	mm	inch	mm			inch	mm	inch	mm	
T4850-0606		10	3/8		3/8	-0606	2.13	54	1.18	30		11/16		5/8	16	

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES

ONE-PIECE COUPLINGS

T6000 SERIES ONE-PIECE CRIMP COUPLINGS

HOSE COMPATIBILITY FOR T6000 SERIES

NON-SKIVE


For Ryco Hose Series H5000 (sizes -24 to -32).

For Ryco Hose Series H6000 (sizes -12 to -32).

BSPT

T6010

BSPT MALE
60° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
T6010-1212	19	3/4	3/4" -14		-1212	3.70	94	1.65	42					1.1/16	27
T6010-1616	25	1	1" -11		-1616	4.53	115	1.93	49					1.3/8	35
T6010-2020	31	1.1/4	1.1/4" -11		-2020	4.84	123	2.17	55					1.3/4	
T6010-2424	38	1.1/2	1.1/2" -11		-2424	5.67	144	2.20	56					2	50
T6010-3232	51	2	2" -11		-3232	6.93	176	2.80	71					2.1/2	

BSPP

T6013

BSPP MALE
60° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
T6013-1212	19	3/4	3/4" -14		-1212	3.66	93	1.61	41					1.1/4	32
T6013-1616	25	1	1" -11		-1616	4.41	112	1.81	46					1.5/8	41
T6013-2020	31	1.1/4	1.1/4" -11		-2020	4.76	121	2.09	53					2	50
T6013-2424	38	1.1/2	1.1/2" -11		-2424	5.63	143	2.17	55					2.3/16	55
T6013-3232	51	2	2" -11		-3232	6.97	177	2.83	72					2.3/4	70

T6000 SERIES ONE-PIECE CRIMP COUPLINGS

BSPP

T6020

BSPP FEMALE
60° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm			inch	mm	inch	mm
T6020-1212	19	3/4	3/4" -14		-1212	3.27	82	1.22	30			1.1/4	32	1.1/16	27
T6020-1616	25	1	1" -11		-1616	4.13	105	1.54	39			1.1/2	38	1.3/8	35
T6020-2016	31	1.1/4	1" -11		-2016	4.41	112	1.73	44			1.1/2	38	1.3/4	
T6020-2020	31	1.1/4	1.1/4" -11		-2020	4.45	113	1.77	45			2	50	1.3/4	
T6020-2424	38	1.1/2	1.1/2" -11		-2424	5.28	134	1.81	46			2.3/16	55	2	50
T6020-3232	51	2	2" -11		-3232	6.46	164	2.32	59			2.3/4	70	2.1/2	

BSPP

T6022

BSPP FEMALE
60° CONE
HEAVY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm			inch	mm	inch	mm
T6022-1212	19	3/4	3/4" -14		-1212	3.46	88	1.42	36			1.1/4	32	1.1/8	
T6022-1616	25	1	1" -11		-1616	4.09	104	1.54	39			1.1/2	38	1.1/2	38
T6022-2020	31	1.1/4	1.1/4" -11		-2020	4.49	114	1.81	46			2		1.3/4	

BSPP

T6270

BSPP FEMALE
60° CONE
45° TUBE BEND



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T6270-1212	19	3/4	3/4" -14		-1212	4.88	124	2.83	72	1.14	29	1.1/4	32		
T6270-1616	25	1	1" -11		-1616	6.22	158	3.62	92	1.54	39	1.1/2	38		
T6270-2020	31	1.1/4	1.1/4" -11		-2020	6.97	177	4.29	109	1.81	46	2	50		
T6270-2424	38	1.1/2	1.1/2" -11		-2424	8.50	216	5.04	128	2.05	52	2.3/16	55	2.3/16	55
T6270-3232	51	2	2" -11		-3232	9.96	253	5.83	148	2.56	65	2.3/4	70		


ONE-PIECE COUPLINGS

T6000 SERIES ONE-PIECE CRIMP COUPLINGS

BSPP

T6260

BSPP FEMALE
60° CONE
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T6260-1212	19	3/4	3/4" -14		-1212	4.29	109	2.24	57	2.28	58	1.1/4	32	1.1/16	27
T6260-1616	25	1	1" -11		-1616	5.39	137	2.80	71	3.15	80	1.1/2	38		
T6260-2020	31	1.1/4	1.1/4" -11		-2020	6.18	157	3.50	89	3.58	91	2	50		
T6260-2424	38	1.1/2	1.1/2" -11		-2424	7.64	194	4.17	106	4.13	105	2.3/16	55	2.3/16	55
T6260-3232	51	2	2" -11		-3232	9.45	240	5.31	135	5.20	132	2.3/4	70		

NPTF

T6090

NPTF MALE
60° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
T6090-1212	19	3/4	3/4" -14		-1212	3.70	94	1.65	42					1.1/16	27
T6090-1616	25	1	1" -11,5		-1616	4.53	115	1.93	49					1.3/8	35
T6090-2020	31	1.1/4	1.1/4" -11,5		-2020	4.84	123	2.17	55					1.3/4	
T6090-2424	38	1.1/2	1.1/2" -11,5		-2424	5.67	144	2.20	56					2	50
T6090-3232	51	2	2" -11,5		-3232	6.93	176	2.80	71					2.1/2	

NPTF

T6091

NPTF MALE EXTENDED
60° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch					
T6091-3232	51	2	2" -11,5		0	-3232	8.54	217	4.45	113					

T6000 SERIES ONE-PIECE CRIMP COUPLINGS

NPSM

T6020N

NPSM FEMALE
60° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
T6020N-1212	19	3/4	3/4" -14		-1212	3.23	82	1.18	30			1.1/4	32	1	
T6020N-1616	25	1	1" -11,5		-1616	4.02	102	1.46	37			1.1/2	38	1.3/8	35
T6020N-2020	31	1.1/4	1.1/4" -11,5		-2020	4.37	111	1.69	43			1.7/8		1.3/4	
T6020N-2424	38	1.1/2	1.1/2" -11,5		-2424	5.16	131	1.73	44			2.1/4	57	2	50
T6020N-3232	51	2	2" -11,5		-3232	6.46	164	2.32	59			2.3/4	70	2.1/2	

JIC

T6030

JIC 37°
CONE MALE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
T6030-1621	25	1	1.5/16" -12		-1621	4.49	114	1.89	48					1.3/8	35
T6030-2026	31	1.1/4	1.5/8" -12		-2026	5.04	128	2.36	60					1.3/4	
T6030-2430	38	1.1/2	1.7/8" -12		-2430	5.75	146	2.28	58					2	50
T6030-3240	51	2	2.1/2" -12		-3240	7.20	183	3.11	79					2.1/2	

JIC

T6031

JIC
37° CONE MALE
METRIC HEX ONLY



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm						mm
T6031-1621	25	1	1.5/16" -12		-1621	4.49	114	1.89	48						36

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


ONE-PIECE COUPLINGS

T6000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

T6040

JSEAL™ / JIC FEMALE
CONVEX SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
T6040-1217	19	3/4	1.1/16" -12		-1217	3.37	86	1.32	34			1.1/4	32	1.1/6	27
T6040-1221	19	3/4	1.5/16" -12		-1221	3.50	89	1.45	37			1.1/2	38	1.1/16	27
T6040-1621	25	1	1.5/16" -12		-1621	4.09	104	1.50	38			1.1/2	38	1.3/8	35
T6040-1626	25	1	1.5/8" -12		-1626	4.25	108	1.65	42			2	50	1.5/8	41
T6040-2026	31	1.1/4	1.5/8" -12		-2026	4.45	113	1.77	45			2	50	1.3/4	
T6040-2030	31	1.1/4	1.7/8" -12		-2030	4.65	118	1.97	50			2.1/4	57	2	50
T6040-2430	38	1.1/2	1.7/8" -12		-2430	5.59	142	2.13	54			2.1/4	57	2.3/16	55
T6040-3240	51	2	2.1/2" -12		-3240	6.77	172	2.64	67			2.7/8	73	2.5/8	

JIC

T6045

JIC 37° FEMALE
HIGH-PRESSURE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm						
T6045-1621	25	1	1.5/16" -12		-1621	3.96	101	1.38	35						

JSEAL™ / JIC

T6250

JSEAL™ / JIC FEMALE
CONVEX SEAT
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T6250-1217	19	3/4	1.1/16" -12		-1217	4.84	123	2.80	71	1.10	28	1.1/4	32		
T6250-1621	25	1	1.5/16" -12		-1621	5.91	150	3.31	84	1.38	35	1.1/2	38		
T6250-2026	31	1.1/4	1.5/8" -12		-2026	6.69	170	4.02	102	1.54	39	2	50		
T6250-2430	38	1.1/2	1.7/8" -12		-2430	8.50	216	5.04	128	1.97	50	2.1/4	57	2.3/16	55
T6250-3240	51	2	2.1/2" -12		-3240	10.12	257	5.98	152	2.48	63	2.7/8	73		

T6000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

T6280

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° LONG TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T6280-1217	19	3/4	1.1/16" -12		-1217	4.33	110	2.28	58	3.78	96	1.1/4	32		
T6280-1621	25	1	1.5/16" -12		-1621	5.55	141	2.95	75	4.49	114	1.1/2	38		
T6280-2026	31	1.1/4	1.5/8" -12		-2026	6.14	156	3.46	88	5.08	129	2	50		

JSEAL™ / JIC

T6240

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T6240-1217	19	3/4	1.1/16" -12		-1217	4.33	110	2.28	58	2.24	57	1.1/4	32		
T6240-1221	19	3/4	1.5/16" -12		-1221	4.33	110	2.28	58	2.80	71		38	1.1/2	
T6240-1621	25	1	1.5/16" -12		-1621	5.31	135	2.72	69	2.83	72	1.1/2	38		
T6240-2026	31	1.1/4	1.5/8" -12		-2026	6.14	156	3.46	88	3.19	81	2	50		
T6240-2430	38	1.1/2	1.7/8" -12		-2430	7.64	194	4.17	106	4.17	106	2.1/4	57	2.3/16	55
T6240-3240	51	2	2.1/2" -12		-3240	9.53	242	5.39	137	5.20	132	2.7/8	73		

JOINER

T6900

JOINER



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch		inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm						
T6900-1212	19	3/4		3/4	-1212	2.83	72	0.79	20						
T6900-1616	25	1		1	-1616	3.70	94	1.14	29						
T6900-2020	31	1.1/4		1.1/4	-2020	3.78	96	1.10	28						
T6900-2424	38	1.1/2		1.1/2	-2424	4.53	115	1.10	28						
T6900-3232	51	2		2	-3232	5.55	141	1.42	36						


ONE-PIECE COUPLINGS

T6000 SERIES ONE-PIECE CRIMP COUPLINGS

METRIC - DKS

T6630

DKS MALE
24° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
						L		C _A		D _L		H _F		H _M	
	DN	inch	mm	mm		inch	mm	inch	mm					inch	mm
T6630-1230	19	3/4	M 30X2	20	-1230	3.50	89	1.46	37					1.1/4	32
T6630-1236	19	3/4	M 36X2	25	-1236	3.58	91	1.54	39						36
T6630-1636	25	1	M 36X2	25	-1636	4.29	109	1.69	43					1.5/8	41
T6630-1642	25	1	M 42X2	30	-1642	4.37	111	1.77	45						46
T6630-2052	31	1.1/4	M 52X2	38	-2052	4.65	118	1.97	50					2.3/16	55
T6630-2452	38	1.1/2	M 52X2	38	-2452	5.39	137	1.97	50					2.3/16	55

METRIC - DKOS

T6711

DKOS FEMALE
24° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	mm	mm		inch	mm	inch	mm			inch	mm	inch	mm
T6711-1230	19	3/4	M 30X2	20	-1230	3.39	86	1.35	34				36	0	0
T6711-1236	19	3/4	M 36X2	25	-1236	3.46	88	1.42	36				46		
T6711-1636	25	1	M 36X2	25	-1636	4.02	102	1.42	36				46		
T6711-1642	25	1	M 42X2	30	-1642	4.09	104	1.50	38			2	50		
T6711-2052	31	1.1/4	M 52X2	38	-2052	4.29	109	1.61	41			2.3/8	60		
T6711-2452	38	1.1/2	M 52X2	38	-2452	5.08	129	1.65	42			2.3/8	60		

METRIC - DKOS

T6720

DKOS FEMALE
24° CONE
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	mm	mm		inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T6720-1230	19	3/4	M 30X2	20	-1230	5.04	128	2.99	76	1.38	35		36	0	0
T6720-1236	19	3/4	M 36X2	25	-1236	5.04	128	2.99	76	1.38	35		46		
T6720-1642	25	1	M 42X2	30	-1642	6.10	155	3.50	89	1.46	37	2	50		
T6720-2052	31	1.1/4	M 52X2	38	-2052	7.72	196	5.04	128	1.89	48	2.3/8	60		
T6720-2452	38	1.1/2	M 52X2	38	-2452	8.54	217	5.08	129	1.89	48	2.3/8	60		

T6000 SERIES ONE-PIECE CRIMP COUPLINGS

METRIC - DKOS

T6730

DKOS FEMALE
24° CONE
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	mm	mm		L		CA		DL		HF		Hm	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T6730-1230	19	3/4	M 30X2	20	-1230	4.37	111	2.32	59	2.68	68		36	0	0
T6730-1236	19	3/4	M 36X2	25	-1236	4.29	109	2.24	57	2.68	68		46		
T6730-1642	25	1	M 42X2	30	-1642	5.35	136	2.76	70	3.03	77	2	50		
T6730-2052	31	1.1/4	M 52X2	38	-2052	6.22	158	3.54	90	3.50	89	2.3/8	60		
T6730-2452	38	1.1/2	M 52X2	38	-2452	7.05	179	3.58	91	3.50	89	2.3/8	60		

ORFS

T6840

ORFS MALE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		Hm	
						inch	mm	inch	mm					inch	mm
T6840-1219	19	3/4	1.3/16" - 12		-1219	3.66	93	1.61	41					1.1/4	32
T6840-1623	25	1	1.7/16" - 12		-1623	4.25	108	1.69	43					1.1/2	38
T6840-2027	31	1.1/4	1.11/16" - 12		-2027	4.76	121	2.09	53					1.43/50	47
T6840-2432	38	1.1/2	2" - 12		-2432	5.31	135	1.85	47					2.1/4	57

ORFS

T6800

ORFS FEMALE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		Hm	
						inch	mm	inch	mm			inch	mm	inch	mm
T6800-1219	19	3/4	1.3/16" - 12		-1219	3.78	96	1.73	44			1.3/8	35	1.1/8	
T6800-1223	19	3/4	1.7/16" - 12		-1223	4.17	106	2.13	54			1.5/8	41	1.3/8	35
T6800-1623	25	1	1.7/16" - 12		-1623	4.76	121	2.20	56			1.5/8	41	1.3/8	35
T6800-1627	25	1	1.11/16" - 12		-1627	4.96	126	2.40	61			2	50	1.3/4	
T6800-2027	31	1.1/4	1.11/16" - 12		-2027	5.08	129	2.40	61			2	50	1.3/4	
T6800-2432	38	1.1/2	2" - 12		-2432	6.18	157	2.72	69			2.1/4	57	2.1/4	57


ONE-PIECE COUPLINGS

T6000 SERIES ONE-PIECE CRIMP COUPLINGS

ORFS

T6801

ORFS FEMALE
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER		
	DN	inch	inch			L		C _A		D _L		H _F		H _M
						inch	mm	inch	mm			mm	inch	
T6801-1219	19	3/4	1.3/16" - 12		-1219	3.78	96	1.73	44			36	1.1/8	

ORFS

T6810

ORFS FEMALE
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER		
	DN	inch	inch			L		C _A		D _L		H _F		H _M
						inch	mm	inch	mm	inch	mm	inch	mm	
T6810-1219	19	3/4	1.3/16" - 12		-1219	4.65	118	2.60	66	1.14	29	1.3/8	35	
T6810-1623	25	1	1.7/16" - 12		-1623	6.02	153	3.43	87	1.34	34	1.5/8	41	
T6810-2027	31	1.1/4	1.11/16" - 12		-2027	6.97	177	4.29	109	1.77	45	2	50	
T6810-2432	38	1.1/2	2" - 12		-2432	8.46	215	5.00	127	2.09	53	2.1/4	57	

ORFS

T6811

ORFS FEMALE
45° TUBE BEND
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER		
	DN	inch	inch			L		C _A		D _L		H _F		H _M
						inch	mm	inch	mm	inch	mm	mm		
T6811-1219	19	3/4	1.3/16" - 12		-1219	4.65	118	2.60	66	1.14	29	36		

T6000 SERIES ONE-PIECE CRIMP COUPLINGS

ORFS

T6820

ORFS FEMALE
90° MEDIUM TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T6820-1219	19	3/4	1.3/16" - 12		-1219	4.21	107	2.17	55	2.32	59	1.3/8	35		
T6820-1223	19	3/4	1.7/16" - 12		-1223	4.37	111	2.32	59	2.09	53	1.5/8	41	1.1/16	27
T6820-1623	25	1	1.7/16" - 12		-1623	5.39	137	2.80	71	2.80	71	1.5/8	41		
T6820-2027	31	1.1/4	1.11/16" - 12		-2027	6.18	157	3.50	89	3.54	90	2	50		
T6820-2432	38	1.1/2	2" - 12		-2432	7.64	194	4.17	106	4.21	107	2.1/4	57		

ORFS

T6821

ORFS FEMALE
90° MEDIUM TUBE BEND
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	mm			
T6821-1219	19	3/4	1.3/16" - 12		-1219	4.21	107	2.17	55	2.32	59	36			

RYCOLOK

T6871

RYCOLOK MALE
45° ELBOW- STAPLE
O RING & BACK UP RING SUPPLIED



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch		inch		L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm			inch	
T6871-3250	51	2		50	-3250	7.56	192	3.43	87	1.81	46			2.1/2	


ONE-PIECE COUPLINGS

T6000 SERIES ONE-PIECE CRIMP COUPLINGS

RYCOLOK

T6872

**RYCOLOK MALE
90° ELBOW- STAPLE**
O RING & BACK UP RING SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch		mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6872-1220	19	3/4		20	-1220	3.31	84	1.26	32	2.19	56				
T6872-1625	25	1		25	-1625	4.25	108	1.67	42	2.68	68				

RYCOLOK

T6870

**RYCOLOK
MALE STAPLE**
O RING & BACK UP RING SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm						
T6870-1220	19	3/4		20	-1220	3.66	93	1.61	41						
T6870-1625	25	1		25	-1625	4.53	115	1.93	49						
T6870-2032	31	1.1/4		32	-2032	4.72	120	2.05	52						
T6870-2440	38	1.1/2		40	-2440	5.83	148	2.40	61						
T6870-3250	51	2		50	-3250	6.57	167	2.48	63						

RYCOLOK

T6876

**RYCO SUPERLOK MALE
STAPLE**
O RING & BACK UP RING SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch		mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm						
T6876-1220	19	3/4		20	-1220	4.02	102	1.97	50						
T6876-1625	25	1		25	-1625	5.31	135	2.72	69						
T6876-2032	31	1.1/4		32	-2032	5.55	141	2.87	73						
T6876-2440	38	1.1/2		40	-2440	6.57	167	3.11	79						
T6876-3250	51	2		50	-3250	7.44	189	3.31	84						

T6000 SERIES ONE-PIECE CRIMP COUPLINGS

DIMENSIONS FOR SAE CODE 61 AND CODE 62 FLANGES, AND RYCO CODE 62C FLANGES

NOMINAL FLANGE	CODE 61				CODE 62				CODE 62C			
	B		T		B		T		B		T	
inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch
1/2	30,2	1.19	6,73	0.265	31,8	1.25	7,75	0.305				
5/8	34,0	1.34	6,73	0.265								
3/4	38,1	1.50	6,73	0.265	41,3	1.63	8,76	0.345	41,3	1.63	14,20	0.559
1	44,5	1.75	8,00	0.315	47,6	1.88	9,53	0.375	47,6	1.88	14,20	0.559
1.1/4	50,8	2.00	8,00	0.315	54,0	2.12	10,29	0.405	54,0	2.12	14,20	0.559
1.1/2	60,3	2.38	8,00	0.315	63,5	2.50	12,57	0.495	63,5	2.50	14,20	0.559
2	71,4	2.81	9,53	0.375	79,4	3.13	12,57	0.495	79,4	3.13	14,20	0.559
2.1/2	84,1	3.31	9,53	0.375								
3	101,6	4.00	9,53	0.375								




NOTE: Ryco Code 62C fittings conform to the flange OD and bolt hole patterns of SAE Code 62 but require special flange clamps. Ryco Code 62C flange heads are thicker than SAE Code 62 and measure T = 14,2 mm (0.559 inch) in all sizes.

SAE FLANGE

T6130

SAE CODE 61 FLANGE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER			
	DN	inch				L		C _A		D _L		H _F	
						inch	mm	inch	mm				
T6130-1212	19	3/4			-1212	3.94	100	1.89	48				
T6130-1216	19	3/4			-1216	4.09	104	2.05	52				
T6130-1616	25	1			-1616	4.69	119	2.09	53				
T6130-1620	25	1			-1620	4.88	124	2.28	58				
T6130-2020	31	1.1/4			-2020	5.08	129	2.40	61				
T6130-2424	38	1.1/2			-2424	6.85	174	3.43	87				
T6130-3232	51	2			-3232	8.11	206	3.98	101				

ONE-PIECE COUPLINGS


T6000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE FLANGE

T6290

SAE CODE 61 FLANGE
30° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6290-1212	19	3/4			-1212	4.88	124	2.83	72	0.71	18				
T6290-1616	25	1			-1616	6.30	160	3.70	94	0.87	22				
T6290-2020	31	1.1/4			-2020	6.85	174	4.17	106	0.79	20				
T6290-2024	31	1.1/4			-2024	7.05	179	4.37	111	0.94	24				
T6290-2424	38	1.1/2			-2424	8.11	206	4.65	118	1.02	26				
T6290-2432	38	1.1/2			-2432	8.58	218	5.12	130	1.26	32				
T6290-3232	51	2			-3232	10.20	259	6.06	154	1.57	40				

SAE FLANGE

T6150

SAE CODE 61 FLANGE
45° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6150-1212	19	3/4			-1212	4.72	120	2.68	68	1.02	26				
T6150-1216	19	3/4			-1216	4.80	122	2.76	70	1.18	30				
T6150-1616	25	1			-1616	5.87	149	3.27	83	1.18	30				
T6150-1620	25	1			-1620	5.94	151	3.35	85	1.26	32				
T6150-2020	31	1.1/4			-2020	6.69	170	4.02	102	1.50	38				
T6150-2424	38	1.1/2			-2424	8.03	204	4.57	116	1.65	42				
T6150-3232	51	2			-3232	10.04	255	5.91	150	2.28	58				


T6000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE FLANGE

T6300

CODE 61 FLANGE
60° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6300-1212	19	3/4			-1212	5.20	132	3.15	80	1.46	37				
T6300-1216	19	3/4			-1216	5.28	134	3.23	82	1.61	41				
T6300-1616	25	1			-1616	6.50	165	3.90	99	1.81	46				
T6300-1620	25	1			-1620	6.42	163	3.82	97	1.77	45				
T6300-2020	31	1.1/4			-2020	7.36	187	4.69	119	2.01	51				
T6300-2024	31	1.1/4			-2024	7.44	189	4.76	121	2.13	54				
T6300-2424	38	1.1/2			-2424	9.13	232	5.67	144	2.36	60				
T6300-2432	38	1.1/2			-2432	9.25	235	5.79	147	2.68	68				
T6300-3232	51	2			-3232	11.46	291	7.32	186	3.23	82				

SAE

T6170

CODE 61 FLANGE
90° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch		inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6170-1212	19	3/4		-	-1212	4.33	110	2.28	58	2.13	54				
T6170-1216	19	3/4		-	-1216	4.29	109	2.24	57	2.36	60				
T6170-1616	25	1		-	-1616	5.35	136	2.76	70	2.68	68				
T6170-1620	25	1		-	-1620	5.35	136	2.76	70	2.72	69				
T6170-2020	31	1.1/4		-	-2020	6.22	158	3.54	90	3.07	78				
T6170-2424	38	1.1/2		-	-2424	7.56	192	4.09	104	3.66	93				
T6170-3232	51	2		-	-3232	9.53	242	5.39	137	5.12	130				

ONE-PIECE COUPLINGS

T6000 SERIES ONE-PIECE CRIMP COUPLINGS


SAE FLANGE

T6330

CODE 62 FLANGE

O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm						
T6330-1212	19	3/4			-1212	4.13	105	2.09	53						
T6330-1216	19	3/4			-1216	4.25	108	2.20	56						
T6330-1612	25	1			-1612	4.72	120	2.17	55						
T6330-1616	25	1			-1616	4.84	123	2.24	57						
T6330-1620	25	1			-1620	5.28	134	2.72	69						
T6330-2016	31	1.1/4			-2016	5.47	139	2.80	71						
T6330-2020	31	1.1/4			-2020	5.47	139	2.80	71						
T6330-2024	31	1.1/4			-2024	6.65	169	3.98	101						
T6330-2420	38	1.1/2			-2420	6.22	158	2.76	70						
T6330-2424	38	1.1/2			-2424	7.40	188	3.98	101						
T6330-2432	38	1.1/2			-2432	8.11	206	4.69	119						
T6330-3224	51	2			-3224	8.31	211	4.21	107						
T6330-3232	51	2			-3232	8.98	228	4.84	123						


SAE FLANGE

T6333

RYCO CODE 62C FLANGE

O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm						
T6333-1212	19	3/4			-1212	5.51	140	3.46	88						
T6333-1216	19	3/4			-1216	5.51	140	3.46	88						
T6333-1616	25	1			-1616	6.14	156	3.54	90						
T6333-1620	25	1			-1620	6.14	156	3.54	90						
T6333-2020	31	1.1/4			-2020	6.18	157	3.50	89						
T6333-2024	31	1.1/4			-2024	6.18	157	3.50	89						
T6333-2424	38	1.1/2			-2424	6.89	175	3.43	87						
T6333-3232	51	2			-3232	8.46	215	4.37	111						

T6000 SERIES ONE-PIECE CRIMP COUPLINGS


SAE FLANGE

T6334

RYCO CODE 62C D-RING FLANGE

O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm						
T6334-1212	19	3/4			-1212	4.57	116	2.52	64						
T6334-1216	19	3/4			-1216	4.57	116	2.52	64						
T6334-1616	25	1			-1616	5.16	131	2.56	65						
T6334-1620	25	1			-1620	5.47	139	2.87	73						
T6334-2020	31	1.1/4			-2020	6.34	161	3.66	93						
T6334-2024	31	1.1/4			-2024	6.18	157	3.50	89						
T6334-2424	38	1.1/2			-2424	6.77	172	3.31	84						
T6334-3232	51	2			-3232	9.02	229	4.92	125						


CODE 62

T6335

RYCO CODE 62K FLANGE

O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
						L		C _A		D _L		H _F		H _M	
	DN	inch				inch	mm	inch	mm						
T6335-1616	25	1			-1616	5.04	128	2.44	62						
T6335-1620	25	1			-1620	4.80	122	2.20	56						
T6335-2016	31	1.1/4			-2016	7.20	183	4.53	115						
T6335-2020	31	1.1/4			-2020	6.42	163	3.74	95						
T6335-2024	31	1.1/4			-2024	5.83	148	3.15	80						
T6335-2424	38	1.1/2			-2424	7.68	195	4.21	107						
T6335-2432	38	1.1/2			-2432	7.05	179	3.62	92						
T6335-3224	51	2			-3224	9.92	252	5.79	147						
T6335-3232	51	2			-3232	8.94	227	4.80	122						

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES

ONE-PIECE COUPLINGS


T6000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE FLANGE

T6912

RYCO CODE 62K FLANGE
15° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6912-1616	25	1			-1616	7.52	191	4.92	125	0.67	17				
T6912-2024	31	1.1/4			-2024	9.21	234	6.54	166	0.71	18				
T6912-2424	38	1.1/2			-2424	11.06	281	7.64	194	0.94	24				
T6912-2432	38	1.1/2			-2432	11.10	282	7.68	195	1.06	27				

SAE FLANGE

T6440

SAE CODE 62 FLANGE
22.5° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6440-1212	19	3/4			-1212	5.20	132	3.15	80	0.63	16				
T6440-1216	19	3/4			-1216	5.16	131	3.11	79	0.55	14				
T6440-1616	25	1			-1616	6.18	157	3.58	91	0.63	16				
T6440-2020	31	1.1/4			-2020	7.01	178	4.33	110	0.67	17				
T6440-2024	31	1.1/4			-2024	7.32	186	4.65	118	0.87	22				
T6440-2424	38	1.1/2			-2424	8.46	215	5.00	127	0.94	24				
T6440-3232	51	2			-3232	10.71	272	6.57	167	1.10	28				

SAE FLANGE

T6445

RYCO CODE 62K FLANGE
22.5° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6445-3232	51	2			-3232	12.76	324	8.62	219	1.77	45				


T6000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE FLANGE

T6443

RYCO CODE 62C FLANGE
22.5° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm				
T6443-1212	19	3/4			-1212	5.28	134	3.23	82	0.71	18				
T6443-1216	19	3/4			-1216	5.39	137	3.35	85	0.79	20				
T6443-1616	25	1			-1616	6.34	161	3.74	95	0.63	16				
T6443-1620	25	1			-1620	6.38	162	3.78	96	0.75	19				
T6443-2020	31	1.1/4			-2020	7.17	182	4.49	114	0.75	19				
T6443-2024	31	1.1/4			-2024	7.32	186	4.65	118	0.87	22				
T6443-2424	38	1.1/2			-2424	8.46	215	5.00	127	0.94	24				
T6440-3232	51	2			-3232	10.71	272	6.57	167	1.10	28				

SAE FLANGE

T6444

RYCO CODE 62C D-RING FLANGE
22.5° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm				
T6444-1212	19	3/4			-1212	5.24	133	3.19	81	0.59	15				
T6444-1616	25	1			-1616	6.10	155	3.50	89	0.63	16				
T6444-1620	25	1			-1620	4.17	106	1.61	41	0.63	16				
T6444-2020	31	1.1/4			-2020	7.17	182	4.49	114	0.75	19				

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES

ONE-PIECE COUPLINGS


T6000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE FLANGE

T6450

SAE CODE 62 FLANGE
30° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6450-1212	19	3/4			-1212	4.92	125	2.87	73	0.75	19				
T6450-1616	25	1			-1616	6.14	156	3.54	90	0.87	22				
T6450-1620	25	1			-1620	6.14	156	3.54	90	0.98	25				
T6450-2020	31	1.1/4			-2020	7.01	178	4.33	110	0.87	22				
T6450-2024	31	1.1/4			-2024	7.20	183	4.53	115	0.98	25				
T6450-2424	38	1.1/2			-2424	8.78	223	5.31	135	1.30	33				
T6450-3232	51	2			-3232	10.67	271	6.54	166	1.57	40				

SPECIAL FLANGE

T6453

RYCO CODE 62C FLANGE
30° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6453-1212	19	3/4			-1212	5.16	131	3.11	79	0.91	23				
T6453-1616	25	1			-1616	6.97	177	4.37	111	0.94	24				
T6453-1620	25	1			-1620	7.09	180	4.49	114	0.98	25				
T6453-2020	31	1.1/4			-2020	7.32	186	4.65	118	0.98	25				
T6453-2024	31	1.1/4			-2024	7.28	185	4.61	117	1.02	26				
T6453-2424	38	1.1/2			-2424	8.46	215	5.00	127	1.18	30				


T6000 SERIES ONE-PIECE CRIMP COUPLINGS

SPECIAL FLANGE

T6454

RYCO CODE 62C D-RING FLANGE
30° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6454-1212	19	3/4			-1212	5.28	134	3.23	82	0.91	23				
T6454-1616	25	1			-1616	6.85	174	4.25	108	0.94	24				
T6454-2020	31	1.1/4			-2020	7.28	185	4.61	117	0.98	25				
T6454-2024	31	1.1/4			-2024	7.28	185	4.61	117	1.02	26				

SPECIAL FLANGE

T6455

RYCO CODE 62K FLANGE
30° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6455-2020	31	1.1/4			-2020	9.41	239	6.73	171	1.57	40				
T6455-2024	31	1.1/4			-2024	9.21	234	6.54	166	1.50	38				
T6455-2424	38	1.1/2			-2424	10.67	271	7.24	184	1.97	50				
T6455-3232	51	2			-3232	12.52	318	8.39	213	2.17	55				

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES

ONE-PIECE COUPLINGS


T6000 SERIES ONE-PIECE CRIMP COUPLINGS

SPECIAL FLANGE

T6350

SAE CODE 62 FLANGE
45° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6350-1212	19	3/4			-1212	4.76	121	2.72	69	1.10	28				
T6350-1216	19	3/4			-1216	4.92	125	2.87	73	1.22	31				
T6350-1612	25	1			-1612	5.43	138	2.83	72	1.10	28				
T6350-1616	25	1			-1616	5.91	150	3.31	84	1.22	31				
T6350-1620	25	1			-1620	5.94	151	3.35	85	1.34	34				
T6350-2020	31	1.1/4			-2020	6.73	171	4.06	103	1.50	38				
T6350-2024	31	1.1/4			-2024	6.85	174	4.17	106	1.61	41				
T6350-2424	38	1.1/2			-2424	7.91	201	4.45	113	1.77	45				
T6350-2432	38	1.1/2			-2432	8.23	209	4.76	121	1.97	50				
T6350-3232	51	2			-3232	10.24	260	6.10	155	2.36	60				

SPECIAL FLANGE

T6353

RYCO CODE 62C FLANGE
45° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6353-1212	19	3/4			-1212	4.88	124	2.83	72	1.22	31				
T6353-1216	19	3/4			-1216	4.88	124	2.83	72	1.30	33				
T6353-1616	25	1			-1616	6.02	153	3.43	87	1.38	35				
T6353-1620	25	1			-1620	5.91	150	3.31	84	1.46	37				
T6353-2020	31	1.1/4			-2020	6.85	174	4.17	106	1.61	41				
T6353-2024	31	1.1/4			-2024	7.01	178	4.33	110	1.65	42				
T6353-2424	38	1.1/2			-2424	11.81	300	8.39	213	1.81	46				
T6353-3232	51	2			-3232	10.47	266	6.34	161	2.40	61				


T6000 SERIES ONE-PIECE CRIMP COUPLINGS

SPECIAL FLANGE

T6354

RYCO CODE 62C D-RING FLANGE
45° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm				
T6354-1212	19	3/4			-1212	4.84	123	2.80	71	1.22	31				
T6354-1216	19	3/4			-1216	4.96	126	2.91	74	1.30	33				
T6354-1616	25	1			-1616	6.18	157	3.58	91	1.38	35				
T6354-1620	25	1			-1620	5.83	148	3.23	82	1.46	37				
T6354-2020	31	1.1/4			-2020	6.85	174	4.17	106	1.61	41				
T6354-2024	31	1.1/4			-2024	7.01	178	4.33	110	1.69	43				

SPECIAL FLANGE

T6355

RYCO CODE 62K FLANGE
45° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm				
T6355-1616	25	1			-1616	6.85	174	4.25	108	1.97	50				
T6355-1620	25	1			-1620	6.81	173	4.21	107	1.97	50				
T6355-2016	31	1.1/4			-2016	8.70	221	6.02	153	2.17	55				
T6355-2020	31	1.1/4			-2020	8.90	226	6.22	158	2.36	60				
T6355-2024	31	1.1/4			-2024	9.29	236	6.61	168	2.36	60				
T6355-2420	38	1.1/2			-2420	9.65	245	6.20	158	2.87	73				
T6355-2424	38	1.1/2			-2424	10.00	254	6.57	167	3.15	80				
T6355-2432	38	1.1/2			-2432	9.65	245	6.22	158	3.74	95				
T6355-3224	51	2			-3224	11.38	289	7.28	185	3.35	85				
T6355-3232	51	2			-3232	11.73	298	7.60	193	3.54	90				

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES

ONE-PIECE COUPLINGS

T6000 SERIES ONE-PIECE CRIMP COUPLINGS

SPECIAL FLANGE


T6359

RYCO CODE 62K D-RING FLANGE

45° TUBE BEND

O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6359-3232	51	2			-3232	13.90	353	9.76	248	5.31	135				

SPECIAL FLANGE


T6465

RYCO CODE 62K FLANGE

60° TUBE BEND

O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6465-2424	38	1.1/2			-2424	11.30	287	7.87	200	3.70	94				
T6465-3232	51	2			-3232	13.62	346	9.49	241	4.72	120				

SPECIAL FLANGE


T6360

SAE CODE 62 FLANGE

67.5° TUBE BEND

O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6360-1212	19	3/4			-1212	4.96	126	2.91	74	1.85	47				
T6360-1216	19	3/4			-1216	5.08	129	3.03	77	1.73	44				
T6360-1616	25	1			-1616	6.18	157	3.58	91	2.01	51				
T6360-1620	25	1			-1620	6.34	161	3.74	95	2.83	72				
T6360-2020	31	1.1/4			-2020	7.95	202	5.28	134	2.83	72				
T6360-2024	31	1.1/4			-2024	8.11	206	5.43	138	2.91	74				


T6000 SERIES ONE-PIECE CRIMP COUPLINGS

SPECIAL FLANGE

T6914

RYCO CODE 62K FLANGE
70° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6914-1616	25	1			-1616	7.13	181	4.53	115	2.76	70				
T6914-2020	31	1.1/4			-2020	9.33	237	6.65	169	3.78	96				

SPECIAL FLANGE

T6916

RYCO CODE 62K FLANGE
75° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6916-2432	38	1.1/2			-2432	10.39	264	6.97	177	5.43	138				

SPECIAL FLANGE

T6918

RYCO CODE 62K FLANGE
80° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6918-3232	51	2			-3232	11.69	297	7.56	192	6.30	160				

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES

ONE-PIECE COUPLINGS

T6000 SERIES ONE-PIECE CRIMP COUPLINGS

SPECIAL FLANGE


T6363

RYCO CODE 62C FLANGE

67.5° TUBE BEND

O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6363-1212	19	3/4			-1212	5.00	127	2.95	75	2.05	52				
T6363-1216	19	3/4			-1216	5.04	128	2.99	76	2.09	53				
T6363-1616	25	1			-1616	6.18	157	3.58	91	2.09	53				
T6363-1620	25	1			-1620	6.22	158	3.62	92	2.20	56				
T6363-2020	31	1.1/4			-2020	7.24	184	4.57	116	2.64	67				
T6363-2024	31	1.1/4			-2024	6.93	176	4.25	108	2.99	76				
T6363-2424	38	1.1/2			-2424	8.66	220	5.20	132	3.03	77				

SPECIAL FLANGE


T6364

RYCO CODE 62C D-RING FLANGE

67.5° TUBE BEND

O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6364-1212	19	3/4			-1212	5.00	127	2.95	75	2.05	52				
T6364-1216	19	3/4			-1216	5.16	131	3.11	79	2.09	53				
T6364-1616	25	1			-1616	6.18	157	3.58	91	2.09	53				
T6364-1620	25	1			-1620	6.22	158	3.62	92	2.20	56				
T6364-2020	31	1.1/4			-2020	7.13	181	4.45	113	2.64	67				
T6364-2024	31	1.1/4			-2024	6.93	176	4.25	108	2.99	76				


T6000 SERIES ONE-PIECE CRIMP COUPLINGS

SPECIAL FLANGE

T6374

RYCO CODE 62C D-RING FLANGE
67.5° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm				
T6374-1212	19	3/4			-1212	4.29	109	2.24	57	2.44	62				
T6374-1216	19	3/4			-1216	4.29	109	2.24	57	2.60	66				
T6374-1616	25	1			-1616	5.28	134	2.68	68	2.83	72				
T6374-1620	25	1			-1620	5.39	137	2.80	71	2.95	75				
T6374-2020	31	1.1/4			-2020	6.02	153	3.35	85	3.27	83				
T6374-2024	31	1.1/4			-2024	6.18	157	3.50	89	3.35	85				

SPECIAL FLANGE

T6460

SAE CODE 62 FLANGE
60° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm				
T6460-1212	19	3/4			-1212	5.28	134	3.23	82	1.42	36				
T6460-1216	19	3/4			-1216	5.28	134	3.23	82	1.50	38				
T6460-1616	25	1			-1616	6.46	164	3.86	98	1.73	44				
T6460-1620	25	1			-1620	6.50	165	3.90	99	1.81	46				
T6460-2020	31	1.1/4			-2020	6.69	170	4.02	102	1.97	50				
T6460-2024	31	1.1/4			-2024	7.60	193	4.92	125	2.28	58				
T6460-2424	38	1.1/2			-2424	9.61	244	6.14	156	2.80	71				
T6460-2432	38	1.1/2			-2432	9.76	248	6.30	160	3.11	79				
T6460-3232	51	2			-3232	12.83	326	8.70	221	3.98	101				

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES

ONE-PIECE COUPLINGS


T6000 SERIES ONE-PIECE CRIMP COUPLINGS

SPECIAL FLANGE

T6463

RYCO CODE 62C FLANGE
60° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6463-1212	19	3/4			-1212	5.28	134	3.23	82	1.81	46				
T6463-1216	19	3/4			-1216	5.51	140	3.46	88	1.65	42				
T6463-1616	25	1			-1616	6.50	165	3.90	99	1.85	47				
T6463-1620	25	1			-1620	6.69	170	4.09	104	1.93	49				
T6463-2020	31	1.1/4			-2020	7.52	191	4.84	123	2.20	56				
T6463-2024	31	1.1/4			-2024	7.20	183	4.53	115	2.60	66				
T6463-2424	38	1.1/2			-2424	9.17	233	5.71	145	2.68	68				

SPECIAL FLANGE

T6464

RYCO CODE 62C D-RING FLANGE
60° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6464-1212	19	3/4			-1212	5.35	136	3.31	84	1.65	42				
T6464-1216	19	3/4			-1216	5.35	136	3.31	84	1.65	42				
T6464-1616	25	1			-1616	6.42	163	3.82	97	1.85	47				
T6464-1620	25	1			-1620	6.57	167	3.98	101	1.93	49				
T6464-2020	31	1.1/4			-2020	7.48	190	4.80	122	2.20	56				
T6464-2024	31	1.1/4			-2024	8.43	214	5.75	146	2.60	66				


T6000 SERIES ONE-PIECE CRIMP COUPLINGS

SPECIAL FLANGE

T6375

RYCO CODE 62K FLANGE
90° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6375-1616	25	1			-1616	6.02	153	3.43	87	3.54	90				
T6375-1620	25	1			-1620	6.02	153	3.43	87	3.94	100				
T6375-2016	31	1.1/4			-2016	6.42	163	3.74	95	3.54	90				
T6375-2020	31	1.1/4			-2020	7.83	199	5.16	131	4.72	120				
T6375-2024	31	1.1/4			-2024	7.83	199	5.16	131	4.72	120				
T6375-2420	38	1.1/2			-2420	8.76	223	5.31	135	5.12	130				
T6375-2424	38	1.1/2			-2424	8.86	225	5.43	138	5.51	140				
T6375-2432	38	1.1/2			-2432	8.86	225	5.43	138	6.30	160				
T6375-3224	51	2			-3224	10.42	265	6.30	160	6.89	175				
T6375-3232	51	2			-3232	10.94	278	6.81	173	7.09	180				

SPECIAL FLANGE

T6370

SAE CODE 62 FLANGE
90° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6370-1212	19	3/4			-1212	4.29	109	2.24	57	2.20	56				
T6370-1216	19	3/4			-1216	4.29	109	2.24	57	2.40	61				
T6370-1612	25	1			-1612	4.96	126	2.36	60	2.20	56				
T6370-1616	25	1			-1616	5.28	134	2.68	68	2.76	70				
T6370-1620	25	1			-1620	5.35	136	2.76	70	2.80	71				
T6370-2016	31	1.1/4			-2016	5.79	147	3.11	79	2.76	70				
T6370-2020	31	1.1/4			-2020	6.14	156	3.46	88	3.15	80				
T6370-2024	31	1.1/4			-2024	6.18	157	3.50	89	3.39	86				
T6370-2424	38	1.1/2			-2424	7.36	187	3.90	99	3.86	98				
T6370-2432	38	1.1/2			-2432	7.56	192	4.09	104	4.09	104				
T6370-3232	51	2			-3232	10.63	270	6.50	165	5.16	131				

ONE-PIECE COUPLINGS

T6000 SERIES ONE-PIECE CRIMP COUPLINGS

SPECIAL FLANGE


T6373

RYCO CODE 62C FLANGE

90° BEND

O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6373-1212	19	3/4			-1212	4.33	110	2.28	58	2.44	62				
T6373-1216	19	3/4			-1216	4.33	110	2.28	58	2.56	65				
T6373-1616	25	1			-1616	5.28	134	2.68	68	2.91	74				
T6373-1620	25	1			-1620	5.28	134	2.68	68	2.95	75				
T6373-2020	31	1.1/4			-2020	6.10	155	3.43	87	3.27	83				
T6373-2024	31	1.1/4			-2024	6.18	157	3.50	89	3.35	85				
T6373-2424	38	1.1/2			-2424	7.68	195	4.21	107	3.94	100				
T6373-3232	51	2			-3232	9.72	247	5.59	142	5.24	133				

SPECIAL FLANGE


T6936

RYCO CODE 62K FLANGE

100° TUBE BEND

O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6936-2020	31	1.1/4			-2020	7.40	188	4.72	120	4.92	125				
T6936-3232	51	2			-3232	9.84	250	5.71	145	7.87	200				

SPECIAL FLANGE


T6932

RYCO CODE 62K FLANGE

105° TUBE BEND

O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T6932-2424	38	1.1/2			-2424	7.32	186	3.90	99	6.18	157				


T6000 SERIES ONE-PIECE CRIMP COUPLINGS

SPECIAL FLANGE

T6930

SAE CODE 62 FLANGE
110° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm				
T6930-2424	38	1.1/2			-2424	9.02	229	5.59	142	4.69	119				
T6930-2432	38	1.1/2			-2432	9.09	231	5.63	143	4.80	122				
T6930-3232	51	2			-3232	10.28	261	6.14	156	6.02	153				

SPECIAL FLANGE

T6933

RYCO CODE 62C FLANGE
110° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm				
T6933-2424	38	1.1/2			-2424	9.02	229	5.55	141	4.72	120				
T6933-3232	51	2			-3232	9.84	250	5.71	145	5.35	136				

HAMMER UNION

T61502

FIGURE 1502
HAMMER/WING MALE (WITH NUT)
STANDARD SERVICE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm						
T61502-2432	38	1.1/2	4.1/8		-2432	7.83	199	4.41	112						
T61502-3232	51	2	4.1/8		-3232	8.70	221	4.57	116						

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS


HYDRAULIC FITTINGS
ACCESSORIES

ONE-PIECE COUPLINGS

T6000 SERIES ONE-PIECE CRIMP COUPLINGS

HAMMER UNION	T61501
--------------	--------

FIGURE 1502
HAMMER/WING FEMALE (WITH SEAL)
STANDARD SERVICE



PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER				
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm						
T61501-2432	38	1.1/2	4.1/8		-2432	7.09	180	3.66	93						
T61501-3232	51	2	4.1/8		-3232	7.95	202	3.82	97						

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

HOSE COMPATIBILITY FOR T7000 SERIES

NON-SKIVE

For Ryco Hose Series H3000D/S (sizes -20 to -32).
 For Ryco Hose Series H4000D/S (sizes -06 to -32).
 For Ryco Hose Series H5000D/S (sizes -06 to -24).
 For Ryco Hose Series H6000D/S (sizes -06 to -20).
 For Ryco Hose Series T2D/S/C (sizes -06 to -32).
 For Ryco Hose Series E2, HSPD (sizes -06 to -16).
 For Ryco Hose Series H12D/S (sizes -06 to -20).
 For Ryco Hose Series R4SH, HSHD (sizes -20 to -32).
 For Ryco Hose Series T2, TXA2D, SURVIVOR/2 (sizes -06 to -32).
 For Ryco Hose Series D2B (sizes -24 to -32).
 For Ryco Hose Series R4SP (cover must be skived) (all sizes).

SKIVE

For Ryco Hose Series R4SPD (cover must be skived) all sizes.

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS


FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES

BSPT

T7010

BSPT MALE
60° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS					SPANNER				
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
T7010-0606	10	3/8	3/8" -19		-0606	2.44	62	1.30	33					11/16	
T7010-0808	12	1/2	1/2" -14		-0808	2.64	67	1.57	40					7/8	22
T7010-1212	19	3/4	3/4" -14		-1212	2.83	72	1.61	41					1.1/16	27
T7010-1616	25	1	1" -11		-1616	3.58	91	1.89	48					1.3/8	35
T7010-2020	31	1.1/4	1.1/4" -11		-2020	4.13	105	2.09	53					1.3/4	
T7010-2424	38	1.1/2	1.1/2" -11		-2424	4.37	111	2.17	55					2	50
T7010-3232	51	2	2" -11		-3232	5.08	129	2.60	66					2.1/2	

BSPT

T7014

BSPT MALE HEAVY
60° SEAT



PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER		
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm						
T7014-1616		25	1	1" -11		-1616	3.57	91	1.88	48					36


ONE-PIECE COUPLINGS

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

BSPP

T7013

BSPP MALE
60° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
T7013-0606	10	3/8	3/8" -19		-0606	2.32	59	1.14	29					7/8	22
T7013-0808	12	1/2	1/2" -14		-0808	2.40	61	1.34	34					1.1/16	27
T7013-0810	12	1/2	5/8" -14		-0810	2.52	64	1.42	36					1.3/16	30
T7013-1212	19	3/4	3/4" -14		-1212	2.76	70	1.54	39					1.1/4	32
T7013-1216	19	3/4	3/4" -14		-1216	2.91	74	1.69	43					1.5/8	41
T7013-1616	25	1	1" -11		-1616	3.46	88	1.77	45					1.5/8	41
T7013-2020	31	1.1/4	1.1/4" -11		-2020	4.06	103	2.01	51					2	50
T7013-2424	38	1.1/2	1.1/2" -11		-2424	4.37	111	2.13	54					2.3/16	55
T7013-3232	51	2	2" -11		-3232	5.12	130	2.64	67					2.3/4	70

BSPP

T7020

BSPP FEMALE
60° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
T7020-0606	10	3/8	3/8" -19		-0606	2.20	56	1.06	27			7/8	22	5/8	16
T7020-0808	12	1/2	1/2" -14		-0808	2.20	56	1.10	28			1.1/16	27	11/16	
T7020-1010	16	5/8	5/8" -14		-1010	2.40	61	1.14	29			1.3/16	30	7/8	22
T7020-1212	19	3/4	3/4" -14		-1212	2.52	62	1.30	31			1.1/4	32	1.1/16	27
T7020-1216	19	3/4	1" -11		-1216	2.76	68	1.54	37			1.1/2	38	1.1/16	27
T7020-1616	25	1	1" -11		-1616	3.15	80	1.46	36			1.1/2	38	1.1/4	32
T7020-2016	31	1.1/4	1" -11		-2016	3.74	95	1.73	44			1.1/2	38	1.5/8	41
T7020-2020	31	1.1/4	1.1/4" -11		-2020	3.78	96	1.77	45			2	50	1.5/8	41
T7020-2424	38	1.1/2	1.1/2" -11		-2424	3.98	101	1.77	45			2.3/16	55	2	50
T7020-3232	51	2	2" -11		-3232	4.61	117	2.13	54			2.3/4	70	2.1/2	

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

BSPP

T7022

BSPP FEMALE
60° CONE
HEAVY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch	mm	inch	mm
T7022-0808	12	1/2	1/2" -14		-0808	2.28	58	1.22	31			1		1	
T7022-1212	19	3/4	3/4" -14		-1212	2.56	65	1.34	34			1.1/4	32	1.1/8	
T7022-1616	25	1	1" -11		-1616	3.15	80	1.46	37			1.1/2	38	1.1/2	38
T7022-2020	31	1.1/4	1.1/4" -11		-2020	3.78	96	1.73	44			2	50	1.3/4	

BSPP

T7060

BSPP FEMALE
60° CONE
45° ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T7060-0808	12	1/2	1/2" -14		-0808	1.93	49	0.83	21	0.71	18	1.1/16	27	7/8	22
T7060-1212	19	3/4	3/4" -14		-1212	2.17	55	0.98	25	0.79	20	1.1/4	32	1.1/16	27
T7060-1616	25	1	1" -11		-1616	2.80	71	1.10	28	1.02	26	1.1/2	38	1.5/16	
T7060-2020	31	1.1/4	1.1/4" -11		-2020	3.15	80	1.10	28	1.14	29	2	50	1.7/8	

BSPP

T7050

BSPP FEMALE
60° CONE
90° ELBOW



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T7050-0606	10	3/8	3/8" -19		-0606	2.05	52	0.91	23	1.10	28	7/8	22	3/4	19
T7050-0808	12	1/2	1/2" -14		-0808	2.24	57	1.14	29	1.22	31	1.1/16	27	7/8	22
T7050-1212	19	3/4	3/4" -14		-1212	2.40	61	1.22	31	1.42	36	1.1/4	32	1.1/16	27
T7050-1616	25	1	1" -11		-1616	2.95	75	1.26	32	1.77	45	1.1/2	38	1.5/16	
T7050-2020	31	1.1/4	1.1/4" -11		-2020	3.74	95	1.69	43	2.05	52	2	50	1.7/8	
T7050-2424	38	1.1/2	1.1/2" -11		-2424	4.61	117	2.36	60	2.32	59	2.3/16	55	2.1/2	
T7050-3232	51	2	2" -11		-3232	4.69	119	2.20	56	2.44	62	2.3/4	70	2.1/2	


ONE-PIECE COUPLINGS

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

BSPP

T7270

BSPP FEMALE
60° CONE
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T7270-0606	10	3/8	3/8" -19		-0606	2.76	70	1.61	41	0.71	18	7/8	22		
T7270-0808	12	1/2	1/2" -14		-0808	3.07	78	1.97	50	0.87	22	1.1/16	27		
T7270-1212	19	3/4	3/4" -14		-1212	4.33	108	3.11	77	1.14	29	1.1/4	32		
T7270-1616	25	1	1" -11		-1616	5.04	128	3.35	83	1.65	42	1.1/2	38		32
T7270-2020	31	1.1/4	1.1/4" -11		-2020	8.50	216	6.50	165	1.81	46	2	50		
T7270-2424	38	1.1/2	1.1/2" -11		-2424	6.85	174	4.65	118	2.05	52	2.3/16	55		
T7270-3232	51	2	2" -11		-3232	8.39	213	5.91	150	2.56	65	2.3/4	70		

BSPP

T7260

BSPP FEMALE
60° CONE
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T7260-0606	10	3/8	3/8" -19		-0606	2.52	64	1.38	35	1.30	33	7/8	22		
T7260-0808	12	1/2	1/2" -14		-0808	2.56	65	1.50	38	1.77	45	1.1/16	27		
T7260-1212	19	3/4	3/4" -14		-1212	3.39	88	2.17	57	2.32	59	1.1/4	32		
T7260-1616	25	1	1" -11		-1616	4.37	111	2.68	74	3.07	78	1.1/2	38		
T7260-2016	31	1.1/4	1" -11		-2016	5.55	141	3.54	90	3.03	77	1.1/2	38		
T7260-2020	31	1.1/4	1.1/4" -11		-2020	5.28	134	3.23	82	3.58	91	2	50		
T7260-2424	38	1.1/2	1.1/2" -11		-2424	6.06	154	3.86	98	4.13	105	2.3/16	55		
T7260-3232	51	2	2" -11		-3232	7.87	200	5.39	137	5.20	132	2.3/4	70		

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

BSPP

T7210

BSPP FEMALE
60° CONE
90° LONG TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T7210-1212	19	3/4	3/4" -14		-1212	3.54	88	2.32	57	3.74	95	1.1/4	32		
T7210-1616	25	1	1" -11		-1616	4.25	108	2.56	74	4.57	116	1.1/2	38		
T7210-2020	31	1.1/4	1.1/4" -11		-2020	5.94	151	3.94	100	5.59	142				

BSP0

T7027

BSPP FEMALE O RING
60° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
T7027-1212	19	3/4	3/4" -14		-1212	2.52	62	1.30	31			1.1/4	32	1.1/16	27
T7027-1616	25	1	1" -11		-1616	3.15	80	1.46	36			1.1/2	38	1.1/4	32

BSP0

T7057

BSPP FEMALE O RING
60° CONE
90° ELBOW



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T7057-1212	19	3/4	3/4" -14		-1212	2.40	61	1.18	30	1.50	38	1.1/4	32	1.1/16	27

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


ONE-PIECE COUPLINGS

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

BSP0

T7277

BSPP FEMALE O RING
60° CONE
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T7277-0808	12	1/2	1/2" -14		-0808	3.07	78	1.97	50	0.87	22	1.1/16	27		
T7277-1212	19	3/4	3/4" -14		-1212	4.33	108	3.11	77	1.14	29	1.1/4	32		
T7277-1616	25	1	1" -11		-1616	5.00	127	3.31	83	1.38	35	1.1/2	38		

BSP0

T7267

BSPP FEMALE O RING
60° CONE
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T7267-0808	12	1/2	1/2" -14		-0808	2.72	69	1.61	41	1.73	44	1.1/16	27		
T7267-1212	19	3/4	3/4" -14		-1212	3.54	88	2.32	57	2.32	59	1.1/4	32		
T7267-1616	25	1	1" -11		-1616	4.57	116	2.87	74	2.95	75	1.1/2	38		

NPTF

T7090

NPTF MALE
60° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
T7090-0604	10	3/8	1/4" -18		-0604	2.44	62	1.30	33					5/8	16
T7090-0606	10	3/8	3/8" -18		-0606	2.44	62	1.30	33					11/16	
T7090-0806	12	1/2	3/8" -18		-0806	2.44	62	1.38	35					11/16	
T7090-0808	12	1/2	1/2" -14		-0808	2.64	67	1.57	40					7/8	22
T7090-1212	19	3/4	3/4" -14		-1212	2.83	72	1.61	41					1.1/16	27
T7090-1612	25	1	3/4" -14		-1612	3.39	86	1.69	43					1.3/8	35
T7090-1616	25	1	1" -11,5		-1616	3.58	91	1.89	48					1.3/8	35
T7090-2016	31	1.1/4	1" -11,5		-2016	4.09	104	2.05	52					1.3/4	
T7090-2020	31	1.1/4	1.1/4" -11,5		-2020	4.13	105	2.09	53					1.3/4	
T7090-2424	38	1.1/2	1.1/2" -11,5		-2424	4.37	111	2.17	55					2	50
T7090-3232	51	2	2" -11,5		-3232	5.08	129	2.60	66					2.1/2	

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

NPTF

T7091

NPTF MALE EXTENDED
60° SEAT




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER				
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm					inch	
T7091-3232		51	2	2" -11.5		-3232	6.69	170	4.21	107				2.1/2	

NPSM

T7020N

NPSM FEMALE
60° CONE




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS					SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch	mm	inch	mm
T7020N-2020	31	1.1/4	1.1/4" -11,5		-2020	3.66	93	1.61	41			1.7/8		1.3/4	
T7020N-2424	38	1.1/2	1.1/2" -11,5		-2424	4.02	102	1.77	45			2.1/4	57	2	50
T7020N-3232	51	2	2" -11,5		-3232	4.61	117	2.13	54			2.3/4	70	2.1/2	

JIC

T7030

JIC 37°
CONE MALE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm					inch	mm
T7030-0609	10	3/8	9/16" -18		-0609	2.40	61	1.26	32					5/8	16
T7030-0812	12	1/2	3/4" -16		-0812	2.52	64	1.46	37					3/4	19
T7030-0814	12	1/2	7/8" -14		-0814	2.64	67	1.54	39					15/16	24
T7030-1014	16	5/8	7/8" -14		-1014	2.87	73	1.57	40					15/16	24
T7030-1217	19	3/4	1.1/16" -12		-1217	2.95	75	1.73	44					1.1/8	
T7030-1219	19	3/4	1.3/16" -12		-1219	2.95	75	1.77	45					1.1/4	32
T7030-1221	19	3/4	1.5/16" -12		-1221	2.99	76	1.77	45					1.3/8	35
T7030-1621	25	1	1.5/16" -12		-1621	3.54	90	1.85	47					1.3/8	35
T7030-2026	31	1.1/4	1.5/8"-12		-2026	4.09	104	2.05	52					1.3/4	
T7030-2430	38	1.1/2	1.7/8"-12		-2430	4.45	113	2.24	57					2	50
T7030-3240	51	2	2.1/2" -12		-3240	5.35	136	2.87	73					2.1/2	


ONE-PIECE COUPLINGS

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

JIC

T7031

JIC 37° CONE MALE
METRIC HEX ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm						mm
T7031-1221	19	3/4	1.5/16" -12		-1221	2.99	76	1.77	45						36
T7031-1621	25	1	1.5/16" -12		-1621	3.54	90	1.85	47						36

JSEAL™ / JIC

T7040

JSEAL™ / JIC FEMALE
CONVEX SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch	mm	inch	mm
T7040-0609	10	3/8	9/16" -18		-0609	2.01	51	0.87	22			11/16		9/16	16
T7040-0609	10	3/8	9/16" -18		-0609	2.01	51	0.87	22			3/4	19	9/16	
T7040-0612	10	3/8	3/4" -16		-0612	2.17	54	1.02	25			7/8	22	9/16	16
T7040-0812	12	1/2	3/4" -16		-0812	2.01	53	0.94	25			7/8	22	11/16	19
T7040-0814	12	1/2	7/8" -14		-0814	2.17	55	1.06	27			1		11/16	
T7040-0817	12	1/2	1.1/16" -12		-0817	2.32	59	1.22	31			1.1/4	32	11/16	
T7040-1012	16	5/8	3/4" -16		-1012	2.28	58	0.98	25			7/8	22	7/8	22
T7040-1014	16	5/8	7/8" -14		-1014	2.32	59	1.06	27			1		7/8	22
T7040-1017	16	5/8	1.1/16" -12		-1017	2.48	63	1.18	30			1.1/4	32	7/8	22
T7040-1212	19	3/4	3/4" -16		-1212	2.40	59	1.18	28			7/8	22	1.1/16	27
T7040-1214	19	3/4	7/8" -14		-1214	2.56	63	1.34	32			1		1.1/16	27
T7040-1217	19	3/4	1.1/16" -12		-1217	2.44	60	1.22	29			1.1/4	32	1.1/16	27
T7040-1219	19	3/4	1.3/16" -12		-1219	2.44	62	1.22	31			1.3/8	35	1.1/8	
T7040-1221	19	3/4	1.5/16" -12		-1221	2.72	67	1.50	36			1.1/2	38	1.1/16	27
T7040-1617	25	1	1.1/16" -12		-1617	3.03	77	1.34	37			1.1/4	32	1.1/4	32
T7040-1621	25	1	1.5/16" -12		-1621	3.07	78	1.38	33			1.1/2	38	1.1/4	32
T7040-1626	25	1	1.5/8"-12		-1626	3.31	84	1.61	38			2	50	1.1/4	32
T7040-2021	31	1.1/4	1.5/16" -12		-2021	3.70	94	1.69	43			1.1/2	38	1.5/8	41
T7040-2026	31	1.1/4	1.5/8"-12		-2026	3.70	94	1.69	43			2	50	1.5/8	41
T7040-2030	31	1.1/4	1.7/8"-12		-2030	4.06	103	2.05	52			2.1/4	57	1.5/8	41
T7040-2430	38	1.1/2	1.7/8"-12		-2430	4.29	109	2.09	53			2.1/4	57	2	50
T7040-3240	51	2	2.1/2" -12		-3240	4.88	124	2.44	62			2.7/8	73	2.1/2	

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

T7041

JSEAL™ / JIC FEMALE
CONVEX SEAT
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		mm
T7041-0609	10	3/8	9/16" -18		-0609	2.52	64	1.34	34	1.02	26	3/4	19		16

JIC

T7039

JIC
37° CONE
MALE SWIVEL JOINT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm		
T7039-0609	10	3/8	9/16" -18		-0609	3.23	82	2.09	53			1	0		
T7039-0812	12	1/2	3/4" -16		-0812	3.39	86	2.32	59				36		
T7039-1217	19	3/4	1.1/16" -12		-1217	3.74	95	2.56	65			1.1/2	38		
T7039-1621	25	1	1.5/16" -12		-1621	4.92	125	3.23	82				46		

JIC - HEAVY DUTY

T7045

JIC
37° FEMALE HIGH-PRESSURE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
T7045-1621	25	1	1.5/16" -12		-1621	2.99	76	1.30	33			1.5/8	41	1.1/4	32
T7045-2026	31	1.1/4	1.5/8" -12		-2026	3.62	92	1.57	40			2	50	1.3/4	
T7045-2430	38	1.1/2	1.7/8" -12		-2430	4.45	113	2.20	56			2.1/4	57	2	50


ONE-PIECE COUPLINGS

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

T7080

JSEAL™ / JIC FEMALE
CONVEX SEAT
45° ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T7080-0812	12	1/2	3/4" -16		-0812	1.93	49	0.83	21	0.63	16	7/8	22	7/8	22
T7080-0814	12	1/2	7/8" -14		-0814	2.56	65	1.50	38	0.67	17	1		7/8	22
T7080-1217	19	3/4	1.1/16" -12		-1217	2.17	55	0.98	25	0.67	17	1.1/4	32	1.1/16	27
T7080-1621	25	1	1.5/16" -12		-1621	2.80	71	1.10	28	0.83	21	1.1/2	38	1.5/16	

JSEAL™ / JIC

T7070

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
T7070-0814	12	1/2	7/8" -14		-0814	2.24	57	1.14	29	1.22	31	1		7/8	22
T7070-1217	19	3/4	1.1/16" -12		-1217	2.40	61	1.22	31	1.26	32	1.1/4	32	1.1/16	27
T7070-1621	25	1	1.5/16" -12		-1621	2.95	75	1.26	32	1.50	38	1.1/2	38	1.5/16	

METRIC - DKOL

T7250

JSEAL™ / JIC FEMALE
CONVEX SEAT
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T7250-1017	16	5/8	1.1/16" -12		-1017	3.43	87	2.13	54	0.94	24	1.1/4	32		
T7250-1217	19	3/4	1.1/16" -12		-1217	4.33	108	3.11	77	1.10	28	1.1/4	32		
T7250-1221	19	3/4	1.5/16" -12		-1221	4.72	118	3.50	87	1.50	38	1.1/2	38		
T7250-1621	25	1	1.5/16" -12		-1621	5.00	127	3.31	82	1.38	35	1.1/2	38		
T7250-2026	31	1.1/4	1.5/8" -12		-2026	5.94	151	3.94	100	1.54	39	2	50		
T7250-2430	38	1.1/2	1.7/8" -12		-2430	7.24	184	5.04	128	1.97	50	2.1/4	57		
T7250-3240	51	2	2.1/2" -12		-3240	8.94	227	6.46	164	2.48	63	2.7/8	73		

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

T7251

JSEAL™ / JIC
FEMALE CONVEX SEAT
45° TUBE BEND
METRIC NUT ONLY




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M		
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm			
T7251-0609		10	3/8	9/16" -18		-0609	2.68	68	1.50	38	0.55	14	3/4	19		

JIC

T7243

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° SHORT TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm		
T7243-0609	10	3/8	9/16" -18		-0609	2.40	61	1.22	31	0.91	23	11/16			
T7243-0812	12	1/2	3/4" -16		-0812	2.80	71	1.69	43	1.14	29	7/8	22		
T7243-1014	16	5/8	7/8" -14		-1014	3.39	86	2.09	53	1.34	34	1			
T7243-1217	19	3/4	1.1/16" -12		-1217	3.82	95	2.60	64	1.85	47	1.1/4	32		
T7243-1621	25	1	1.5/16" -12		-1621	4.88	124	3.19	79	2.28	58	1.1/2	38		

JSEAL™ / JIC

T7244

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° SHORT TUBE BEND
METRIC NUT ONLY



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm		
T7244-0609	10	3/8	9/16" -18		-0609	2.40	61	1.22	31	0.91	23	3/4	19		

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


ONE-PIECE COUPLINGS

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

JIC

T7240

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T7240-0609	10	3/8	9/16" -18		-0609	2.52	64	1.34	34	1.02	26	11/16			
T7240-0612	10	3/8	3/4" -16		-0612	2.56	65	1.38	35	1.18	30	7/8	22		
T7240-0812	12	1/2	3/4" -16		-0812	2.72	69	1.61	41	1.50	38	7/8	22		
T7240-0814	12	1/2	7/8" -14		-0814	2.72	69	1.61	41	1.61	41	1			
T7240-1014	16	5/8	7/8" -14		-1014	3.07	78	1.77	45	1.85	47	1			
T7240-1017	16	5/8	1.1/16" -12		-1017	3.07	78	1.77	45	1.89	48	1.1/4	32		
T7240-1217	19	3/4	1.1/16" -12		-1217	3.54	88	2.32	57	2.24	57	1.1/4	32		
T7240-1221	19	3/4	1.5/16" -12		-1221	3.54	88	2.32	57	2.80	71	1.1/2	38		
T7240-1621	25	1	1.5/16" -12		-1621	4.37	111	2.68	74	2.83	72	1.1/2	38		
T7240-2026	31	1.1/4	1.5/8" -12		-2026	5.94	151	3.94	100	3.19	81	2	50		
T7240-2430	38	1.1/2	1.7/8" -12		-2430	6.38	162	4.17	106	4.17	106	2.1/4	57		
T7240-3240	51	2	2.1/2" -12		-3240	8.31	211	5.83	148	5.20	132	2.7/8	73		

JSEAL™ / JIC

T7241

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° TUBE BEND
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T7241-0609	10	3/8	9/16" -18		-0609	2.52	64	1.34	34	1.02	26	3/4	19		

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

T7245

JIC 37° FEMALE
HIGH-PRESSURE
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		Hm	
						inch	mm	inch	mm	inch	mm	inch	mm		
T7245-1621	25	1	1.5/16" -12		-1621	4.53	115	2.83	72	2.83	72	1 5/8			
T7245-2026	31	1.1/4	1.5/8" -12		-2026	5.51	140	3.46	88	3.07	78	2	50		
T7245-2430	38	1.1/2	1.7/8" -12		-2430	6.26	159	4.06	103	4.17	106	2.1/4	57		

JIC

T7280

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° LONG TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		Hm	
						inch	mm	inch	mm	inch	mm	inch	mm		
T7280-1217	19	3/4	1.1/16" -12		-1217	3.54	88	2.32	57	3.78	96	1.1/4	32		
T7280-1621	25	1	1.5/16" -12		-1621	4.65	118	2.95	74	4.49	114	1.1/2	38		
T7280-2026	31	1.1/4	1.5/8" -12		-2026	5.94	151	3.94	100	5.08	129	2	50		

JIC

T7044

JIC
37° FEMALE SWIVEL JOINT



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		Hm	
						inch	mm	inch	mm			inch	mm		
T7044-0609	10	3/8	9/16" -18		-0609	2.80	71	1.65	42			1	25		
T7044-0812	12	1/2	3/4" -16		-0812	2.83	72	1.77	45				36		
T7044-1217	19	3/4	1.1/16" -12		-1217	3.03	77	1.81	46			1.1/2	38		
T7044-1621	25	1	1.5/16" -12		-1621	4.17	106	2.48	63				46		


ONE-PIECE COUPLINGS

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

JIS - BSP

T7122

METRIC FEMALE
60° CONCAVE SEAT (JIS)




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch	mm	inch	mm
T7122-0808	12	1/2	1/2" -14		-0808	2.17	55	1.06	27			1.1/16	27	3/4	19
T7122-1012	16	5/8	3/4" -14		-1012	2.36	60	1.10	28				36	1.1/16	27
T7122-1212	19	3/4	3/4" -14		-1212	2.40	61	1.18	30				36	1.1/16	27
T7122-1616	25	1	1" -11		-1616	2.95	75	1.26	32			1.5/8	41		36

JIS - METRIC

T7680

METRIC FEMALE
60° CONCAVE SEAT (JIS)




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	mm			inch	mm	inch	mm			inch	mm	inch	mm
T7680-0618	10	3/8	M 18X1,5		-0618	2.01	51	0.87	22			15/16	24		17
T7680-0822	12	1/2	M 22X1,5		-0822	2.17	55	1.10	28			1.1/16	27	7/8	22
T7680-0824	12	1/2	M 24X1,5		-0824	2.17	55	1.10	28			1.1/4	32	7/8	22
T7680-1024	16	5/8	M 24X1,5		-1024	2.28	58	1.02	26			1.1/4	32	7/8	22
T7680-1224	19	3/4	M 24X1,5		-1224	2.28	58	1.06	27			1.1/4	32	1.1/16	27
T7680-1230	19	3/4	M 30X1,5		-1230	2.56	65	1.34	34				36	1.1/4	32
T7680-1633	25	1	M 33X1,5		-1633	2.87	73	1.18	30			1.5/8	41	1.1/4	32
T7680-1636	25	1	M 36X1,5		-1636	3.15	80	1.46	37				46	1.1/2	38
T7680-2036	31	1.1/4	M 36X1,5		-2036	3.50	89	1.46	37				46	1.1/2	38
T7680-2042	31	1.1/4	M 42X1,5		-2042	3.58	91	1.54	39			2	50	1.5/8	41
T7680-2442	38	1.1/2	M 42X1,5		-2442	3.82	97	1.61	41			2	50		46

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

JOINER

T7900

JOINER




Part No.	Hose Size		Thread Size	Tube Size	Dash Size	Dimensions				Spanner					
	DN	inch		inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm						
T7900-0606	10	3/8		3/8	-0606	2.87	73	0.59	15						
T7900-0808	12	1/2		1/2	-0808	2.76	70	0.59	15						
T7900-1212	19	3/4		3/4	-1212	3.07	78	0.63	16						
T7900-1616	25	1		1	-1616	4.37	111	0.98	25						
T7900-2020	31	1.1/4		1.1/4	-2020	5.04	128	0.94	24						
T7900-2424	38	1.1/2		1.1/2	-2424	5.43	138	1.02	26						
T7900-3232	51	2		2	-3232	5.98	152	1.06	27						

METRIC - DKOL

T7501

DKOL FEMALE
24° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	mm	mm		inch	mm	inch	mm			inch	mm	inch	mm
T7501-1230	19	3/4	M 30X2	22	-1230	2.72	67	1.50	36				36	1.1/16	27
T7501-1636	25	1	M 36X2	28	-1636	3.39	86	1.69	39			1.5/8	41	1.1/4	32
T7501-2045	31	1.1/4	M 45X2	35	-2045	3.86	98	1.85	47			2	50	1.5/8	41
T7501-2452	38	1.1/2	M 52X2	42	-2452	3.58	91	1.38	35			2.3/8	60		

METRIC - DKOL

T7510

DKOL FEMALE
24° CONE
45° TUBE BEND



PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M		
	DN	inch	mm	mm		inch	mm	inch	mm	inch	mm	inch	mm			
T7510-2452		38	1.1/2	M 52X2	42	-2452	6.85	174	4.65	118	1.93	49	2.3/8	60		


ONE-PIECE COUPLINGS

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

METRIC DKOL

T7520

DKOL FEMALE
24° CONE
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	mm	mm		inch	mm	inch	mm	inch	mm	inch	mm		
T7520-2452	38	1.1/2	M 52X2	42	-2452	6.10	155	3.90	99	4.02	102	2.3/8	60		

METRIC - DKS

T7630

DKS MALE
24° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	mm	mm		inch	mm	inch	mm					inch	mm
T7630-2042	31	1.1/4	M 42X2	30	-2042	3.94	100	1.89	48						46
T7630-2052	31	1.1/4	M 52X2	38	-2052	3.90	99	1.85	47					2.3/16	55

METRIC - DKOS

T7711

DKOS FEMALE
24° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	mm	mm		inch	mm	inch	mm			inch	mm	inch	mm
T7711-0618	10	3/8	M 18X1,5	10	-0618	2.36	60	1.22	31			7/8	22	9/16	
T7711-0620	10	3/8	M 20X1,5	12	-0620	2.40	61	1.22	31			15/16	24	9/16	
T7711-0622	10	3/8	M 22X1,5	14	-0622	2.48	63	1.30	33			1.1/16	27	9/16	
T7711-0824	12	1/2	M 24X1,5	16	-0824	2.40	61	1.30	33			1.3/16	30	11/16	
T7711-1030	16	5/8	M 30X2	20	-1030	2.83	72	1.57	40				36	7/8	22
T7711-1036	16	5/8	M 36X2	25	-1036	2.99	76	1.73	44				46	7/8	22
T7711-1230	19	3/4	M 30X2	20	-1230	2.87	71	1.65	40				36	1.1/16	27
T7711-1236	19	3/4	M 36X2	25	-1236	3.03	75	1.81	44				46	1.1/16	27
T7711-1242	19	3/4	M 42X2	30	-1242	3.07	76	1.85	45			2	50	1.1/16	27
T7711-1630	25	1	M 30X2	20	-1630	3.35	85	1.65	40				36	1.1/4	32
T7711-1636	25	1	M 36X2	25	-1636	3.50	89	1.81	42				46	1.1/4	32
T7711-1642	25	1	M 42X2	30	-1642	3.50	89	1.81	42			2	50	1.1/4	32
T7711-2042	31	1.1/4	M 42X2	30	-2042	3.54	90	1.50	38			2	50		
T7711-2052	31	1.1/4	M 52X2	38	-2052	3.74	95	1.69	43			2.3/8	60		
T7711-2452	38	1.1/2	M 52X2	38	-2452	3.94	100	1.73	44			2.3/8	60		

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

METRIC - DKOS

T7720

DKOS FEMALE
24° CONE
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	mm	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T7720-0824	12	1/2	M 24X1,5	16	-0824	3.19	81	2.09	53	0.94	24	1.3/16	30		
T7720-1230	19	3/4	M 30X2	20	-1230	4.13	103	2.91	72	1.38	35		36		
T7720-1236	19	3/4	M 36X2	25	-1236	4.21	105	2.99	74	1.38	35		46		
T7720-1642	25	1	M 42X2	30	-1642	5.12	130	3.43	85	1.46	37	2	50		
T7720-2052	31	1.1/4	M 52X2	38	-2052	6.22	158	4.17	106	1.89	48	2.3/8	60		

METRIC - DKOS

T7730

DKOS FEMALE
24° CONE
90° TUBE BEND



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	mm	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T7730-0618	10	3/8	M 18X1,5	10	-0618	2.20	56	1.06	27	1.18	30	7/8	22		
T7730-0824	12	1/2	M 24X1,5	16	-0824	2.72	69	1.61	41	1.89	48	1.3/16	30		
T7730-1024	16	5/8	M 24X1,5	16	-1024	3.07	78	1.77	45	1.89	48	1.3/16	30		
T7730-1230	19	3/4	M 30X2	20	-1230	3.54	88	2.32	57	2.68	68		36		
T7730-1236	19	3/4	M 36X2	25	-1236	3.54	88	2.32	57	2.68	68		46		
T7730-1642	25	1	M 42X2	30	-1642	4.41	112	2.72	74	3.03	77	2	50		
T7730-2042	31	1.1/4	M 42X2	30	-2042	4.80	122	2.76	70	3.03	77	2	50		
T7730-2052	31	1.1/4	M 52X2	38	-2052	5.39	137	3.35	85	3.50	89	2.3/8	60		
T7730-2452	38	1.1/2	M 52X2	38	-2452	5.79	147	3.58	91	3.50	89	2.3/8	60		

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


ONE-PIECE COUPLINGS

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

ORFS

T7840

ORFS MALE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm					inch	mm
T7840-0611	10	3/8	11/16" - 16		-0611	2.28	58	1.14	29					3/4	19
T7840-0813	12	1/2	13/16" - 16		-0813	2.36	60	1.30	33					7/8	22
T7840-1219	19	3/4	1.3/16" - 12		-1219	2.76	70	1.54	39					1.1/4	32
T7840-1623	25	1	1.7/16" - 12		-1623	3.31	84	1.61	41					1.1/2	38
T7840-2027	31	1.1/4	1.11/16" - 12		-2027	3.82	97	1.77	45					1.3/4	

ORFS

T7800

ORFS FEMALE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch	mm	inch	mm
T7800-0611	10	3/8	11/16" -16		-0611	2.44	62	1.26	32			7/8	22	9/16	16
T7800-0613	10	3/8	13/16" - 16		-0613	2.56	65	1.38	35			15/16	24	9/16	16
T7800-0813	12	1/2	13/16" - 16		-0813	2.52	64	1.42	36			15/16	24	11/16	19
T7800-0816	12	1/2	1" - 14		-0816	2.64	67	1.57	40			1.1/8		15/16	24
T7800-0819	12	1/2	1.3/16" - 12		-0819	2.72	69	1.65	42			1.3/8	35	11/16	
T7800-1016	16	5/8	1" - 14		-1016	2.83	72	1.57	40			1.1/8		7/8	22
T7800-1216	19	3/4	1" - 14		-1216	2.76	73	1.54	42			1.1/8		1	
T7800-1219	19	3/4	1.3/16" - 12		-1219	3.07	72	1.85	41			1.3/8	35	1.1/16	27
T7800-1223	19	3/4	1.7/16" - 12		-1223	3.03	75	1.85	45			1.5/8	41	1.1/16	27
T7800-1623	25	1	1.7/16" - 12		-1623	3.58	91	1.89	42			1.5/8	41	1.1/4	32
T7800-1627	25	1	1.11/16" - 12		-1627	3.66	93	1.97	46			2	50	1.1/4	32
T7800-2023	31	1.1/4	1.7/16" - 12		-2023	4.41	112	2.40	61			1.5/8	41	1.5/8	41
T7800-2027	31	1.1/4	1.11/16" - 12		-2027	4.17	106	2.17	55			2	50	1.5/8	41
T7800-2432	38	1.1/2	2" - 12		-2432	4.53	115	2.32	59			2.1/4	57	2	50

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

ORFS

T7801

ORFS FEMALE
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
T7801-0611	10	3/8	11/16" -16		-0611	2.44	62	1.26	32			7/8	22	9/16	
T7801-0816	12	1/2	1" - 14		-0816	2.60	66	1.50	38			1.3/16	30	11/16	
T7801-0819	12	1/2	1.3/16" - 12		-0819	2.72	69	1.65	42				36	11/16	
T7801-1016	16	5/8	1" - 14		-1016	2.83	72	1.57	40			1.3/16	30	7/8	22
T7801-1216	19	3/4	1" - 14		-1216	2.91	72	1.73	42			1.3/16	30	1.1/16	27
T7801-1219	19	3/4	1.3/16" - 12		-1219	3.07	72	1.85	41				36	1.1/16	27

ORFS

T7810

ORFS FEMALE
45° TUBE BEND



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm		mm
T7810-0611	10	3/8	11/16" -16		-0611	2.91	74	1.77	45	0.79	20	7/8	22		
T7810-0613	10	3/8	13/16" - 16		-0613	2.72	69	1.57	40	0.67	17	15/16	24		
T7810-0813	12	1/2	13/16" - 16		-0813	2.99	76	1.93	49	0.75	19	15/16	24		
T7810-0816	12	1/2	1" - 14		-0816	2.95	75	1.89	48	0.75	19	1.1/8			
T7810-1016	16	5/8	1" - 14		-1016	3.58	91	2.32	59	0.79	20	1.1/8			
T7810-1219	19	3/4	1.3/16" - 12		-1219	4.33	108	3.11	77	1.14	29	1.3/8	35		
T7810-1223	19	3/4	1.7/16" - 12		-1223	4.25	106	3.03	75	1.02	26	1.5/8	41		
T7810-1623	25	1	1.7/16" - 12		-1623	5.08	129	3.39	84	1.34	34	1.5/8	41		
T7810-1627	25	1	1.11/16" - 12		-1627	5.08	129	3.39	80	1.26	32	2	50		
T7810-2027	31	1.1/4	1.11/16" - 12		-2027	6.02	153	4.02	102	1.77	45	2	50		
T7810-2432	38	1.1/2	2" - 12		-2432	7.36	187	5.16	131	2.09	53	2.1/4	57		


ONE-PIECE COUPLINGS

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

ORFS

T7811

ORFS FEMALE
45° TUBE BEND
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm		
T7811-0816	12	1/2	1" - 14		-0816	2.99	76	1.89	48	0.75	19	1.3/16	30		
T7811-1016	16	5/8	1" - 14		-1016	3.62	92	2.32	59	0.79	20	1.3/16	30		

ORFS

T7823

ORFS FEMALE
90° SHORT TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm		
T7823-1219	19	3/4	1.3/16" - 12		-1219	3.54	88	2.32	57	1.89	48	1.3/8	35		
T7823-1623	25	1	1.7/16" - 12		-1623	4.88	124	3.19	79	2.20	56	1.5/8	41		
T7823-2027	31	1.1/4	1.11/16" - 12		-2027	5.94	151	3.94	100	2.52	64	2	50		

ORFS

T7824

ORFS FEMALE
90° SHORT TUBE BEND
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm		mm		
T7824-1219	19	3/4	1.3/16" - 12		-1219	3.54	88	2.32	57	1.89	48		36		

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

ORFS

T7820

ORFS FEMALE
90° MEDIUM TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		mm
T7820-0611	10	3/8	11/16" - 16		-0611	2.56	65	1.38	35	1.50	38	7/8	22		
T7820-0613	10	3/8	13/16" - 16		-0613	2.68	68	1.50	38	1.34	34	15/16	24		
T7820-0813	12	1/2	13/16" - 16		-0813	2.56	65	1.50	38	1.61	41	15/16	24		
T7820-0816	12	1/2	1" - 14		-0816	2.72	69	1.61	41	1.85	47	1.1/8			
T7820-0819	12	1/2	1.3/16" - 12		-0819	2.72	69	1.61	41	2.28	58	1.3/8	35		
T7820-1016	16	5/8	1" - 14		-1016	3.07	78	1.81	46	1.85	47	1.1/8			
T7820-1216	19	3/4	1" - 14		-1216	3.39	84	2.17	53	1.85	47	1.1/8			
T7820-1219	19	3/4	1.3/16" - 12		-1219	3.54	88	2.32	57	2.32	59	1.3/8	35		
T7820-1223	19	3/4	1.7/16" - 12		-1223	3.54	88	2.32	57	2.09	53	1.5/8	41		
T7820-1623	25	1	1.7/16" - 12		-1623	4.41	112	2.72	74	2.80	71	1.5/8	41		
T7820-2027	31	1.1/4	1.11/16" - 12		-2027	5.94	151	3.94	100	3.54	90	2	50		
T7820-2432	38	1.1/2	2" - 12		-2432	6.38	162	4.17	106	4.21	107	2.1/4	57		

ORFS

T7821

ORFS FEMALE
90° MEDIUM TUBE BEND
|METRIC NUT ONLY



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		mm
T7821-0816	12	1/2	1" - 14		-0816	2.72	69	1.61	41	1.85	47	1.3/16	30		
T7821-0819	12	1/2	1.3/16" - 12		-0819	2.72	69	1.61	41	2.28	58		36		
T7821-1016	16	5/8	1" - 14		-1016	3.07	78	1.77	45	1.85	47	1.3/16	30		
T7821-1216	19	3/4	1" - 14		-1216	3.39	86	2.17	55	1.85	47	1.3/16	30		
T7821-1219	19	3/4	1.3/16" - 12		-1219	3.54	88	2.32	57	2.32	59		36		


ONE-PIECE COUPLINGS

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

ORFS

T7830

ORFS FEMALE
90° LONG TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T7830-0611	10	3/8	11/16" - 16		-0611	2.44	62	1.30	33	2.17	55	7/8	22		
T7830-0813	12	1/2	13/16" - 16		-0813	2.76	70	1.69	43	2.56	65	15/16	24		
T7830-1219	19	3/4	1.3/16" - 12		-1219	3.50	88	2.28	57	3.78	96	1.3/8	35		
T7830-1623	25	1	1.7/16" - 12		-1623	4.61	117	2.91	74	4.45	113	1.5/8	41		
T7830-2027	31	1.1/4	1.11/16" - 12		-2027	5.94	151	3.94	100	5.08	129	2	50		

ORFS

T7831

ORFS FEMALE
90° LONG TUBE BEND
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
T7831-1219	19	3/4	1.3/16" - 12		-1219	3.54	88	2.32	57	3.78	96		36		

RYCOLOK

T7870

RYCOLOK MALE
STAPLE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch		inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm						
T7870-0610	10	3/8		10	-0610	2.64	67	1.50	38						
T7870-0812	12	1/2		12	-0812	2.68	68	1.61	41						
T7870-1016	16	5/8		16	-1016	2.80	71	1.54	39						
T7870-1220	19	3/4		20	-1220	2.76	70	1.54	39						
T7870-1625	25	1		25	-1625	3.66	93	1.97	50						
T7870-2032	31	1.1/4		32	-2032	4.02	102	1.97	50						
T7870-2440	38	1.1/2		40	-2440	4.57	116	2.36	60						
T7870-3250	51	2		50	-3250	4.72	120	2.28	58						
T7870-4063	63	2.1/2		63	-4063	6.57	167	3.54	90						

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

RYCOLOK

T7871

RYCOLOK MALE
45° ELBOW
STAPLE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch		inch		L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm			inch	mm
T7871-0610	10	3/8		10	-0610	2.91	74	1.77	45	1.06	27			7/8	22
T7871-0812	12	1/2		12	-0812	3.09	79	2.02	51	1.07	27				
T7871-1220	19	3/4		20	-1220	3.26	83	2.05	52	1.27	32				
T7871-1625	25	1		25	-1625	4.13	105	2.46	62	1.43	36				
T7871-2032	31	1.1/4		32	-2032	4.57	116	2.53	64	1.43	36				
T7871-2440	38	1.1/2		40	-2440	5.43	138	3.23	82	1.73	44				
T7871-3250	51	2		50	-3250	5.91	150	3.43	87	1.81	46				

RYCOLOK

T7872

RYCOLOK MALE
90° ELBOW
STAPLE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch		mm		L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm			inch	mm
T7872-0610	10	3/8		10	-0610	2.05	52	0.91	23	1.81	46			7/8	22
T7872-0812	12	1/2		12	-0812	2.22	57	1.15	29	1.99	51				
T7872-1016	16	5/8		16	-1016	2.37	60	1.11	28	2.07	53				
T7872-1220	19	3/4		20	-1220	2.40	61	1.19	30	2.19	56				
T7872-1625	25	1		25	-1625	3.29	84	1.60	41	2.68	68				
T7872-2032	31	1.1/4		32	-2032	3.72	95	1.68	43	2.68	68				
T7872-2440	38	1.1/2		40	-2440	4.61	117	2.40	61	3.35	85				

ONE-PIECE COUPLINGS


T7000 SERIES ONE-PIECE CRIMP COUPLINGS

RYCO SUPERLOK

T7876

RYCO SUPERLOK MALE STAPLE

O RING & BACK UP RING SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch		inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm						
T7876-0812	12	1/2		12	-0812	2.83	72	1.77	45						
T7876-1220	19	3/4		20	-1220	3.11	79	1.89	48						
T7876-1625	25	1		25	-1625	4.37	111	2.68	68						
T7876-2032	31	1.1/4		32	-2032	4.80	122	2.76	70						
T7876-2440	38	1.1/2		40	-2440	5.31	135	3.07	78						
T7876-3250	51	2		50	-3250	5.55	141	3.11	79						

RYCO WEO

T7480

RYCO WEO MALE




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER				
						L		C _A		D _L		H _F		H _M	
	DN	inch		inch		inch	mm	inch	mm						
T7480-0606	10	3/8		3/8	-0606	2.52	64	1.38	35						
T7480-0808	12	1/2		1/2	-0808	2.48	63	1.42	36						
T7480-1012	16	5/8		3/4	-1012	3.03	77	1.73	44						
T7480-1212	19	3/4		3/4	-1212	2.99	76	1.77	45						
T7480-1616	25	1		1	-1616	3.90	99	2.20	56						

RYCO WEO

T7482

RYCO WEO MALE 45° TUBE BEND




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M		
	DN	inch		inch		inch	mm	inch	mm	inch	mm					
T7482-0606		10	3/8		3/8	-0606	3.31	84	2.17	55	1.06	27				
T7482-0808		12	1/2		1/2	-0808	3.39	86	2.32	59	1.22	31				
T7482-1012		16	5/8		3/4	-1012	4.09	104	2.83	72	1.57	40				
T7482-1212		19	3/4		3/4	-1212	4.45	113	3.23	82	1.69	43				

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

RYCO WE0

T7483

RYCO WE0 MALE
90° TUBE BEND



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch		inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T7483-0606	10	3/8		3/8	-0606	2.52	64	1.38	35	2.05	52				
T7483-0808	12	1/2		1/2	-0808	2.56	65	1.50	38	2.28	58				
T7483-1012	16	5/8		3/4	-1012	3.39	86	2.13	54	3.23	82				
T7483-1212	19	3/4		3/4	-1212	3.35	85	2.13	54	3.23	82				
T7483-1616	25	1		1	-1616	4.53	115	2.83	72	3.82	97				

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS


HYDRAULIC FITTINGS
ACCESSORIES

ONE-PIECE COUPLINGS

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

DIMENSIONS FOR SAE CODE 61 AND CODE 62 FLANGES, AND RYCO CODE 62C FLANGES

NOMINAL FLANGE	CODE 61				CODE 62				CODE 62C			
	B		T		B		T		B		T	
inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch
1/2	30,2	1.19	6,73	0.265	31,8	1.25	7,75	0.305				
5/8	34,0	1.34	6,73	0.265								
3/4	38,1	1.50	6,73	0.265	41,3	1.63	8,76	0.345	41,3	1.63	14,20	0.559
1	44,5	1.75	8,00	0.315	47,6	1.88	9,53	0.375	47,6	1.88	14,20	0.559
1.1/4	50,8	2.00	8,00	0.315	54,0	2.12	10,29	0.405	54,0	2.12	14,20	0.559
1.1/2	60,3	2.38	8,00	0.315	63,5	2.50	12,57	0.495	63,5	2.50	14,20	0.559
2	71,4	2.81	9,53	0.375	79,4	3.13	12,57	0.495	79,4	3.13	14,20	0.559
2.1/2	84,1	3.31	9,53	0.375								
3	101,6	4.00	9,53	0.375								




NOTE: Ryco Code 62C fittings conform to the flange OD and bolt hole patterns of SAE Code 62 but require special flange clamps.
Ryco Code 62C flange heads are thicker than SAE Code 62 and measure T = 14,2 mm (0.559 inch) in all sizes.

SAE FLANGE

T7130

SAE CODE 61 FLANGE
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER				
						L		C _A		D _L		H _F		H _M	
	DN	inch				inch	mm	inch	mm						
T7130-0808	12	1/2			-0808	2.83	72	1.77	45						
T7130-0812	12	1/2			-0812	2.95	75	1.89	48						
T7130-1210	19	3/4			-1210	2.99	76	1.77	45						
T7130-1212	19	3/4			-1212	3.03	77	1.81	46						
T7130-1216	19	3/4			-1216	3.19	81	1.97	50						
T7130-1220	19	3/4			-1220	3.46	88	2.24	57						
T7130-1616	25	1			-1616	3.74	95	2.05	52						
T7130-1620	25	1			-1620	3.94	100	2.24	57						
T7130-1624	25	1			-1624	5.00	127	3.31	84						
T7130-2016	31	1.1/4			-2016	4.17	106	2.13	54						
T7130-2020	31	1.1/4			-2020	4.37	111	2.32	59						
T7130-2024	31	1.1/4			-2024	5.35	136	3.35	85						
T7130-2420	38	1.1/2			-2420	4.57	116	2.36	60						
T7130-2424	38	1.1/2			-2424	5.59	142	3.39	86						
T7130-2432	38	1.1/2			-2432	5.98	152	3.78	96						
T7130-3232	51	2			-3232	6.26	159	3.78	96						
T7130-3240	51	2			-3240	6.46	164	3.98	101						
T7130-4040	63	2.1/2			-4040	6.14	156	3.11	79						


T7000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE FLANGE

T7140

SAE CODE 61 FLANGE
22.5° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm				
T7140-1212	19	3/4			-1212	4.06	103	2.83	72	0.47	12				
T7140-1216	19	3/4			-1216	4.17	106	2.95	75	0.59	15				
T7140-1616	25	1			-1616	5.12	130	3.43	87	0.55	14				
T7140-1620	25	1			-1620	5.12	130	3.43	87	0.51	13				
T7140-2020	31	1.1/4			-2020	6.22	158	4.17	106	0.63	16				
T7140-2024	31	1.1/4			-2024	6.34	161	4.29	109	0.79	20				
T7140-2424	38	1.1/2			-2424	6.85	174	4.65	118	0.94	24				
T7140-2432	38	1.1/2			-2432	7.48	190	5.28	134	1.06	27				
T7140-3232	51	2			-3232	8.86	225	6.38	162	0.98	25				

SAE - FLANGE

T7150

SAE CODE 61 FLANGE
45° TUBE BEND

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm				
T7150-0808	12	1/2	-		-0808	2.99	76	1.93	49	0.79	20				
T7150-0812	12	1/2	-		-0812	3.07	78	2.01	51	0.94	24				
T7150-1210	19	3/4	-		-1210	3.54	90	2.32	59	1.02	26				
T7150-1212	19	3/4	-		-1212	3.78	96	2.56	65	1.02	26				
T7150-1216	19	3/4	-		-1216	3.90	99	2.68	68	1.18	30				
T7150-1616	25	1	-		-1616	4.88	124	3.19	81	1.18	30				
T7150-1620	25	1	-		-1620	4.96	126	3.27	83	1.26	32				
T7150-2016	31	1.1/4	-		-2016	5.51	140	3.46	88	1.18	30				
T7150-2020	31	1.1/4	-		-2020	5.98	152	3.94	100	1.42	36				
T7150-2024	31	1.1/4	-		-2024	6.10	155	4.06	103	1.57	40				

ONE-PIECE COUPLINGS


T7000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE FLANGE

T7300

SAE CODE 61 FLANGE
60° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm				
T7300-1212	19	3/4			-1212	4.29	109	3.07	78	1.46	37				
T7300-1216	19	3/4			-1216	4.37	111	3.15	80	1.61	41				
T7300-1616	25	1			-1616	5.43	138	3.74	95	1.77	45				
T7300-1620	25	1			-1620	5.51	140	3.82	97	1.77	45				
T7300-2020	31	1.1/4			-2020	6.50	165	4.45	113	2.01	51				
T7300-2024	31	1.1/4			-2024	6.81	173	4.76	121	2.13	54				
T7300-2424	38	1.1/2			-2424	7.68	195	5.47	139	2.36	60				
T7300-2432	38	1.1/2			-2432	7.99	203	5.79	147	2.68	68				
T7300-3232	51	2			-3232	9.13	232	6.65	169	3.66	93				

SAE FLANGE

T7290

SAE CODE 61 FLANGE
30° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm				
T7290-1212	19	3/4			-1212	3.98	101	2.76	70	0.71	18				
T7290-1616	25	1			-1616	5.04	128	3.35	85	0.71	18				
T7290-2020	31	1.1/4			-2020	6.14	156	4.09	104	0.79	20				
T7290-2024	31	1.1/4			-2024	6.42	163	4.37	111	0.94	24				
T7290-2424	38	1.1/2			-2424	6.85	174	4.65	118	1.02	26				
T7290-2432	38	1.1/2			-2432	7.32	186	5.12	130	1.26	32				
T7290-3232	51	2			-3232	8.62	219	6.14	156	1.57	40				


T7000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE FLANGE

T7160

SAE CODE 61 FLANGE
67.5° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T7160-1212	19	3/4			-1212	4.06	103	2.83	72	1.77	45				
T7160-1216	19	3/4			-1216	4.09	104	2.87	73	1.93	49				
T7160-1616	25	1			-1616	5.16	131	3.46	88	1.93	49				
T7160-1620	25	1			-1620	5.16	131	3.46	88	2.05	52				
T7160-2020	31	1.1/4			-2020	6.02	153	3.98	101	2.64	67				
T7160-2024	31	1.1/4			-2024	6.34	161	4.29	109	2.52	64				
T7160-2424	38	1.1/2			-2424	7.48	190	5.28	134	2.76	70				
T7160-2432	38	1.1/2			-2432	7.48	190	5.28	134	3.11	79				
T7160-3232	51	2			-3232	9.09	231	6.61	168	3.74	95				

SAE FLANGE

T7170

SAE CODE 61 FLANGE
90° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T7170-0808	12	1/2			-0808	2.64	67	1.57	40	1.61	41				
T7170-0812	12	1/2			-0812	2.64	67	1.57	40	1.81	46				
T7170-1210	19	3/4			-1210	3.23	82	2.01	51	1.89	48				
T7170-1212	19	3/4			-1212	3.39	86	2.17	55	2.13	54				
T7170-1216	19	3/4			-1216	3.39	86	2.17	55	2.36	60				
T7170-1612	25	1			-1612	4.06	103	2.36	60	2.13	54				
T7170-1616	25	1			-1616	4.37	111	2.68	68	2.68	68				
T7170-1620	25	1			-1620	4.45	113	2.76	70	2.72	69				
T7170-1624	25	1			-1624	4.37	111	2.68	68	2.87	73				
T7170-2016	31	1.1/4			-2016	5.12	130	3.07	78	2.68	68				
T7170-2020	31	1.1/4			-2020	5.20	132	3.15	80	3.07	78				
T7170-2024	31	1.1/4			-2024	5.59	142	3.54	90	3.19	81				
T7170-2424	38	1.1/2			-2424	6.30	160	4.09	104	3.66	93				
T7170-2432	38	1.1/2			-2432	6.02	153	3.82	97	3.90	99				
T7170-3232	51	2			-3232	7.87	200	5.39	137	5.12	130				
T7170-3240	51	2			-3240	8.03	204	5.55	141	5.28	134				

ONE-PIECE COUPLINGS


T7000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE FLANGE

T7171

SAE CODE 61 FLANGE
90° SPECIAL TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T7171-0812	12	1/2			-0812	3.07	78	2.01	51	2.87	73				
T7171-1216	19	3/4			-1216	3.39	86	2.17	55	3.11	79				
T7171-2024	31	1.1/4			-2024	5.35	136	3.31	84	3.19	81				
T7171-2432	38	1.1/2			-2432	6.26	159	4.06	103	4.49	114				
T7171-3232	51	2			-3232	7.91	201	5.43	138	6.50	165				
T7171-3240	51	2			-3240	8.03	204	5.55	141	4.49	114				

SAE FLANGE

T7172

SAE CODE 61 FLANGE
90° SPECIAL TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T7172-1212	19	3/4			-1212	3.43	87	2.20	56	3.74	95				
T7172-1616	25	1			-1616	4.49	114	2.80	71	2.64	67				
T7172-1624	25	1			-1624	4.37	111	2.68	68	4.25	108				
T7172-2020	31	1.1/4			-2020	5.35	136	3.31	84	3.62	92				
T7172-2024	31	1.1/4			-2024	5.51	140	3.46	88	4.65	118				
T7172-2424	38	1.1/2			-2424	6.26	159	4.06	103	5.83	148				

SAE

T7173

SAE CODE 61 FLANGE
90° LONG TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T7173-1212	19	3/4			-1212	3.50	89	2.32	59	3.07	78				
T7173-1616	25	1			-1616	4.49	114	2.80	71	3.70	94				
T7173-1620	25	1			-1620	4.33	110	2.64	67	3.66	93				
T7173-2020	31	1.1/4			-2020	5.20	132	3.15	80	4.25	108				


T7000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE FLANGE

T7174

SAE CODE 61 FLANGE
90° SPECIAL TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T7174-1212	19	3/4			-1212	3.39	86	2.17	55	3.78	96				
T7174-1616	25	1			-1616	4.45	113	2.76	70	4.65	118				
T7174-1620	25	1			-1620	4.37	111	2.68	68	4.65	118				
T7174-2020	31	1.1/4			-2020	5.39	137	3.35	85	5.12	130				
T7174-2424	38	1.1/2			-2424	6.06	154	3.86	98	5.83	148				
T7174-2432	38	1.1/2			-2432	6.30	160	4.09	104	6.77	172				
T7174-3232	51	2			-3232	8.03	204	5.55	141	7.99	203				

SAE FLANGE

T7910

SAE CODE 61 FLANGE
110° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T7910-1212	19	3/4			-1212	4.06	103	2.87	73	2.64	67				
T7910-1616	25	1			-1616	4.92	125	3.23	82	3.15	80				
T7910-1620	25	1			-1620	4.92	125	3.23	82	3.35	85				
T7910-2020	31	1.1/4			-2020	5.59	142	3.54	90	3.74	95				
T7910-2024	31	1.1/4			-2024	5.59	142	3.54	90	3.86	98				
T7910-2424	38	1.1/2			-2424	8.03	204	5.83	148	4.57	116				
T7910-2432	38	1.1/2			-2432	8.07	205	5.87	149	4.84	123				
T7910-3232	51	2			-3232	7.76	197	5.28	134	5.98	152				

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES

ONE-PIECE COUPLINGS


T7000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE FLANGE

T7330

SAE CODE 62 FLANGE
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER				
						L		C _A		D _L		H _F		H _M	
	DN	inch				inch	mm	inch	mm						
T7330-0808	12	1/2			-0808	2.87	73	1.81	46						
T7330-0812	12	1/2			-0812	3.31	84	2.24	57						
T7330-1008	16	5/8			-1008	3.07	78	1.77	45						
T7330-1012	16	5/8			-1012	3.46	88	2.20	56						
T7330-1212	19	3/4			-1212	3.23	82	2.01	51						
T7330-1216	19	3/4			-1216	3.35	85	2.13	54						
T7330-1612	25	1			-1612	3.78	96	2.09	53						
T7330-1616	25	1			-1616	3.90	99	2.20	56						
T7330-1620	25	1			-1620	4.33	110	2.64	67						
T7330-2016	31	1.1/4			-2016	4.76	121	2.72	69						
T7330-2020	31	1.1/4			-2020	4.76	121	2.72	69						
T7330-2024	31	1.1/4			-2024	5.94	151	3.90	99						
T7330-2424	38	1.1/2			-2424	6.14	156	3.94	100						
T7330-2432	38	1.1/2			-2432	6.85	174	4.61	117						
T7330-3232	51	2			-3232	7.09	180	4.65	118						

SAE CODE 62

T7440

SAE CODE 62 FLANGE
22.5° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch				inch	mm	inch	mm	inch	mm				
T7440-1212	19	3/4			-1212	3.98	101	2.76	70	0.47	12				
T7440-1216	19	3/4			-1216	4.29	109	3.07	78	0.55	14				
T7440-1616	25	1			-1616	5.20	132	3.50	89	0.63	16				
T7440-2020	31	1.1/4			-2020	6.26	159	4.21	107	0.67	17				
T7440-2024	31	1.1/4			-2024	6.61	168	4.57	116	0.87	22				
T7440-2424	38	1.1/2			-2424	7.17	182	4.96	126	0.94	24				
T7440-3232	51	2			-3232	8.86	225	6.38	162	1.10	28				


T7000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE FLANGE

T7450

SAE CODE 62 FLANGE
30° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm				
T7450-1212	19	3/4			-1212	4.09	104	2.87	73	0.75	19				
T7450-1616	25	1			-1616	5.16	131	3.46	88	0.87	22				
T7450-1620	25	1			-1620	5.24	133	3.54	90	0.87	22				
T7450-2020	31	1.1/4			-2020	6.30	160	4.25	108	0.87	22				
T7450-2024	31	1.1/4			-2024	6.46	164	4.41	112	0.98	25				
T7450-2424	38	1.1/2			-2424	7.09	180	4.88	124	1.30	33				

SAE FLANGE

T7350

SAE CODE 62 FLANGE
45° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm				
T7350-0808	12	1/2			-0808	2.99	76	1.93	49	0.79	20				
T7350-1212	19	3/4			-1212	3.82	97	2.60	66	1.10	28				
T7350-1216	19	3/4			-1216	3.98	101	2.76	70	1.22	31				
T7350-1612	25	1			-1612	4.65	118	2.95	75	1.10	28				
T7350-1616	25	1			-1616	4.92	125	3.23	82	1.22	31				
T7350-1620	25	1			-1620	5.04	128	3.35	85	1.34	34				
T7350-2016	31	1.1/4			-2016	5.55	141	3.50	89	1.26	32				
T7350-2020	31	1.1/4			-2020	5.91	150	3.86	98	1.50	38				
T7350-2024	31	1.1/4			-2024	6.06	154	4.02	102	1.61	41				
T7350-2424	38	1.1/2			-2424	6.65	169	4.45	113	1.73	44				
T7350-2432	38	1.1/2			-2432	6.93	176	4.72	120	2.13	54				
T7350-3232	51	2			-3232	8.46	215	5.98	152	2.36	60				

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES

ONE-PIECE COUPLINGS


T7000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE FLANGE

T7460

SAE CODE 62 FLANGE
60° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T7460-1212	19	3/4			-1212	4.37	111	3.15	80	1.42	36				
T7460-1216	19	3/4			-1216	4.45	113	3.23	82	1.65	42				
T7460-1616	25	1			-1616	5.47	139	3.78	96	1.73	44				
T7460-1620	25	1			-1620	5.51	140	3.82	97	1.81	46				
T7460-2020	31	1.1/4			-2020	6.65	169	4.61	117	2.01	51				
T7460-2024	31	1.1/4			-2024	6.85	174	4.80	122	2.28	58				
T7460-2424	38	1.1/2			-2424	7.72	196	5.51	140	2.52	64				

SAE FLANGE

T7360

SAE CODE 62 FLANGE
67.5° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T7360-1212	19	3/4			-1212	4.09	104	2.87	73	1.85	47				
T7360-1216	19	3/4			-1216	4.13	105	2.91	74	1.89	48				
T7360-1616	25	1			-1616	4.84	123	3.15	80	2.01	51				
T7360-1620	25	1			-1620	4.88	124	3.19	81	2.13	54				
T7360-2020	31	1.1/4			-2020	6.50	165	4.45	113	2.83	72				
T7360-2024	31	1.1/4			-2024	6.06	154	4.02	102	2.91	74				


T7000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE FLANGE

T7370

SAE CODE 62 FLANGE
90° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T7370-0808	12	1/2			-0808	2.72	69	1.65	42	1.61	41				
T7370-0812	12	1/2			-0812	2.72	69	1.65	42	1.81	46				
T7370-1008	16	5/8			-1008	2.99	76	1.73	44	1.65	42				
T7370-1012	16	5/8			-1012	3.15	80	1.89	48	2.20	56				
T7370-1212	19	3/4			-1212	3.39	86	2.17	55	2.20	56				
T7370-1216	19	3/4			-1216	3.39	86	2.17	55	2.40	61				
T7370-1612	25	1			-1612	4.06	103	2.36	60	2.20	56				
T7370-1616	25	1			-1616	4.37	111	2.68	68	2.76	70				
T7370-1620	25	1			-1620	4.45	113	2.76	70	2.80	71				
T7370-2016	31	1.1/4			-2016	5.00	127	2.95	75	2.76	70				
T7370-2020	31	1.1/4			-2020	5.35	136	3.31	84	3.15	80				
T7370-2024	31	1.1/4			-2024	5.31	135	3.27	83	3.39	86				
T7370-2420	38	1.1/2			-2420	5.51	140	3.31	84	3.15	80				
T7370-2424	38	1.1/2			-2424	6.06	154	3.86	98	3.86	98				
T7370-2432	38	1.1/2			-2432	6.30	160	4.09	104	4.09	104				

SAE FLANGE

T7930

SAE CODE 62 FLANGE
110° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch		inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T7930-2424	38	1.1/2		-	-2424	7.80	198	5.59	142	4.69	119				
T7930-2432	38	1.1/2		-	-2432	8.11	206	5.91	150	4.96	126				
T7930-3232	51	2		-	-3232	7.76	197	5.28	134	6.02	153				

ONE-PIECE COUPLINGS


T7000 SERIES ONE-PIECE CRIMP COUPLINGS

SPECIAL FLANGE

T7333

RYCO CODE 62C FLANGE
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T7333-1212	19	3/4			-1212	3.66	93	2.44	62						
T7333-1216	19	3/4			-1216	3.66	93	2.44	62						
T7333-1616	25	1			-1616	4.21	107	2.52	64						
T7333-1620	25	1			-1620	4.53	115	2.83	72						
T7333-2020	31	1.1/4			-2020	5.47	139	3.43	87						
T7333-2024	31	1.1/4			-2024	5.47	139	3.43	87						
T7333-2424	38	1.1/2			-2424	6.18	157	3.98	101						
T7333-3232	51	2			-3232	6.61	168	4.17	106						

SPECIAL FLANGE

T7443

RYCO CODE 62C FLANGE
22.5° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T7443-1212	19	3/4			-1212	4.33	110	3.11	79	0.59	15				
T7443-1216	19	3/4			-1216	4.57	116	3.35	85	0.79	20				
T7443-1616	25	1			-1616	5.20	132	3.50	89	0.63	16				
T7443-1620	25	1			-1620	5.35	136	3.66	93	0.63	16				
T7443-2020	31	1.1/4			-2020	6.26	159	4.21	107	0.67	17				
T7443-2024	31	1.1/4			-2024	7.44	189	5.39	137	0.87	22				
T7443-2424	38	1.1/2			-2424	7.17	182	4.96	126	0.94	24				

SPECIAL FLANGE

T7444

RYCO CODE 62C FLANGE
D-RING FLANGE 22.5° TUBE BEND
O RING NOT SUPPLIED

CLAMPS - SEE PAGES 274 & 282




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T7444-1212	19	3/4			3/4	-1212	4.33	110	3.11	79	0.59				
T7444-1616	25	1			1	-1616	5.20	132	3.50	89	0.63				
T7444-1620	25	1			1.1/4	-1620	5.35	136	3.66	93	0.63				
T7444-2020	31	1.1/4			1.1/4	-2020	6.26	159	4.21	107	0.67				

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

SPECIAL FLANGE

T7453

RYCO CODE 62C FLANGE
30° TUBE BEND
O RING NOT SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm				
T7453-1212	19	3/4			-1212	4.45	113	3.23	82	0.91	23				
T7453-1616	25	1			-1616	5.94	151	4.25	108	0.94	24				
T7453-1620	25	1			-1620	6.06	154	4.37	111	0.98	25				
T7453-2020	31	1.1/4			-2020	6.57	167	4.53	115	0.98	25				
T7453-2024	31	1.1/4			-2024	6.54	166	4.49	114	1.02	26				
T7453-2424	38	1.1/2			-2424	7.20	183	5.00	127	1.18	30				

SPECIAL FLANGE

T7454

RYCO CODE 62C D-RING FLANGE
30° TUBE BEND
O RING NOT SUPPLIED



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm				
T7454-1212	19	3/4			-1212	4.45	113	3.23	82	0.91	23				
T7454-1616	25	1			-1616	5.16	131	3.46	88	0.94	24				
T7454-2020	31	1.1/4			-2020	6.57	167	4.53	115	0.98	25				
T7454-2024	31	1.1/4			-2024	6.57	167	4.53	115	1.02	26				

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


ONE-PIECE COUPLINGS

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

SPECIAL FLANGE

T7353

RYCO CODE 62C FLANGE
45° TUBE BEND
O RING NOT SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T7353-1212	19	3/4			-1212	3.94	100	2.72	69	1.22	31				
T7353-1216	19	3/4			-1216	4.06	103	2.83	72	1.30	33				
T7353-1616	25	1			-1616	5.24	133	3.54	90	1.38	35				
T7353-1620	25	1			-1620	5.12	130	3.43	87	1.46	37				
T7353-2020	31	1.1/4			-2020	6.14	156	4.09	104	1.61	41				
T7353-2024	31	1.1/4			-2024	6.30	160	4.25	108	1.69	43				
T7353-2424	38	1.1/2			-2424	6.73	171	4.53	115	1.81	46				
T7353-3232	51	2			-3232	8.62	219	6.14	156	2.40	61				

SPECIAL FLANGE

T7354

RYCO CODE 62C D-RING FLANGE
45° TUBE BEND
O RING NOT SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T7354-1212	19	3/4			-1212	3.94	100	2.72	69	1.22	31				
T7354-1216	19	3/4			-1216	2.44	62	1.22	31	1.30	33				
T7354-1616	25	1			-1616	5.24	133	3.54	90	1.38	35				
T7354-1620	25	1			-1620	4.92	125	3.23	82	1.46	37				
T7354-2020	31	1.1/4			-2020	6.14	156	4.09	104	1.61	41				
T7354-2024	31	1.1/4			-2024	6.14	156	4.09	104	1.69	43				

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

SPECIAL FLANGE

T7463

RYCO CODE 62C FLANGE
60° TUBE BEND
O RING NOT SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T7463-1212	19	3/4			-1212	4.45	113	3.23	82	1.65	42				
T7463-1216	19	3/4			-1216	4.49	114	3.27	83	1.85	47				
T7463-1616	25	1			-1616	5.47	139	3.78	96	1.85	47				
T7463-1620	25	1			-1620	5.71	145	4.02	102	1.93	49				
T7463-2020	31	1.1/4			-2020	6.77	172	4.72	120	2.20	56				
T7463-2024	31	1.1/4			-2024	6.57	167	4.53	115	2.60	66				
T7463-2424	38	1.1/2			-2424	7.87	200	5.67	144	2.68	68				

SPECIAL FLANGE

T7464

RYCO CODE 62C D-RING FLANGE
60° TUBE BEND
O RING NOT SUPPLIED



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T7464-1212	19	3/4			-1212	4.45	113	3.23	82	1.65	42				
T7464-1216	19	3/4			-1216	2.44	62	1.22	31	1.65	42				
T7464-1616	25	1			-1616	5.47	139	3.78	96	1.85	47				
T7464-1620	25	1			-1620	5.67	144	3.98	101	1.93	49				
T7464-2020	31	1.1/4			-2020	6.77	172	4.72	120	2.20	56				
T7464-2024	31	1.1/4			-2024	6.61	168	4.57	116	2.60	66				

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


ONE-PIECE COUPLINGS

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

SPECIAL FLANGE

T7363

RYCO CODE 62C FLANGE
67.5° TUBE BEND
O RING NOT SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T7363-1212	19	3/4			-1212	4.17	106	2.95	75	2.05	52				
T7363-1216	19	3/4			-1216	4.33	110	3.11	79	2.09	53				
T7363-1616	25	1			-1616	5.28	134	3.58	91	2.09	53				
T7363-1620	25	1			-1620	5.31	135	3.62	92	2.20	56				
T7363-2020	31	1.1/4			-2020	6.50	165	4.45	113	2.64	67				
T7363-2024	31	1.1/4			-2024	7.40	188	5.35	136	2.99	76				
T7363-2424	38	1.1/2			-2424	7.56	192	5.35	136	3.03	77				

SPECIAL FLANGE

T7364

RYCO CODE 62C D-RING FLANGE
67.5° TUBE BEND
O RING NOT SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
T7364-1212	19	3/4			-1212	4.33	110	3.11	79	2.05	52				
T7364-1216	19	3/4			-1216	2.44	62	1.22	31	2.09	53				
T7364-1616	25	1			-1616	5.28	134	3.58	91	2.09	53				
T7364-1620	25	1			-1620	5.31	135	3.62	92	2.20	56				
T7364-2020	31	1.1/4			-2020	6.50	165	4.45	113	2.64	67				
T7364-2024	31	1.1/4			-2024	6.22	158	4.17	106	2.99	76				

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

SPECIAL FLANGE

T7373

RYCO CODE 62C FLANGE
90° TUBE BEND
O RING NOT SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER	
	DN	inch				L		C _A		D _L		H _F	H _M
						inch	mm	inch	mm	inch	mm		
T7373-1212	19	3/4			-1212	3.39	86	2.17	55	2.44	62		
T7373-1216	19	3/4			-1216	3.39	86	2.17	55	2.60	66		
T7373-1616	25	1			-1616	4.37	111	2.68	68	2.83	72		
T7373-1620	25	1			-1620	4.37	111	2.68	68	2.95	75		
T7373-2020	31	1.1/4			-2020	5.39	137	3.35	85	3.27	83		
T7373-2024	31	1.1/4			-2024	5.43	138	3.39	86	3.35	85		
T7373-2424	38	1.1/2			-2424	6.06	154	3.86	98	3.78	96		
T7373-3232	51	2			-3232	7.87	200	5.39	137	5.24	133		

SPECIAL FLANGE

T7378

RYCO CODE 62C FLANGE
90° TUBE BEND
O RING NOT SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER	
	DN	inch				L		C _A		D _L		H _F	H _M
						inch	mm	inch	mm	inch	mm		
T7378-2020	31	1.1/4			-2020	5.39	137	3.35	85	5.91	150		
T7378-2024	31	1.1/4			-2024	5.43	138	3.39	86	5.31	135		

SPECIAL FLANGE

T7374

RYCO CODE 62C D-RING FLANGE
110° TUBE BEND
O RING NOT SUPPLIED



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER	
	DN	inch				L		C _A		D _L		H _F	H _M
						inch	mm	inch	mm	inch	mm		
T7374-1212	19	3/4			-1212	3.39	86	2.17	55	2.44	62		
T7374-1216	19	3/4			-1216	3.39	86	2.17	55	2.60	66		
T7374-1616	25	1			-1616	4.37	111	2.68	68	2.83	72		
T7374-1620	25	1			-1620	4.49	114	2.80	71	2.95	75		
T7374-2020	31	1.1/4			-2020	5.39	137	3.35	85	3.27	83		
T7374-2024	31	1.1/4			-2024	5.43	138	3.39	86	3.35	85		


ONE-PIECE COUPLINGS

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

STANDPIPE

T7933

RYCO CODE 62C FLANGE
110° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER		
	DN	inch				L		C _A		D _L		H _F	H _M	
						inch	mm	inch	mm	inch	mm	inch		
T7933-2424	38	1.1/2			1.1/2	-2424	7.76	197	5.55	141	4.72	120		

STANDPIPE

T7640

METRIC STANDPIPE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER		
	DN	inch		inch		L		C _A		D _L		H _F	H _M	
						inch	mm	inch	mm					
T7640-0814	12	1/2		14	-0814	2.60	66	1.54	39					
T7640-1220	19	3/4		20	-1220	3.03	77	1.81	46					
T7640-2030	31	1.1/4		30	-2030	4.37	111	2.32	59					

SALVAGE / LIFESAVER

T7230

SALVAGE (LIFESAVER)




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER		
	DN	inch		inch		L		C _A		D _L		H _F	H _M	
						inch	mm	inch	mm				inch	mm
T7230-0808	12	1/2		1/2	-0808	1.81	46	0.75	19				11/16	
T7230-0810	12	1/2		5/8	-0810	1.89	48	0.83	21				7/8	22
T7230-1210	19	3/4		5/8	-1210	2.24	57	1.02	26				1.1/8	
T7230-1212	19	3/4		3/4	-1212	2.05	52	0.83	21				1	
T7230-1216	19	3/4		1	-1216	2.28	58	1.10	28				1.3/8	35
T7230-1612	25	1		3/4	-1612	2.72	69	1.02	26				1.3/8	35
T7230-1616	25	1		1	-1616	2.80	71	1.10	28				1.3/8	35
T7230-1620	25	1		1.1/4	-1620	2.83	72	1.14	29				1.3/4	
T7230-2016	31	1.1/4		1	-2016	3.27	83	1.22	31				1.3/4	
T7230-2020	31	1.1/4		1.1/4	-2020	3.27	83	1.22	31				1.3/4	
T7230-2424	38	1.1/2		1.1/2	-2424	3.54	90	1.34	34				2	50
T7230-3232	51	2		2	-3232	4.09	104	1.61	41				2.1/2	

T7000 SERIES ONE-PIECE CRIMP COUPLINGS

UNO (O RING BOSS)

T7200

UN O RING MALE
O RING SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER	
	DN	inch	inch			L		C _A		D _L	
						inch	mm	inch	mm		
T7200-1217	19	3/4	1.1/16" -12		-1217	2.68	68	1.46	37		
T7200-1621	25	1	1.5/16" -12		-1621	3.23	82	1.54	39		

HAMMER UNION

T71501

FIGURE 1502 MALE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER	
	DN	inch	inch			L		C _A		D _L	
						inch	mm	inch	mm		
T71501-2432	38	1.1/2	4.1/8		2	-2432	5.83	148	3.58	91	
T71501-3232	51	2	4.1/8		2	-3232	6.06	154	3.62	92	

HAMMER UNION

T71502

FIGURE 1502 (WITH NUT)



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER	
	DN	inch	inch			L		C _A		D _L	
						inch	mm	inch	mm		
T71502-2432	38	1.1/2	4.1/8		2	-2432	6.57	167	4.33	110	
T71502-3232	51	2	4.1/8		2	-3232	6.81	173	4.37	111	

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES

ONE-PIECE COUPLINGS

TP000 SERIES ONE-PIECE CRIMP COUPLINGS

HOSE COMPATIBILITY FOR TP000 SERIES


NON-SKIVE

For Ryco Hose Series TP7, TP7N, TP7T, TP7TN, TP8, TP8N, TP8T, TP8TN, TP3000 (all sizes).

BSPT

TP010

BSPT MALE
60° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm					inch	mm
TP010-0404	6	1/4	1/4" -19		-0404	2.32	59	1.30	33					9/16	
TP010-0406	6	1/4	3/8" -19		-0406	2.28	58	1.22	31					11/16	
TP010-0506	8	5/16	3/8" -19		-0506	2.09	53	1.22	31					11/16	
TP010-0604	10	3/8	1/4" -19		-0604	2.44	62	1.38	35					5/8	16
TP010-0606	10	3/8	3/8" -19		-0606	2.44	62	1.38	35					11/16	
TP010-0608	10	3/8	1/2" -14		-0608	2.64	67	1.57	40					7/8	22
TP010-0806	12	1/2	3/8" -19		-0806	2.64	67	1.42	36					11/16	
TP010-0808	12	1/2	1/2" -14		-0808	2.83	72	1.61	41					7/8	22
TP010-1212	19	3/4	3/4" -14		-1212	3.03	77	1.69	43					1.1/16	27
TP010-1616	25	1	1" -11		-1616	3.39	86	1.93	49					1.3/8	35

BSPP

TP020

BSPP FEMALE
60° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch	mm	inch	mm
TP020-0304	5	3/16	1/4" -19		-0304	2.05	52	1.02	26			3/4	19	1/2	
TP020-0402	6	1/4	1/8" -28		-0402	2.09	53	1.02	26				14	1/2	
TP020-0404	6	1/4	1/4" -19		-0404	2.09	53	1.06	27			3/4	19	1/2	
TP020-0406	6	1/4	3/8" -19		-0406	2.20	56	1.14	29			7/8	22	5/8	16
TP020-0504	8	5/16	1/4" -19		-0504	2.01	51	0.94	24			3/4	19	9/16	14
TP020-0506	8	5/16	3/8" -19		-0506	2.20	56	1.14	29			7/8	22	5/8	16
TP020-0604	10	3/8	1/4" -19		-0604	2.05	52	0.94	24			3/4	19	9/16	14
TP020-0606	10	3/8	3/8" -19		-0606	2.24	57	1.14	29			7/8	22	5/8	16
TP020-0608	10	3/8	1/2" -14		-0608	2.28	58	1.22	31			1.1/16	27	3/4	19
TP020-0808	12	1/2	1/2" -14		-0808	2.32	59	1.10	28			1.1/16	27	3/4	19
TP020-0810	12	1/2	5/8" -14		-0810	2.36	60	1.14	29			1.3/16	30	7/8	22
TP020-0812	12	1/2	3/4" -14		-0812	2.44	62	1.22	31			1.1/4	32	1	0
TP020-1212	19	3/4	3/4" -14		-1212	2.60	66	1.18	30			1.1/4	32	1	
TP020-1616	25	1	1" -11		-1616	2.99	76	1.50	38			1.1/2	38	1.1/4	32

TP000 SERIES ONE-PIECE CRIMP COUPLINGS

BSPP

TP050

BSPP FEMALE
60° CONE
90° ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
TP050-0404	6	1/4	1/4" -19		-0404	1.93	49	0.87	22	0.94	24	3/4	19	9/16	
TP050-0606	10	3/8	3/8" -19		-0606	1.97	50	0.91	23	1.10	28	7/8	22	3/4	19
TP050-0808	12	1/2	1/2" -14		-0808	2.32	59	1.14	29	1.22	31	1.1/16	27	7/8	22

JIS

TP122

BSPP FEMALE
60° CONCAVE SEAT (JIS)




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M		
	DN	inch	inch			inch	mm	inch	mm			inch	mm	inch	mm	
TP122-0404	6	1/4	1/4" -19		-0404	2.01	51	0.94	24			3/4	19		14	
TP122-0606	10	3/8	3/8" -19		-0606	2.17	55	1.06	27			7/8	22		17	
TP122-0608	10	3/8	1/2" -14		-0608	2.20	56	1.14	29			1.1/16	27	7/8	22	
TP122-0808	12	1/2	1/2" -14		-0808	2.32	59	1.14	29			1.1/16	27	7/8	22	
TP122-1212	19	3/4	3/4" -14		-1212	2.44	62	1.10	28				36	1.1/16	27	

BSPP

TP260

BSPP FEMALE
60° CONE
90° TUBE BEND



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm		
TP260-0404	6	1/4	1/4" -19		-0404	2.13	54	1.10	28	1.14	29	3/4	19		
TP260-0406	6	1/4	3/8" -19		-0406	2.13	54	1.10	28	1.10	28	7/8	22		
TP260-0606	10	3/8	3/8" -19		-0606	2.44	62	1.38	35	1.30	33	7/8	22		
TP260-0608	10	3/8	1/2" -14		-0608	2.44	62	1.38	35	1.30	33	1.1/16	27		
TP260-0808	12	1/2	1/2" -14		-0808	2.68	68	1.50	38	1.77	45	1.1/16	27		
TP260-0810	12	1/2	5/8" -14		-0810	2.76	70	1.57	40	1.77	45	1.3/16	30		
TP260-1212	19	3/4	3/4" -14		-1212	3.58	91	2.17	55	2.32	59	1.1/4	32		
TP260-1616	25	1	1" -11		-1616	4.09	104	2.68	68	3.07	78	1.1/2	38		


ONE-PIECE COUPLINGS

TP000 SERIES ONE-PIECE CRIMP COUPLINGS

BSPP

TP270

BSPP FEMALE
60° CONE
145° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
TP270-0404	6	1/4	1/4" -19		-0404	2.44	62	1.42	36	0.67	17	3/4	19		
TP270-0606	10	3/8	3/8" -19		-0606	2.80	71	1.73	44	0.71	18	7/8	22		
TP270-0808	12	1/2	1/2" -14		-0808	3.15	80	1.97	50	0.87	22	1.1/16	27		
TP270-1212	19	3/4	3/4" -14		-1212	4.17	106	2.76	70	1.14	29	1.1/4	32		
TP270-1616	25	1	1" -11		-1616	4.76	121	3.35	85	1.65	42	1.1/2	38		

BSP - BANJO

TP475

BSP BANJO STRAIGHT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
TP475-0404	6	1/4	1/4		-0404	2.05	52	0.98	25						
TP475-0506	8	5/16	3/8		-0506	2.12	54	1.07	27						
TP475-0606	10	3/8	3/8		-0606	2.17	55	1.06	27						
TP475-0608	10	3/8	1/2		-0608	2.20	56	1.10	28						
TP475-0808	12	1/2	1/2		-0808	2.32	59	1.10	28						
TP475-1212	19	3/4	3/4		-1212	2.67	68	1.23	31						
TP475-1616	25	1	1		-1616	3.23	82	1.75	45						

TP000 SERIES ONE-PIECE CRIMP COUPLINGS

NPTF

TP090

**NPTF MALE
60° SEAT**




Part No.	Hose Size		Thread Size	Tube Size	Dash Size	Dimensions				Spanner					
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm					inch	mm
TP090-0302	5	3/16	1/8" -27		-0302	2.13	54	1.10	28					1/2	
TP090-0304	5	3/16	1/4" -18		-0304	2.28	58	1.26	32					9/16	
TP090-0402	6	1/4	1/8" -27		-0402	2.17	55	1.10	28					1/2	
TP090-0404	6	1/4	1/4" -18		-0404	2.32	59	1.30	33					9/16	
TP090-0406	6	1/4	3/8" -18		-0406	2.32	59	1.30	33					11/16	
TP090-0506	8	5/16	3/8" -18		-0506	2.36	60	1.30	33					11/16	
TP090-0604	10	3/8	1/4" -18		-0604	2.44	62	1.38	35					5/8	16
TP090-0606	10	3/8	3/8" -18		-0606	2.44	62	1.38	35					11/16	
TP090-0608	10	3/8	1/2" -14		-0608	2.64	67	1.57	40					7/8	22
TP090-0806	12	1/2	3/8" -18		-0806	2.64	67	1.42	36					11/16	
TP090-0808	12	1/2	1/2" -14		-0808	2.83	72	1.61	41					7/8	22
TP090-1212	19	3/4	3/4" -14		-1212	3.03	77	1.69	43					1.1/16	27
TP090-1616	25	1	1" -11,5		-1616	3.39	86	1.93	49					1.3/8	35

NPTF

TP340N

**NPTF MALE SWIVEL
90° ELBOW
60° SEAT**



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
TP340N-0304	5	3/16	1/4" -18		-0304	1.85	47	0.87	22	1.61	41	11/16		9/16	
TP340N-0404	6	1/4	1/4" -18		-0404	1.93	49	0.87	22	1.61	41	11/16		9/16	
TP340N-0506	8	5/16	3/8" -18		-0506	1.97	50	0.91	23	1.77	45	7/8	22	3/4	19
TP340N-0606	10	3/8	3/8" -18		-0606	1.97	50	0.91	23	1.77	45	7/8	22	3/4	19
TP340N-0808	12	1/2	1/2" -14		-0808	2.32	59	1.14	29	2.01	51	1		7/8	22


ONE-PIECE COUPLINGS

TP000 SERIES ONE-PIECE CRIMP COUPLINGS

NPSM

NPSM FEMALE
60° CONE

TP020N




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS					SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch		inch	
TP020N-0404		6	1/4	1/4" -18		-0404	2.01	51	0.94	24		11/16		1/2	

JIC

JIC
37° CONE MALE

TP030




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm					inch	mm
TP030-0307	5	3/16	7/16" -20		-0307	2.28	58	1.26	32					1/2	
TP030-0407	6	1/4	7/16" -20		-0407	2.32	59	1.26	32					1/2	
TP030-0408	6	1/4	1/2" - 20		-0408	2.32	59	1.26	32					9/16	
TP030-0409	6	1/4	9/16" -18		-0409	2.28	58	1.22	31					5/8	16
TP030-0508	8	5/16	1/2" - 20		-0508	2.32	59	1.26	32					9/16	14
TP030-0509	8	5/16	9/16" -18		-0509	2.32	59	1.26	32					5/8	16
TP030-0609	10	3/8	9/16" -18		-0609	2.44	62	1.38	35					5/8	16
TP030-0612	10	3/8	3/4" -16		-0612	2.52	64	1.46	37					3/4	19
TP030-0812	12	1/2	3/4" -16		-0812	2.72	69	1.54	39					3/4	19
TP030-0814	12	1/2	7/8" -14		-0814	2.83	72	1.61	41					15/16	24
TP030-1217	19	3/4	1.1/16" -12		-1217	3.11	79	1.77	45					1.1/8	
TP030-1621	25	1	1.5/16" -12		-1621	3.35	85	1.89	48					1.3/8	35

JIC

JIC MALE

TP031




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS					SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
TP031-0307	5	3/16	7/16" -20		-0307										
TP031-0407	6	1/4	7/16" -20		-0407										
TP031-0408	6	1/4	1/2" - 20		-0408										
TP031-1621	25	1	1.5/16" -12		-1621										

TP000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

TP040

JIC 37°
CONE MALE




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER				
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch	mm	inch	mm
TP040-0307	5	3/16	7/16" -20		-0307	1.97	50	0.94	24			9/16		1/2	
TP040-0308	5	3/16	1/2" - 20		-0308	1.97	50	0.94	24			5/8	16	1/2	
TP040-0407	6	1/4	7/16" -20		-0407	2.01	51	0.98	25			9/16		1/2	
TP040-0408	6	1/4	1/2" - 20		-0408	2.01	51	0.98	25			5/8	16	1/2	
TP040-0409	6	1/4	9/16" -18		-0409	2.05	52	0.98	25			11/16		9/16	
TP040-0509	8	5/16	9/16" -18		-0509	2.05	52	0.98	25			11/16		9/16	
TP040-0607	10	3/8	7/16" -20		-0607	1.95	50	0.88	22						
TP040-0609	10	3/8	9/16" -18		-0609	2.05	52	0.98	25			11/16		9/16	
TP040-0612	10	3/8	3/4" -16		-0612	2.13	54	1.06	27			7/8	22	11/16	
TP040-0809	12	1/2	9/16" -18		-0809	2.13	54	0.91	23			11/16		11/16	
TP040-0812	12	1/2	3/4" -16		-0812	2.17	55	0.94	24			7/8	22	11/16	
TP040-0814	12	1/2	7/8" -14		-0814	2.44	62	1.22	31			1		13/16	
TP040-1214	19	3/4	7/8" -14		-1214	2.72	69	1.38	35			1		1	
TP040-1217	19	3/4	1.1/16" -12		-1217	2.72	69	1.30	33			1.1/4	32	1	
TP040-1621	25	1	1.5/16" -12		-1621	2.99	76	1.50	38			1.1/2	38	1.1/4	32

JSEAL™ / JIC

TP041

JSEAL™ / JIC FEMALE
CONVEX SEAT
METRIC NUT ONLY



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch	mm		
TP041-0307	5	3/16	7/16" -20		-0307	1.97	50	0.94	24				14		
TP041-0407	6	1/4	7/16" -20		-0407	2.01	51	0.98	25				14		
TP041-0409	6	1/4	9/16" -18		-0409	2.05	52	0.98	25			3/4	19		
TP041-0509	8	5/16	9/16" -18		-0509	2.05	52	0.98	25			3/4	19		
TP041-0607	10	3/8	7/16" -20		-0607	1.95	50	0.87	22				14		
TP041-0609	10	3/8	9/16" -18		-0609	2.05	52	0.98	25			3/4	19		
TP041-0809	12	1/2	9/16" -18		-0809	2.13	54	0.91	23			3/4	19		


ONE-PIECE COUPLINGS

TP000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

TP250

JSEAL™ / JIC FEMALE
CONVEX SEAT
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
TP250-0407	6	1/4	7/16" -20		-0407	2.36	60	1.34	34	0.59	15	9/16			
TP250-0409	6	1/4	9/16" -18		-0409	2.36	60	1.34	34	0.59	15	11/16			
TP250-0609	10	3/8	9/16" -18		-0609	2.56	65	1.50	38	0.55	14	11/16			
TP250-0612	10	3/8	3/4" -16		-0612	2.60	66	1.54	39	0.67	17	7/8	22		
TP250-0812	12	1/2	3/4" -16		-0812	2.99	76	1.81	46	0.83	21	7/8	22		
TP250-0814	12	1/2	7/8" -14		-0814	3.03	77	1.85	47	1.85	47	1			
TP250-1217	19	3/4	1.1/16" -12		-1217	4.21	107	2.80	71	1.10	28	1.1/4	32		

JSEAL™ / JIC

TP251

JSEAL™ / JIC FEMALE
CONVEX SEAT
45° TUBE BEND
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
TP251-0407	6	1/4	7/16" -20		-0407	2.36	60	1.34	34	0.59	15		14		
TP251-0409	6	1/4	9/16" -18		-0409	2.36	60	1.34	34	0.59	15	3/4	19		
TP251-0609	10	3/8	9/16" -18		-0609	2.56	65	1.50	38	0.55	14	3/4	19		

TP000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

TP240

JSEAL™ / JIC
FEMALE CONVEX SEAT
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
TP240-0307	5	3/16	7/16" -20		-0307	2.09	53	1.02	26	1.26	32	9/16			
TP240-0407	6	1/4	7/16" -20		-0407	2.09	53	1.02	26	1.26	32	9/16			
TP240-0408	6	1/4	1/2" -20		-0408	2.09	53	1.02	26	1.26	32	5/8	16		
TP240-0409	6	1/4	9/16" -18		-0409	2.09	53	1.02	26	1.50	38	11/16			
TP240-0509	8	5/16	9/16" -18		-0509	2.09	53	1.02	26	1.50	38	11/16			
TP240-0609	10	3/8	9/16" -18		-0609	2.44	62	1.38	35	0.98	25	11/16			
TP240-0612	10	3/8	3/4" -16		-0612	2.44	62	1.38	35	1.18	30	7/8	22		
TP240-0809	12	1/2	9/16" -18		-0809	2.56	65	1.38	35	0.98	25	11/16			
TP240-0812	12	1/2	3/4" -16		-0812	2.76	70	1.57	40	1.61	41	7/8	22		
TP240-0814	12	1/2	7/8" -14		-0814	2.76	70	1.57	40	1.61	41	1			
TP240-1217	19	3/4	1.1/16" -12		-1217	3.62	92	2.20	56	2.24	57	1.1/4	32		
TP240-1621	25	1	1.5/16" -12		-1621	4.09	104	2.68	68	2.83	72	1.1/2	38		

JSEAL™ / JIC

TP241

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° TUBE BEND
METRIC NUT ONLY



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
TP241-0407	6	1/4	7/16" -20		-0407	2.09	53	1.02	26	1.26	32		14		
TP241-0409	6	1/4	9/16" -18		-0409	2.09	53	1.02	26	1.50	38	3/4	19		
TP241-0509	8	5/16	9/16" -18		-0509	2.09	53	1.02	26	1.50	38	3/4	19		
TP241-0609	10	3/8	9/16" -18		-0609	2.44	62	1.38	35	0.98	25	3/4	19		
TP241-0809	12	1/2	9/16" -18		-0809	2.56	65	1.38	35	0.98	25	3/4	19		


ONE-PIECE COUPLINGS

TP000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

TP280

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° LONG TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm		
TP280-0609	10	3/8	9/16" -18		-0609	3.11	79	2.05	52	2.17	55	11/16			
TP280-0612	10	3/8	3/4" -16		-0612	3.39	86	2.32	59	2.52	64	7/8	22		

JSEAL™ / JIC

TP281

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° LONG TUBE BEND
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm		
TP281-0609	10	3/8	9/16" -18		-0609	3.11	79	2.05	52	2.17	55	3/4	19		

METRIC - DKL

TP650

DKL MALE
24° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	mm	mm		L		CA		DL		HF		HM	
						inch	mm	inch	mm					inch	mm
TP650-0412	6	1/4	M 12X1,5	6	-0412	2.17	55	0.98	25						14
TP650-0414	6	1/4	M 14X1,5	8	-0414	2.17	55	0.98	25						14
TP650-0416	6	1/4	M 16X1,5	10	-0416	2.20	56	1.14	29						17
TP650-0516	8	5/16	M 16X1,5	10	-0516	2.20	56	1.14	29						17
TP650-0518	8	5/16	M 18X1,5	12	-0518	2.09	53	1.06	27					3/4	19
TP650-0616	10	3/8	M 16X1,5	10	-0616	2.32	59	1.22	31						17
TP650-0618	10	3/8	M 18X1,5	12	-0618	2.32	59	1.22	31					3/4	19
TP650-0622	10	3/8	M 22X1,5	15	-0622	2.24	57	1.18	30					15/16	24
TP650-0822	12	1/2	M 22X1,5	15	-0822	2.52	64	1.34	34					7/8	22
TP650-0826	12	1/2	M 26X1,5	18	-0826	2.52	64	1.34	34					1.3/16	30
TP650-1230	19	3/4	M 30X2	22	-1230	2.64	67	1.30	33					1.1/4	32
TP650-1636	25	1	M 36X2	28	-1636	2.99	76	1.50	38					1.5/8	41

TP000 SERIES ONE-PIECE CRIMP COUPLINGS

METRIC - DKOL

TP501

DKOL FEMALE
24° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	mm	mm		inch	mm	inch	mm			inch	mm		
TP501-0412	6	1/4	M 12X1,5	6	-0412	1.89	48	0.87	22				14		
TP501-0414	6	1/4	M 14X1,5	8	-0414	1.93	49	0.87	22				17		
TP501-0416	6	1/4	M 16X1,5	10	-0416	1.97	50	0.94	24			3/4	19		
TP501-0514	8	5/16	M 14X1,5	8	-0514	1.93	49	0.87	22				17		
TP501-0516	8	5/16	M 16X1,5	10	-0516	2.09	53	1.02	26			3/4	19		
TP501-0518	8	5/16	M 18X1,5	12	-0518	2.05	52	1.02	26			7/8	22		
TP501-0616	10	3/8	M 16X1,5	10	-0616	1.97	50	0.91	23			3/4	19		
TP501-0618	10	3/8	M 18X1,5	12	-0618	2.01	51	0.94	24			7/8	22		
TP501-0822	12	1/2	M 22X1,5	15	-0822	2.20	56	0.98	25			1.1/16	27		
TP501-0826	12	1/2	M 26X1,5	18	-0826	2.28	58	1.10	28			1.1/4	32		
TP501-1226	19	3/4	M 26X1,5	18	-1226	2.52	64	1.18	30			1.1/4	32		
TP501-1230	19	3/4	M 30X2	22	-1230	2.44	62	1.14	29				36		
TP501-1636	25	1	M 36X2	28	-1636	2.83	72	1.34	34			1.5/8	41		

METRIC - DKOL

TP510

DKOL FEMALE
24° CONE
45° TUBE BEND



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	mm	mm		inch	mm	inch	mm	inch	mm	inch	mm		
TP510-0412	6	1/4	M 12X1,5	6	-0412	2.44	62	1.42	36	0.71	18		14		
TP510-0414	6	1/4	M 14X1,5	8	-0414	2.44	62	1.38	35	0.67	17		17		
TP510-0516	8	5/16	M 16X1,5	10	-0516	2.13	54	1.06	27	1.22	31	3/4	19		
TP510-0518	8	5/16	M 18X1,5	12	-0518	2.52	64	1.46	37	0.79	20	7/8	22		
TP510-0616	10	3/8	M 16X1,5	10	-0616	2.83	72	1.77	45	0.75	19	3/4	19		
TP510-0618	10	3/8	M 18X1,5	12	-0618	2.83	72	1.77	45	0.79	20	7/8	22		
TP510-0822	12	1/2	M 22X1,5	15	-0822	3.19	81	2.01	51	0.87	22	1.1/16	27		
TP510-1230	19	3/4	M 30X2	22	-1230	4.21	107	2.87	73	1.22	31		36		
TP510-1636	25	1	M 36X2	28	-1636	5.00	127	3.58	91	1.81	46	1.5/8	41		


ONE-PIECE COUPLINGS

TP000 SERIES ONE-PIECE CRIMP COUPLINGS

METRIC - DKOL

TP520

DKOL FEMALE
24° CONE
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	mm	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
TP520-0412	6	1/4	M 12X1,5	6	-0412	2.20	56	1.06	27	1.22	31		14		
TP520-0414	6	1/4	M 14X1,5	8	-0414	2.17	55	1.02	26	1.22	31		17		
TP520-0416	6	1/4	M 16X1,5	10	-0416	2.13	54	1.06	27	1.22	31	3/4	19		
TP520-0516	8	5/16	M 16X1,5	10	-0516	2.13	54	1.06	27	1.22	31	3/4	19		
TP520-0518	8	5/16	M 18X1,5	12	-0518	2.13	54	1.06	27	1.42	36	7/8	22		
TP520-0616	10	3/8	M 16X1,5	10	-0616	2.40	61	1.34	34	1.38	35	3/4	19		
TP520-0618	10	3/8	M 18X1,5	12	-0618	2.48	63	1.42	36	1.38	35	7/8	22		
TP520-0822	12	1/2	M 22X1,5	15	-0822	2.76	70	1.57	40	1.73	44	1.1/16	27		
TP520-0826	12	1/2	M 26X1,5	18	-0826	2.76	70	1.57	40	1.89	48	1.1/4	32		
TP520-1230	19	3/4	M 30X2	22	-1230	3.54	90	2.20	56	2.56	65		36		
TP520-1636	25	1	M 36X2	28	-1636	4.13	105	2.72	69	3.11	79	1.5/8	41		

METRIC - DKS

TP630

DKS MALE
24° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	mm			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
TP630-0416	6	1/4	M 16X1,5		-0416	2.24	57	1.06	27						17
TP630-0418	6	1/4	M 18X1,5		-0418	2.13	54	0.91	23					3/4	19
TP630-0520	8	5/16	M 20X1,5		-0520	2.32	59	1.26	32					7/8	22
TP630-0620	10	3/8	M 20X1,5		-0620	2.36	60	1.26	32					7/8	22
TP630-0622	10	3/8	M 22X1,5		-0622	2.32	59	1.22	31					15/16	24
TP630-0824	12	1/2	M 24X1,5		-0824	2.44	62	1.22	31					1.1/16	27
TP630-1230	19	3/4	M 30X2		-1230	2.80	71	1.46	37					1.1/4	32
TP630-1236	19	3/4	M 36X2		-1236	2.87	73	1.54	39					1.5/8	41
TP630-1642	25	1	M 42X2		-1642	3.23	82	1.73	44						46

TP000 SERIES ONE-PIECE CRIMP COUPLINGS

METRIC - DKOS

TP711

DKOS FEMALE
24° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
						L		C _A		D _L		H _F		H _M	
	DN	inch	mm	mm		inch	mm	inch	mm			inch	mm		
TP711-0414	6	1/4	M 14X1,5	6	-0414	1.93	49	0.79	20				17		
TP711-0416	6	1/4	M 16X1,5	8	-0416	2.09	53	0.91	23			3/4	19		
TP711-0418	6	1/4	M 18X1,5	10	-0418	2.13	54	0.98	25			7/8	22		
TP711-0518	8	5/16	M 18X1,5	10	-0518	2.13	54	1.06	27			7/8	22		
TP711-0520	8	5/16	M 20X1,5	12	-0520	2.13	54	1.06	27			15/16	24		
TP711-0620	10	3/8	M 20X1,5	12	-0620	2.13	54	1.06	27			15/16	24		
TP711-0622	10	3/8	M 22X1,5	14	-0622	2.20	56	1.14	29			1.1/16	27		
TP711-0624	10	3/8	M 24X1,5	16	-0624	2.20	56	1.14	29			1.3/16	30		
TP711-0824	12	1/2	M 24X1,5	16	-0824	2.32	59	1.10	28			1.3/16	30		
TP711-1230	19	3/4	M 30X2	20	-1230	2.60	66	1.30	33				36		
TP711-1236	19	3/4	M 36X2	25	-1236	2.76	70	1.42	36				46		
TP711-1642	25	1	M 42X2	30	-1642	2.95	75	1.50	38			2	50		

METRIC - DKOS

TP720

DKOS FEMALE
24° CONE
45° TUBE BEND



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	mm	mm		inch	mm	inch	mm	inch	mm	inch	mm		
TP720-0414	6	1/4	M 14X1,5	6	-0414	2.52	64	1.38	35	0.63	16		17		
TP720-0416	6	1/4	M 16X1,5	8	-0416	2.56	65	1.42	36	0.67	17	3/4	19		
TP720-0418	6	1/4	M 18X1,5	10	-0418	2.52	64	1.38	35	0.67	17	7/8	22		
TP720-0518	8	5/16	M 18X1,5	10	-0518	2.44	62	1.38	35	0.67	17	7/8	22		
TP720-0520	8	5/16	M 20X1,5	12	-0520	2.87	73	1.81	46	0.79	20	15/16	24		
TP720-0620	10	3/8	M 20X1,5	12	-0620	2.87	73	1.81	46	0.79	20	15/16	24		
TP720-0622	10	3/8	M 22X1,5	14	-0622	2.87	73	1.81	46	0.79	20	1.1/16	27		
TP720-0824	12	1/2	M 24X1,5	16	-0824	3.27	83	2.09	53	0.94	24	1.3/16	30		
TP720-1230	19	3/4	M 30X2	20	-1230	4.25	108	2.91	74	1.38	35		36		
TP720-1236	19	3/4	M 36X2	25	-1236	4.33	110	2.99	76	1.38	35		46		
TP720-1642	25	1	M 42X2	30	-1642	4.84	123	3.43	87	1.46	37	2	50		


ONE-PIECE COUPLINGS

TP000 SERIES ONE-PIECE CRIMP COUPLINGS

METRIC - DKOS

TP730

DKOS FEMALE
24° CONE
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	mm	mm		L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm		
TP730-0414	6	1/4	M 14X1,5	6	-0414	2.20	56	1.06	27	1.10	28		17		
TP730-0416	6	1/4	M 16X1,5	8	-0416	2.20	56	1.06	27	1.22	31	3/4	19		
TP730-0418	6	1/4	M 18X1,5	10	-0418	2.20	56	1.06	27	1.14	29	7/8	22		
TP730-0520	8	5/16	M 20X1,5	12	-0520	2.48	63	1.42	36	1.42	36	15/16	24		
TP730-0620	10	3/8	M 20X1,5	12	-0620	2.48	63	1.42	36	1.42	36	15/16	24		
TP730-0622	10	3/8	M 22X1,5	14	-0622	2.48	63	1.42	36	1.42	36	1.1/16	27		
TP730-0824	12	1/2	M 24X1,5	16	-0824	2.76	70	1.57	40	1.89	48	1.3/16	30		
TP730-1230	19	3/4	M 30X2	20	-1230	3.43	87	2.13	54	2.68	68		36		
TP730-1236	19	3/4	M 36X2	25	-1236	3.50	89	2.17	55	2.68	68		46		
TP730-1642	25	1	M 42X2	30	-1642	4.13	105	2.72	69	3.03	77	2	50		

METRIC

TP470

METRIC BANJO




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		CA		DL		HF		HM	
						inch	mm	inch	mm						
TP470-0412	6	1/4			-0412	1.97	50	0.91	23						
TP470-0414	6	1/4			-0414	2.05	52	0.98	25						
TP470-0614	10	3/8			-0614	2.17	55	1.06	27						
TP470-0618	10	3/8			-0618	2.24	57	1.14	29						
TP470-0622	10	3/8			-0622	2.44	62	1.38	35						
TP470-0818	12	1/2			-0818	2.36	60	1.14	29						
TP470-0822	12	1/2			-0822	2.48	63	1.26	32						

TP000 SERIES ONE-PIECE CRIMP COUPLINGS

STANDPIPE

TP640




METRIC STANDPIPE

PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER				
	DN	inch		mm		L		C _A		D _L		H _F		H _M
						inch	mm	inch	mm					
TP640-0306	5	3/16		6	-0306	2.20	56	1.22	31					
TP640-0406	6	1/4		6	-0406	2.28	58	1.22	31					
TP640-0408	6	1/4		8	-0408	2.28	58	1.22	31					
TP640-0410	6	1/4		10	-0410	2.40	61	1.34	34					
TP640-0612	10	3/8		12	-0612	2.44	62	1.34	34					
TP640-0815	12	1/2		15	-0815	2.52	64	1.34	34					
TP640-0816	12	1/2		16	-0816	2.72	69	1.54	39					

STANDPIPE

TP643




METRIC STANDPIPE 45° TUBE BEND

PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch		mm		inch	mm	inch	mm	inch	mm				
TP643-0306	5	3/16		6	-0306	2.68	68	1.65	42	0.83	21				
TP643-0410	6	1/4		10	-0410	2.72	69	1.65	42	0.94	24				

STANDPIPE

TP646



METRIC STANDPIPE 90° TUBE BEND

PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch		mm		inch	mm	inch	mm	inch	mm				
TP646-0306	5	3/16		6	-0306	2.05	52	1.02	26	1.34	34				
TP646-0410	6	1/4		10	-0410	2.13	54	1.06	27	1.61	41				

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


ONE-PIECE COUPLINGS

TP000 SERIES ONE-PIECE CRIMP COUPLINGS

ORFS

TP800

ORFS FEMALE
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch	inch		inch	mm	inch	mm			inch	mm	inch	mm
TP800-0409	6	1/4	9/16" - 18	-	-0409	2.28	58	1.22	31			11/16		9/16	
TP800-0411	6	1/4	11/16" -16	-	-0411	2.44	62	1.42	36			13/16		11/16	
TP800-0511	8	5/16	11/16" -16	-	-0511	2.44	62	1.42	36			13/16		5/8	16
TP800-0611	10	3/8	11/16" -16	-	-0611	2.36	60	1.30	33			13/16		5/8	16
TP800-0613	10	3/8	13/16" - 16	-	-0613	2.56	65	1.46	37			15/16	24	3/4	19
TP800-0813	12	1/2	13/16" - 16	-	-0813	2.60	66	1.42	36			15/16	24	3/4	19
TP800-1219	19	3/4	1.3/16" - 12	-	-1219	3.19	81	1.77	45			1.3/8	35	1.1/8	
TP800-1223	19	3/4	1.7/16" - 12	-	-1223	3.46	88	2.13	54			1.5/8	41	1.3/8	35
TP800-1623	25	1	1.7/16" - 12	-	-1623	3.62	92	2.17	55			1.5/8	41	1.3/8	35

ORFS

TP801

ORFS FEMALE
METRIC NUT ONLY




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS					SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch	mm		
TP801-0409	6	1/4	9/16" - 18		-0409	2.28	58	1.22	31				17		
TP801-0411	6	1/4	11/16" -16		-0411	2.44	62	1.42	36			7/8	22		
TP801-0511	8	5/16	11/16" -16		-0511	2.44	62	1.42	36			7/8	22		
TP801-1219	19	3/4	1.3/16" - 12		-1219	3.19	81	1.77	45				36		

TP000 SERIES ONE-PIECE CRIMP COUPLINGS

ORFS

TP810

ORFS FEMALE
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
TP810-0409	6	1/4	9/16" - 18		-0409	2.60	66	1.57	40	0.71	18	11/16			
TP810-0411	6	1/4	11/16" - 16		-0411	2.60	66	1.57	40	0.71	18	13/16			
TP810-0611	10	3/8	11/16" - 16		-0611	2.83	72	1.77	45	0.79	20	13/16			
TP810-0613	10	3/8	13/16" - 16		-0613	2.64	67	1.57	40	0.67	17	15/16	24		
TP810-0813	12	1/2	13/16" - 16		-0813	3.07	78	1.89	48	0.75	19	15/16	24		
TP810-1219	19	3/4	1.3/16" - 12		-1219	3.86	98	2.52	64	1.14	29	1.3/8	35		

ORFS

TP811

ORFS FEMALE
45° TUBE BEND
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	mm			
TP811-0409	6	1/4	9/16" - 18		-0409	2.60	66	1.57	40	0.71	18	17			
TP811-1219	19	3/4	1.3/16" - 12		-1219	3.86	98	2.52	64	1.14	29	36			

ORFS

TP820

ORFS FEMALE
90° MEDIUM TUBE BEND



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
TP820-0409	6	1/4	9/16" - 18		-0409	2.17	55	1.14	29	1.26	32	11/16			
TP820-0411	6	1/4	11/16" - 16		-0411	2.32	59	1.30	33	1.50	38	13/16			
TP820-0511	8	5/16	11/16" - 16		-0511	2.32	59	1.30	33	1.50	38	13/16			
TP820-0611	10	3/8	11/16" - 16		-0611	2.40	61	1.34	34	1.50	38	13/16			
TP820-0613	10	3/8	13/16" - 16		-0613	2.64	67	1.57	40	1.34	34	15/16	24		
TP820-0813	12	1/2	13/16" - 16		-0813	2.68	68	1.50	38	1.61	41	15/16	24		
TP820-1219	19	3/4	1.3/16" - 12		-1219	5.04	128	3.62	92	2.32	59	1.3/8	35		
TP820-1623	25	1	1.7/16" - 12		-1623	4.13	105	2.72	69	2.80	71	1.5/8	41		


ONE-PIECE COUPLINGS

TP000 SERIES ONE-PIECE CRIMP COUPLINGS

ORFS

TP821

ORFS FEMALE
90° MEDIUM TUBE BEND
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
TP821-0409	6	1/4	9/16" - 18		-0409	2.17	55	1.14	29	1.26	32		17		
TP821-1219	19	3/4	1.3/16" - 12		-1219	5.04	128	3.62	92	2.32	59		36		

SAE

TP540

SAE FEMALE
45° FLARE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
TP540-0410	6	1/4	5/8" - 18		-0410	2.05	52	0.98	25			3/4	19	5/8	16
TP540-0510	8	5/16	5/8" - 18		-0510	2.05	52	1.02	26			3/4	19	5/8	16
TP540-0610	10	3/8	5/8" - 18		-0610	2.05	52	0.98	25			3/4	19	5/8	16

SAE

TP570

SAE FEMALE
45° FLARE
90° ELBOW



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
TP570-0610	10	3/8	5/8" - 18		-0610	1.97	50	0.91	23	0.91	23	3/4	19	3/4	19

TT000 SERIES ONE-PIECE CRIMP COUPLINGS

HOSE COMPATIBILITY FOR TT000 SERIES

NON-SKIVE


For Ryco Hose Series RTH1 (all sizes).

SKIVE

BSPT

TT010

BSPT MALE
60° SEAT




PART NO.	HOSE SIZE	THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
					L		C _A		D _L		H _F		H _M	
	DN	inch	inch		inch	mm	inch	mm					inch	mm
TT010-0404	6	1/4	1/4" -19		-0404	2.09	53	1.18	30				9/16	
TT010-0604	10	3/8	1/4" -19		-0604	2.24	57	1.30	33				5/8	16
TT010-0606	10	3/8	3/8" -19		-0606	2.24	57	1.30	33				11/16	
TT010-0608	10	3/8	1/2" -14		-0608	2.44	62	1.46	37				7/8	22
TT010-0806	12	1/2	3/8" -19		-0806	2.44	62	1.38	35				11/16	
TT010-0808	12	1/2	1/2" -14		-0808	2.64	67	1.57	40				7/8	22
TT010-1212	19	3/4	3/4" -14		-1212	2.95	75	1.61	41				1.1/16	27
TT010-1616	25	1	1" -11		-1616	3.31	84	1.89	48				1.3/8	35

BSPT

TT320

BSPT MALE SWIVEL
60° SEAT



PART NO.	HOSE SIZE	THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
					L		C _A		D _L		H _F		H _M	
	DN	inch	inch		inch	mm	inch	mm			inch			
TT320-0808	12	1/2	1/2" -14		-0808	2.91	74	1.81	46		1			

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


ONE-PIECE COUPLINGS

TT000 SERIES ONE-PIECE CRIMP COUPLINGS

BSPP

TT020

BSPP FEMALE
60° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
TT020-0404	6	1/4	1/4" -19		-0404	1.81	46	0.94	24			3/4	19	1/2	
TT020-0606	10	3/8	3/8" -19		-0606	2.01	51	1.06	27			7/8	22	5/8	16
TT020-0808	12	1/2	1/2" -14		-0808	2.20	56	1.14	29			1.1/16	27	3/4	19
TT020-1008	16	5/8	1/2" -14		-1008	2.40	61	1.06	27			1.1/16	27	1	
TT020-1212	19	3/4	3/4" -14		-1212	2.44	65	1.10	31			1.1/4	32	1	
TT020-1616	25	1	1" -11		-1616	2.87	73	1.46	36			1.1/2	38	1.1/4	32

BSPP

TT050

BSPP FEMALE
60° CONE
90° ELBOW




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS					SPANNER				
						L		C _A		D _L		H _F		H _M		
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	
TT050-0808		12	1/2	1/2" -14		-0808	2.24	57	1.14	29	1.22	31	1.1/16	27	7/8	22

BSPP

TT260

BSPP FEMALE
60° CONE
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm		
TT260-0404	6	1/4	1/4" -19		-0404	1.97	50	1.06	27	1.14	29	3/4	19		
TT260-0606	10	3/8	3/8" -19		-0606	2.32	59	1.38	35	1.30	33	7/8	22		
TT260-0808	12	1/2	1/2" -14		-0808	2.56	65	1.50	38	1.77	45	1.1/16	27		
TT260-1212	19	3/4	3/4" -14		-1212	3.46	88	2.17	55	2.32	59	1.1/4	32		
TT260-1616	25	1	1" -11		-1616	4.09	104	2.68	68	3.07	78	1.1/2	38		

TT000 SERIES ONE-PIECE CRIMP COUPLINGS

JIC

TT030

JIC
37° CONE
MALE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
TT030-0407	6	1/4	7/16" -20		-0407	2.05	52	1.14	29					1/2	
TT030-0408	6	1/4	1/2" - 20		-0408	2.05	52	1.14	29					9/16	
TT030-0409	6	1/4	9/16" -18		-0409	2.05	52	1.18	30					5/8	16
TT030-0609	10	3/8	9/16" -18		-0609	2.24	57	1.26	32					5/8	16
TT030-0612	10	3/8	3/4" -16		-0612	2.32	59	1.38	35					3/4	19
TT030-0812	12	1/2	3/4" -16		-0812	2.52	64	1.46	37					3/4	19
TT030-0814	12	1/2	7/8" -14		-0814	2.64	67	1.54	39					15/16	24

JIC

TT031

JIC
37° CONE MALE
METRIC HEX ONLY



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					mm	
TT031-0407	6	1/4	7/16"-20		-0407	2.05	52	1.14	29					12	

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


ONE-PIECE COUPLINGS

TT000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

TT040

JSEAL™ / JIC FEMALE
CONVEX SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
TT040-0407	6	1/4	7/16" -20		-0407	1.73	44	0.87	22			9/16		1/2	
TT040-0408	6	1/4	1/2" - 20		-0408	1.73	44	0.87	22			5/8	16	1/2	
TT040-0409	6	1/4	9/16" -18		-0409	1.77	45	0.87	22			11/16		9/16	
TT040-0609	10	3/8	9/16" -18		-0609	1.85	47	0.87	22			11/16		9/16	
TT040-0612	10	3/8	3/4" -16		-0612	1.93	50	0.94	25			7/8	22	11/16	
TT040-0812	12	1/2	3/4" -16		-0812	2.01	51	0.94	24			7/8	22	5/8	16
TT040-0814	12	1/2	7/8" -14		-0814	2.13	54	1.06	27			1		5/8	16
TT040-1014	16	5/8	7/8" -14		-1014	2.40	61	1.06	27			1		7/8	22
TT040-1017	16	5/8	1.1/16" -12		-1017	2.48	63	1.14	29			1.1/4	32	1	
TT040-1214	19	3/4	7/8" -14		-1214	2.44	66	1.14	32			1		1	
TT040-1217	19	3/4	1.1/16" -12		-1217	2.48	62	1.14	29			1.1/4	32	1	
TT040-1621	25	1	1.5/16" -12		-1621	2.83	72	1.42	33			1.1/2	38	1.1/4	32

JSEAL™ / JIC

TT041

JSEAL™ / JIC FEMALE
CONVEX SEAT
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm		mm
TT041-0407	6	1/4	7/16" -20		-0407	1.54	39	0.67	17				14		
TT041-0409	6	1/4	9/16" -18		-0409	1.57	40	0.67	17			3/4	19		
TT041-0609	10	3/8	9/16" -18		-0609	1.65	47	0.67	22			3/4	19		14

JSEAL™ / JIC

TT250

JSEAL™ / JIC FEMALE
CONVEX SEAT
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch			
TT250-0609	10	3/8	9/16" -18		-0609	2.48	63	1.50	38	0.55	14	11/16			
TT250-0814	12	1/2	7/8" -14		-0814	2.91	74	1.85	47	0.87	22	1			

TT000 SERIES ONE-PIECE CRIMP COUPLINGS

JSEAL™ / JIC

TT251

JSEAL™ / JIC FEMALE
CONVEX SEAT
45° TUBE BEND
METRIC NUT ONLY




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm		
TT251-0609	10	3/8	9/16" -18		-0609	2.48	63	1.50	38	0.55	14	3/4	19		

JSEAL™ / JIC

TT240

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm		
TT240-0407	6	1/4	7/16" -20		-0407	1.93	49	1.02	26	1.26	32	9/16			
TT240-0408	6	1/4	1/2" - 20		-0408	1.93	49	1.02	26	1.26	32	5/8	16		
TT240-0409	6	1/4	9/16" -18		-0409	1.93	49	1.02	26	1.50	38	11/16			
TT240-0609	10	3/8	9/16" -18		-0609	2.36	59	1.38	34	0.98	26	11/16			
TT240-0612	10	3/8	3/4" -16		-0612	2.32	59	1.38	35	1.18	30	7/8	22		
TT240-0812	12	1/2	3/4" -16		-0812	2.68	68	1.61	41	1.50	38	7/8	22		
TT240-0814	12	1/2	7/8" -14		-0814	2.68	68	1.61	41	1.61	41	1			
TT240-1014	16	5/8	7/8" -14		-1014	3.23	82	1.89	48	1.85	47	1			
TT240-1217	19	3/4	1.1/16" -12		-1217	3.50	90	2.20	57	2.24	57	1.1/4	32		
TT240-1621	25	1	1.5/16" -12		-1621	4.09	104	2.68	74	2.83	72	1.1/2	38		32

JSEAL™ / JIC

TT241

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° TUBE BEND
METRIC NUT ONLY



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm		
TT241-0407	6	1/4	7/16" -20		-0407	1.93	49	1.02	26	1.26	32		14		
TT241-0409	6	1/4	9/16" -18		-0409	1.93	49	1.02	26	1.50	38	3/4	19		
TT241-0609	10	3/8	9/16" -18		-0609	2.36	59	1.38	34	0.98	26	3/4	19		

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


ONE-PIECE COUPLINGS

TT000 SERIES ONE-PIECE CRIMP COUPLINGS

NPTF

TT090

NPTF MALE
60° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm					inch	mm
TT090-0404	6	1/4	1/4" -18		-0404	2.09	53	1.18	30					9/16	
TT090-0606	10	3/8	3/8" -18		-0606	2.24	57	1.30	33					11/16	
TT090-0808	12	1/2	1/2" -14		-0808	2.64	67	1.57	40					7/8	22
TT090-1212	19	3/4	3/4" -14		-1212	2.95	75	1.61	41					1.1/16	27
TT090-1616	25	1	1" -11.5		-1616	3.31	84	1.89	48					1.3/8	35

METRIC - DKL

TT600

DKL FEMALE
24°/ 60° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	mm			inch	mm	inch	mm			inch	mm		
TT600-0414	6	1/4	M 14X1,5		-0414	1.73	44	0.87	22				17		
TT600-0822	12	1/2	M 22X1,5		-0822	2.09	53	0.98	25			1.1/16	27		

METRIC - DKL

TT670

DKL FEMALE
24°/ 60
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	mm			inch	mm	inch	mm	inch	mm	inch	mm		
TT670-0414	6	1/4	M 14X1,5		-0414	1.97	50	1.06	27	1.22	31		17		
TT670-0822	12	1/2	M 22X1,5		-0822	2.64	67	1.57	40	1.73	44	1.1/16	27		

TT000 SERIES ONE-PIECE CRIMP COUPLINGS

SAE

TT540

SAE FEMALE
45° FLARE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch	mm	inch	mm
TT540-0407	6	1/4	7/16" - 20		-0407	1.65	42	0.75	19			9/16		1/2	
TT540-0408	6	1/4	1/2" -20		-0408	1.65	42	0.79	20			5/8	16	9/16	
TT540-0610	10	3/8	5/8" -18		-0610	1.85	47	0.91	23			3/4	19	5/8	16
TT540-0612	10	3/8	3/4" -16		-0612	1.81	46	0.87	22			7/8	22	11/16	
TT540-0812	12	1/2	3/4" -16		-0812	2.05	52	0.98	25			7/8	22	11/16	
TT540-0814	12	1/2	7/8" -14		-0814	2.09	53	0.98	25			1		13/16	
TT540-1014	16	5/8	7/8" -14		-1014	2.32	59	0.98	25			1		13/16	
TT540-1017	16	5/8	1.1/16" -12		-1017	2.36	60	1.02	26			1.1/4	32	1	
TT540-1214	19	3/4	7/8" -14		-1214	2.32	59	1.02	26			1		1	
TT540-1217	19	3/4	1.1/16" -12		-1217	2.36	60	1.06	27			1.1/4	32	1	

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES

ONE-PIECE COUPLINGS

TG000 SERIES ONE-PIECE CRIMP COUPLINGS

HOSE COMPATIBILITY FOR TG000 SERIES

NON-SKIVE


For Ryco Hose Series TPGL (all sizes).

SKIVE

BSPT

TG010

BSPT MALE
60° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F	
						inch	mm	inch	mm			inch	mm
TG010-0202	4	1/8	1/8" -28		-0202	1.93	49	1.02	26			7/16	11

BSPT

TG320

BSPT MALE SWIVEL
60° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F	
						inch	mm	inch	mm			inch	mm
TG320-0202	4	1/8	1/8" -28		-0202	1.81	46	0.91	23			1/2	

BSPP

TG020

BSPP FEMALE
60° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F	
						inch	mm	inch	mm			mm	inch
TG020-0202	4	1/8	1/8" -28		-0202	1.85	47	0.94	24			14	7/16

TG000 SERIES ONE-PIECE CRIMP COUPLINGS

NPTF

TG090

NPTF MALE
60° SEAT




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER				
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm					mm	
TG090-0202		4	1/8	1/8" -27		-0202	1.93	49	1.02	26					12

NPT

TG320N

NPT MALE SWIVEL
60° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch			
TG320N-0202	4	1/8	1/8" -27		-0202	1.81	46	0.91	23			11/16			

NPSM

TG020N

NPSM FEMALE
60° SEAT



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch		inch	mm
TG020N-0202	4	1/8	1/8" -27		-0202	1.89	48	0.98	25			9/16		7/16	11

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


ONE-PIECE COUPLINGS

TG000 SERIES ONE-PIECE CRIMP COUPLINGS

JIC

TG030

JIC
37° CONE MALE




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER	
						L		C _A		D _L		H _F		H _M
	DN	inch	inch			inch	mm	inch	mm					inch
TG030-0207		4	1/8	7/16" -20		-0207	2.01	51	1.10	28				1/2

JSEAL™ / JIC

TG040

JSEAL™ / JIC FEMALE
CONVEX SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch		inch	mm
TG040-0207	4	1/8	7/16" -20		-0207	1.77	45	0.87	22			9/16		7/16	11

STANDPIPE

TG640

METRIC STANDPIPE




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER			
						L		C _A		D _L		H _F		H _M
	DN	inch		mm		inch	mm	inch	mm					
TG640-0206	4	1/8		6	-0206	2.13	54	1.22	31					
TG640-0208	4	1/8		8	-0208	2.13	54	1.22	31					

TW000 SERIES ONE-PIECE CRIMP COUPLINGS

BSPP

TW4027

BSPP FEMALE O RING
60° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch	mm	inch	mm
TW4027-0606	10	3/8	3/8" -19		-0606	3.07	78	1.10	28			7/8	22	11/16	
TW4027-0808	12	1/2	1/2" -14		-0808	3.31	84	1.14	29			1.1/16	27	11/16	
TW4027-1212	19	3/4	3/4" -14		-1212	3.58	91	1.26	32			1.1/4	32	1.1/16	27
TW4027-1616	25	1	1" -11		-1616	3.74	95	1.50	38			1.1/2	38	1.1/4	32

NPTF

TW4090

NPTF MALE
60° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm					inch	mm
TW4090-0606	10	3/8	3/8" -18		-0606	3.58	91	1.61	41					11/16	
TW4090-0808	12	1/2	1/2" -14		-0808	4.02	102	1.85	47					7/8	22
TW4090-1212	19	3/4	3/4" -14		-1212	4.29	109	2.01	51					1.1/16	27
TW4090-1616	25	1	1" -11,5		-1616	4.57	116	2.32	59					1.3/8	35

DKOS

TW4711

DKOS FEMALE
24° CONE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch	mm		inch	mm	inch	mm			inch	mm	inch	mm
TW4711-0622	10	3/8	M 22X1,5	14	-0622	3.35	85	1.34	34			1.1/16	27	11/16	
TW4711-0624	10	3/8	M 24X1,5	16	-0624	3.35	85	1.38	35			1.1/4	32	11/16	
TW4711-0824	12	1/2	M 24X1,5	16	-0824	3.58	91	1.42	36			1.1/4	32	11/16	
TW4711-1236	19	3/4	M 36X2	25	-1236	4.06	103	1.77	45				46	1.1/16	27
TW4711-1642	25	1	M 42X2	30	-1642	4.13	105	1.89	48			2	50	1.1/4	32

PUSH-ON & SUCTION & RETURN COUPLINGS

8000 SERIES PUSH-ON COUPLINGS


HOSE COMPATIBILITY FOR 8000 SERIES

For Ryco Hose Series PL1D.

BSPP

8111

BSPP O RING & RETAINING RING MALE




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER		
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm					inch	mm
8111-1008		16	5/8	1/2" -14		-1008	1.93	49	0.94	24				1.1/16	27

BSPP

8020

BSPP FEMALE
60° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm			inch	mm		
8020-0402	6	1/4	1/8" -28		-0402	1.34	34	0.59	15				14		
8020-0404	6	1/4	1/4" -19		-0404	1.38	35	0.59	15			3/4	19		
8020-0406	6	1/4	3/8" -19		-0406	1.46	37	0.67	17			7/8	22		
8020-0502	8	5/16	1/8" -28		-0502	1.34	34	0.59	15				14		
8020-0504	8	5/16	1/4" -19		-0504	1.38	35	0.59	15			3/4	19		
8020-0606	10	3/8	3/8" -19		-0606	1.54	39	0.67	17			7/8	22		
8020-0608	10	3/8	1/2" -14		-0608	1.61	41	0.75	19			1.1/16	27		
8020-0808	12	1/2	1/2" -14		-0808	1.73	44	0.75	19			1.1/16	27		
8020-1008	16	5/8	1/2" -14		-1008	1.73	44	0.75	19			1.1/16	27		
8020-1212	19	3/4	3/4" -14		-1212	2.17	55	0.75	19			1.1/4	32		

BSPP

8060

BSPP FEMALE
60° CONE
45° ELBOW




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS					SPANNER				
						L		C _A		D _L		H _F		H _M		
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	
8060-1212		19	3/4	3/4" -14		-1212	2.60	66	1.18	30	0.79	20	1.1/4	32	1.1/16	27

8000 SERIES PUSH-ON COUPLINGS

BSPP

8050

BSPP FEMALE
60° CONE
90° ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
8050-0404	6	1/4	1/4" -19		-0404	1.30	33	0.51	13	0.94	24	3/4	19	9/16	
8050-0504	8	5/16	1/4" -19		-0504	1.30	33	0.51	13	0.94	24	3/4	19	9/16	
8050-0606	10	3/8	3/8" -19		-0606	1.54	39	0.67	17	1.14	29	7/8	22	3/4	19
8050-0808	12	1/2	1/2" -14		-0808	1.77	45	0.75	19	1.22	31	1.1/16	27	7/8	22
8050-1008	16	5/8	1/2" -14		-1008	1.85	47	0.83	21	1.38	35	1.1/16	27	1.1/16	27
8050-1212	19	3/4	3/4" -14		-1212	2.28	58	0.87	22	1.42	36	1.1/4	32	1.1/16	27

BSPT

8010

BSPT MALE
60° SEAT



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
8010-0402	6	1/4	1/8" -28		-0402	1.46	37	0.71	18						12
8010-0404	6	1/4	1/4" -19		-0404	1.65	42	0.87	22						14
8010-0406	6	1/4	3/8" -19		-0406	1.65	42	0.87	22					3/4	19
8010-0502	8	5/16	1/8" -28		-0502	1.46	37	0.71	18						12
8010-0504	8	5/16	1/4" -19		-0504	1.65	42	0.87	22						14
8010-0506	8	5/16	3/8" -19		-0506	1.65	42	0.87	22					3/4	19
8010-0604	10	3/8	1/4" -19		-0604	1.73	44	0.87	22						14
8010-0606	10	3/8	3/8" -19		-0606	1.73	44	0.87	22					3/4	19
8010-0608	10	3/8	1/2" -14		-0608	2.01	51	1.14	29					7/8	22
8010-0806	12	1/2	3/8" -19		-0806	1.89	48	0.87	22					3/4	19
8010-0808	12	1/2	1/2" -14		-0808	2.13	54	1.14	29					7/8	22
8010-0812	12	1/2	3/4" -14		-0812	2.13	54	1.14	29					1.1/16	27
8010-1008	16	5/8	1/2" -14		-1008	2.13	54	1.14	29					7/8	22
8010-1208	19	3/4	1/2" -14		-1208	2.56	65	1.14	29					15/16	24
8010-1212	19	3/4	3/4" -14		-1212	2.56	65	1.14	29					1.1/16	27

INTRODUCTION

INDEXES

ONE-PIECE COUPLINGS

PUSH-ON SUCTION & RETURN COUPLINGS

FIELD ATTACHABLE COUPLINGS

HYDRAULIC FITTINGS ACCESSORIES


PUSH-ON & SUCTION & RETURN COUPLINGS

8000 SERIES PUSH-ON COUPLINGS

NPTF

8090

NPTF MALE
60° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm					inch	mm
8090-0402	6	1/4	1/8" -27		-0402	1.46	37	0.71	18					1/2	
8090-0404	6	1/4	1/4" -18		-0404	1.65	42	0.87	22					9/16	
8090-0502	8	5/16	1/8" -27		-0502	1.46	37	0.71	18					1/2	
8090-0504	8	5/16	1/4" -18		-0504	1.65	42	0.87	22					9/16	
8090-0604	10	3/8	1/4" -18		-0604	1.73	44	0.87	22					9/16	
8090-0606	10	3/8	3/8" -18		-0606	1.73	44	0.87	22					11/16	
8090-0806	12	1/2	3/8" -18		-0806	1.89	48	0.87	22					11/16	
8090-0808	12	1/2	1/2" -14		-0808	2.13	54	1.14	29					7/8	22
8090-1212	19	3/4	3/4" -14		-1212	2.60	66	1.18	30					1.1/16	27

JIC

8030

JIC
37° CONE MALE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm					inch	mm
8030-0407	6	1/4	7/16" -20		-0407	1.61	41	0.87	22					1/2	
8030-0408	6	1/4	1/2" - 20		-0408	1.61	41	0.87	22					1/2	
8030-0508	8	5/16	1/2" - 20		-0508	1.61	41	0.87	22					1/2	
8030-0609	10	3/8	9/16" -18		-0609	1.73	44	0.87	22					5/8	16
8030-0612	10	3/8	3/4" -16		-0612	1.81	46	0.94	24					3/4	19
8030-0812	12	1/2	3/4" -16		-0812	1.97	50	0.94	24					3/4	19
8030-0814	12	1/2	7/8" -14		-0814	2.13	54	1.10	28					7/8	22
8030-1014	16	5/8	7/8" -14		-1014	2.13	54	1.10	28					7/8	22
8030-1217	19	3/4	1.1/16" -12		-1217	2.64	67	1.22	31					1.1/8	

8000 SERIES PUSH-ON COUPLINGS

JSEAL™ / JIC

8040

JSEAL™ / JIC FEMALE
CONVEX SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm		
8040-0407	6	1/4	7/16" -20		-0407	1.30	33	0.51	13			9/16			
8040-0408	6	1/4	1/2" - 20		-0408	1.30	33	0.51	13			5/8	16		
8040-0409	6	1/4	9/16" -18		-0409	1.30	33	0.55	14			11/16			
8040-0508	8	5/16	1/2" - 20		-0508	1.30	33	0.51	13			5/8	16		
8040-0509	8	5/16	9/16" -18		-0509	1.30	33	0.55	14			11/16			
8040-0609	10	3/8	9/16" -18		-0609	1.42	36	0.55	14			11/16			
8040-0612	10	3/8	3/4" -16		-0612	1.46	37	0.59	15			7/8	22		
8040-0812	12	1/2	3/4" -16		-0812	1.61	41	0.59	15			7/8	22		
8040-0814	12	1/2	7/8" -14		-0814	1.73	44	0.75	19			1			
8040-1014	16	5/8	7/8" -14		-1014	1.73	44	0.75	19			1			
8040-1217	19	3/4	1.1/16" -12		-1217	2.20	56	0.79	20			1.1/4	32		

JSEAL™ / JIC

8070

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° ELBOW



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
8070-0407	6	1/4	7/16" -20		-0407	1.38	35	0.59	15	0.71	18	9/16		9/16	
8070-0408	6	1/4	1/2" - 20		-0408	1.30	33	0.51	13	0.67	17	5/8	16	9/16	
8070-0609	10	3/8	9/16" -18		-0609	1.54	39	0.67	17	0.91	23	11/16		3/4	19
8070-0612	10	3/8	3/4" -16		-0612	1.54	39	0.67	17	0.94	24	7/8	22	3/4	19
8070-0812	12	1/2	3/4" -16		-0812	1.77	45	0.75	19	1.06	27	7/8	22	7/8	22
8070-0814	12	1/2	7/8" -14		-0814	1.77	45	0.75	19	1.22	31	1		7/8	22
8070-1217	19	3/4	1.1/16" -12		-1217	2.28	58	0.87	22	1.26	32	1.1/4	32	1.1/16	27


PUSH-ON & SUCTION & RETURN COUPLINGS

8000 SERIES PUSH-ON COUPLINGS

JSEAL™ / JIC

8240

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
8240-0609	10	3/8	9/16" -18		-0609	2.05	52	1.18	30	1.50	38	11/16			
8240-0812	12	1/2	3/4" -16		-0812	2.52	64	1.50	38	1.61	41	7/8	22		
8240-1014	16	5/8	7/8" -14		-1014	2.72	69	1.69	43	1.89	48	1			

JOINER

8900

JOINER




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm						
8900-0404	6	1/4			-0404	1.89	48	0.31	8						
8900-0505	8	5/16			-0505	1.89	48	0.31	8						
8900-0606	10	3/8			-0606	2.09	53	0.31	8						
8900-0808	12	1/2			-0808	2.40	61	0.35	9						
8900-1010	16	5/8			-1010	2.24	57	0.20	5						
8900-1212	19	3/4			-1212	3.23	82	0.35	9						

SAE

8530

SAE MALE
45° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
8530-0510	8	5/16	5/8" -18		-0510	1.69	43	0.91	23					5/8	16
8530-0610	10	3/8	5/8" -18		-0610	1.77	45	0.91	23					5/8	16
8530-1217	19	3/4	1.1/16" -12		-1217	2.80	71	1.38	35					1.1/16	27

8000 SERIES PUSH-ON COUPLINGS

SAE

8540

SAE FEMALE
45° FLARE




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M		
	DN	inch	inch			inch	mm	inch	mm			inch	mm			
8540-0510	8	5/16	5/8" -18		-0510	1.30	33	0.55	14			3/4	19			
8540-0610	10	3/8	5/8" -18		-0610	1.42	36	0.55	14			3/4	19			
8540-1017	16	5/8	1.1/16" -12		-1017	1.69	43	0.67	17			1.1/4	32			
8540-1217	19	3/4	1.1/16" -12		-1217	2.09	53	0.67	17			1.1/4	32			

SAE

8570

SAE FEMALE
45° FLARE
90° ELBOW




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M		
	DN	inch	inch			inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	
8570-0610		10	3/8	5/8" -18		-0610	1.54	39	0.67	17	0.91	23	3/4	19	3/4	19

SAE

8740

SAE INVERTED FLARE
MALE



PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M		
	DN	inch	inch			inch	mm	inch	mm			inch	mm			
8740-0407	6	1/4	7/16" - 20		-0407	1.65	42	0.87	22			7/16	11			
8740-0408	6	1/4	1/2" - 20		-0408	1.73	44	0.94	24			1/2				
8740-0508	8	5/16	1/2" - 20		-0508	1.73	44	0.94	24			1/2				
8740-0510	8	5/16	5/8" - 18		-0510	1.85	47	1.06	27			5/8	16			
8740-0610	10	3/8	5/8" - 18		-0610	1.93	49	1.06	27			5/8	16			


PUSH-ON & SUCTION & RETURN COUPLINGS

8000 SERIES PUSH-ON COUPLINGS

SALVAGE

8230

SALVAGE (LIFESAVER)




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch		inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
8230-0406	6	1/4		3/8	-0406	1.34	34	0.55	14					5/8	16
8230-0604	10	3/8		1/4	-0604	1.42	36	0.55	14					1/2	
8230-0606	10	3/8		3/8	-0606	1.42	36	0.55	14					11/16	
8230-0808	12	1/2		1/2	-0808	1.57	40	0.55	14					3/4	19
8230-0810	12	1/2		5/8	-0810	1.65	42	0.63	16					7/8	22
8230-1010	16	5/8		5/8	-1010	1.65	42	0.63	16					7/8	22
8230-1212	19	3/4		3/4	-1212	2.05	52	0.63	16					1.1/16	27

STANDPIPE

8180

IMPERIAL STANDPIPE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch		inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
8180-0404	6	1/4		1/4	-0404	1.93	49	1.18	30					1/2	
8180-0405	6	1/4		5/16	-0405	1.93	49	1.18	30					1/2	
8180-0406	6	1/4		3/8	-0406	1.97	50	1.22	31					1/2	
8180-0606	10	3/8		3/8	-0606	2.09	53	1.22	31					9/16	
8180-0608	10	3/8		1/2	-0608	2.09	53	1.22	31					9/16	
8180-0808	12	1/2		1/2	-0808	2.20	56	1.22	31					11/16	
8180-1212	19	3/4		3/4	-1212	3.19	81	1.77	45					1.1/16	27

UNO

8200

UN O RING MALE
(O RING BOSS)

O RING SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
8200-0812	12	1/2	3/4" -14		-0812	1.81	46	0.79	20					7/8	22

8000 SERIES PUSH-ON COUPLINGS

200 COUPLING NIPPLE

8100




SPECIALS

PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
						L		C _A		D _L		H _F		H _M	
	DN	inch				inch	mm	inch	mm						
8100-0404	6	1/4			-0404	1.81	46	1.06	27						
8100-0604	10	3/8			-0604	1.93	49	1.06	27						

STANDPIPE

8640



METRIC STANDPIPE

PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS					SPANNER				
						L		C _A		D _L		H _F		H _M	
	DN	inch	mm			inch	mm	inch	mm					inch	mm
8640-0406	6	1/4	6		-0406	1.93	49	1.18	30					1/2	
8640-0408	6	1/4	8		-0408	1.93	49	1.18	30					1/2	
8640-1220	19	3/4	20		-1220	3.27	83	1.85	47					1.1/8	
8640-1222	19	3/4	22		-1222	2.95	75	1.54	39					1.1/8	

INTRODUCTION

INDEXES

ONE-PIECE COUPLINGS

PUSH-ON SUCTION & RETURN COUPLINGS

FIELD ATTACHABLE COUPLINGS

HYDRAULIC FITTINGS ACCESSORIES

PUSH-ON & SUCTION & RETURN COUPLINGS

33000 SERIES SUCTION AND RETURN COUPLINGS


HOSE COMPATIBILITY FOR 33000 SERIES

For Ryco Hose Series SRX/HT and SRF/P all sizes.

33000 Series require a suitable clamp around the outside of the hose.

HOSE DASH SIZE	CLAMP PART NO	CLAMP ADJUSTMENT RANGE	RECOMMENDED TIGHTENING TORQUE	
		d mm	Nm	ft. lbs
-12	RSC-3134	31 to 34	20	15
-16	RSC-3740*	37 to 40	20	15
	RSC-4043*	40 to 43	20	15
-20	RSC-4347*	43 to 47	20	15
	RSC-4751*	47 to 51	20	15
-24	RSC-5155	51 to 55	20	15
-32	RSC-6368	63 to 68	25	18
-40	RSC-7379	73 to 79	25	18
-48	RSC-8591	85 to 91	25	18


* Due to the manufacturing tolerance on outside diameter of the hose and the range of adjustment of the clamp, it is necessary to confirm correct clamp at time of assembly.



BSPP

33111

BSPP
O RING & RETAINING RING MALE




PART NO.	HOSE SIZE	THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch		L		C _A		D _L		H _F		H _M	
					inch	mm	inch	mm					inch	mm
33111-1612	25	1	3/4" -14		-1612	2.40	61	1.02	26					36
33111-1616	25	1	1" -11		-1616	2.56	65	1.18	30				1.5/8	41
33111-2012	31	1.1/4	3/4" -14		-2012	2.40	61	1.02	26				1.1/2	38
33111-2016	31	1.1/4	1" -11		-2016	2.56	65	1.18	30				1.5/8	41
33111-2020	31	1.1/4	1.1/4" -11		-2020	2.64	67	1.26	32				2	50
33111-2416	38	1.1/2	1" -11		-2416	2.56	65	1.18	30				1.5/8	41
33111-2420	38	1.1/2	1.1/4" -11		-2420	2.64	67	1.26	32				2	50

33000 SERIES SUCTION AND RETURN COUPLINGS

BSPP

33410

BSPP O RING & RETAINING RING MALE
90° ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
33410-1608	25	1	1/2" -14		-1608	2.36	60	0.98	25	1.81	46	1		1.1/16	27
33410-1612	25	1	3/4" -14		-1612	2.36	60	0.98	25	1.85	47	1.1/4	32	1.1/16	27
33410-2012	31	1.1/4	3/4" -14		-2012	2.56	65	1.18	30	1.97	50	1.1/4	32	1.5/16	
33410-2016	31	1.1/4	1" -11		-2016	2.56	65	1.18	30	2.05	52	1.1/2	38	1.5/16	
33410-2020	31	1.1/4	1.1/4" -11		-2020	2.80	71	1.42	36	2.24	57	1.43/50		1.5/8	41
33410-2416	38	1.1/2	1" -11		-2416	2.80	71	1.42	36	2.24	57	1.1/2	38	1.5/8	41
33410-2420	38	1.1/2	1.1/4" -11		-2420	2.80	71	1.42	36	2.24	57	1.43/50		1.5/8	41

BSPP

33020

BSPP FEMALE
60° CONE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
33020-1212	19	3/4	3/4" -14		-1212	2.32	59	0.94	24			1.1/4	32	1.1/8	
33020-1616	25	1	1" -11		-1616	2.44	62	1.06	27			1.1/2	38	1.3/8	35
33020-2020	31	1.1/4	1.1/4" -11		-2020	2.60	66	1.22	31			2	50	1.3/4	
33020-2424	38	1.1/2	1.1/2" -11		-2424	2.64	67	1.26	32			2.3/16	55	2	50

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


PUSH-ON & SUCTION & RETURN COUPLINGS

33000 SERIES SUCTION AND RETURN COUPLINGS

BSPP

33024

BSPP FEMALE
FLAT FACE




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M		
	DN	inch	inch			inch	mm	inch	mm			inch	mm	inch	mm	
33024-1212		19	3/4	3/4" -14		-1212	2.32	57	0.84	21			32			
33024-1616		25	1	1" -11		-1616	2.36	60	0.94	24			1.1/2	38	1.3/8 35	
33024-2020		31	1.1/4	1.1/4" -11		-2020	2.60	58	0.91	23			50			

BSPT

33010

BSPT MALE
60° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
	DN	inch	inch			inch	mm	inch	mm					inch	mm
33010-1206	19	3/4	3/8" -19		-1206	2.28	58	0.91	23					1.1/16	27
33010-1208	19	3/4	1/2" -14		-1208	2.48	63	1.10	28					1.1/16	27
33010-1212	19	3/4	3/4" -14		-1212	2.48	63	1.10	28					1.1/16	27
33010-1216	19	3/4	1" -11		-1216	2.80	71	1.42	36						36
33010-1612	25	1	3/4" -14		-1612	2.52	64	1.14	29					1.1/16	27
33010-1616	25	1	1" -11		-1616	2.80	71	1.42	36						36
33010-1620	25	1	1.1/4" -11		-1620	2.87	73	1.50	38						46
33010-2012	31	1.1/4	3/4" -14		-2012	2.60	66	1.22	31						36
33010-2016	31	1.1/4	1" -11		-2016	2.80	71	1.42	36						36
33010-2020	31	1.1/4	1.1/4" -11		-2020	2.87	73	1.50	38						46
33010-2024	31	1.1/4	1.1/2" -11		-2024	2.91	74	1.54	39					2	50
33010-2416	38	1.1/2	1" -11		-2416	2.80	71	1.42	36					1.5/8	41
33010-2420	38	1.1/2	1.1/4" -11		-2420	2.87	73	1.50	38						46
33010-2424	38	1.1/2	1.1/2" -11		-2424	2.91	74	1.54	39					2	50
33010-3216	51	2	1" -11		-3216	2.91	74	1.54	39					2.3/16	55
33010-3224	51	2	1.1/2" -11		-3224	2.95	75	1.57	40					2.3/16	55
33010-3232	51	2	2" -11		-3232	3.15	80	1.73	44						65

33000 SERIES SUCTION AND RETURN COUPLINGS

BSPT

33400

BSPT MALE
60° SEAT
90° ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm			inch	mm
33400-1208	19	3/4	1/2" -14		-1208	2.24	57	0.87	22	1.46	37			7/8	22
33400-1212	19	3/4	3/4" -14		-1212	2.36	60	0.98	25	1.57	40			1.1/16	27
33400-1608	25	1	1/2" -14		-1608	2.36	60	0.98	25	1.69	43			1.1/16	27
33400-1612	25	1	3/4" -14		-1612	2.36	60	0.98	25	1.57	40			1.1/16	27
33400-1616	25	1	1" -11		-1616	2.56	65	1.18	30	1.97	50			1.5/16	
33400-1620	25	1	1.1/4" -11		-1620	2.80	71	1.42	36	2.40	61			1.5/8	41
33400-2012	31	1.1/4	3/4" -14		-2012	2.56	65	1.18	30	1.77	45			1.5/16	
33400-2016	31	1.1/4	1" -11		-2016	2.56	65	1.18	30	1.97	50			1.5/16	
33400-2020	31	1.1/4	1.1/4" -11		-2020	2.80	71	1.42	36	2.40	61			1.5/8	41
33400-2024	31	1.1/4	1.1/2" -11		-2024	2.99	76	1.61	41	2.64	67			1.7/8	
33400-2416	38	1.1/2	1" -11		-2416	2.80	71	1.42	36	2.36	60			1.5/8	41
33400-2420	38	1.1/2	1.1/4" -11		-2420	2.80	71	1.42	36	2.36	60			1.5/8	41
33400-2424	38	1.1/2	1.1/2" -11		-2424	2.99	76	1.61	41	2.64	67			1.7/8	
33400-3220	51	2	1.1/4" -11		-3220	3.46	88	2.09	53	2.95	75			2.1/2	
33400-3224	51	2	1.1/2" -11		-3224	3.46	88	2.09	53	2.95	75			2.1/2	

NPTF

33090

NPTF MALE
60° SEAT



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
33090-1612	25	1	3/4" -14		-1612	2.52	64	1.14	29					1.1/8	
33090-1616	25	1	1" -11,5		-1616	2.80	71	1.42	36					1.3/8	35
33090-2012	31	1.1/4	3/4" -14		-2012	2.60	66	1.22	31					1.3/8	35
33090-2020	31	1.1/4	1.1/4" -11,5		-2020	2.87	73	1.50	38					1.3/4	
33090-2424	38	1.1/2	1.1/2" -11,5		-2424	2.91	74	1.54	39					2	50


PUSH-ON & SUCTION & RETURN COUPLINGS

33000 SERIES SUCTION AND RETURN COUPLINGS

NPTF

33400N

NPTF MALE
90° ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm			inch	mm
33400N-1208	19	3/4	1/2" -14		-1208	2.24	57	0.87	22	1.46	37			7/8	22
33400N-1616	25	1	1" -11,5		-1616	2.56	65	1.18	30	1.97	50			1.5/16	

JSEAL™ / JIC

33040

JSEAL™ / JIC FEMALE
CONVEX SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm			inch	mm	inch	mm
33040-1617	25	1	1.1/16" -12		-1617	2.36	60	0.94	24			1.1/4	32	1.1/4	32
33040-2026	31	1.1/4	1.5/8" -12		-2026	2.56	65	1.18	30			2	50	1.3/4	

33000 SERIES SUCTION AND RETURN COUPLINGS

DIMENSIONS FOR SAE CODE 61 AND CODE 62 FLANGES, AND RYCO CODE 62C FLANGES

NOMINAL FLANGE	CODE 61				CODE 62				CODE 62C			
	B	T	B	T	B	T	B	T	B	T	B	T
inch	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
1/2	30,2	1.19	6,73	0.265	31,8	1.25	7,75	0.305				
5/8	34,0	1.34	6,73	0.265								
3/4	38,1	1.50	6,73	0.265	41,3	1.63	8,76	0.345	41,3	1.63	14,20	0.559
1	44,5	1.75	8,00	0.315	47,6	1.88	9,53	0.375	47,6	1.88	14,20	0.559
1.1/4	50,8	2.00	8,00	0.315	54,0	2.12	10,29	0.405	54,0	2.12	14,20	0.559
1.1/2	60,3	2.38	8,00	0.315	63,5	2.50	12,57	0.495	63,5	2.50	14,20	0.559
2	71,4	2.81	9,53	0.375	79,4	3.13	12,57	0.495	79,4	3.13	14,20	0.559
2.1/2	84,1	3.31	9,53	0.375								
3	101,6	4.00	9,53	0.375								




NOTE: Ryco Code 62C fittings conform to the flange OD and bolt hole patterns of SAE Code 62 but require special flange clamps.
Ryco Code 62C flange heads are thicker than SAE Code 62 and measure T = 14,2 mm (0.559 inch) in all sizes.

SAE FLANGE

33130

SAE CODE 61 FLANGE

CLAMPS - SEE PAGES 274 & 282
O RING NOT SUPPLIED



PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER				
						L		C _A		D _L		H _F		H _M	
	DN	inch				inch	mm	inch	mm						
33130-1616	25	1			-1616	3.35	85	1.97	50						
33130-1620	25	1			-1620	3.35	85	1.97	50						
33130-2020	31	1.1/4			-2020	3.31	84	1.93	49						
33130-2024	31	1.1/4			-2024	4.33	110	2.95	75						
33130-2420	38	1.1/2			-2420	3.31	84	1.93	49						
33130-2424	38	1.1/2			-2424	4.33	110	2.95	75						
33130-2432	38	1.1/2			-2432	3.78	96	2.40	61						
33130-3232	51	2			-3232	3.78	96	2.40	61						
33130-3240	51	2			-3240	4.92	125	3.54	90						
33130-4032	63	2.1/2			-4032	4.80	122	2.05	52						

PUSH-ON & SUCTION & RETURN COUPLINGS


33000 SERIES SUCTION AND RETURN COUPLINGS

SAE FLANGE

33150

SAE CODE 61 FLANGE
45° TUBE BEND

CLAMPS - SEE PAGES 274 & 282
O RING NOT SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
33150-1616	25	1			-1616	4.37	111	2.99	76	1.34	34				
33150-1620	25	1			-1620	4.37	111	2.99	76	1.34	34				
33150-2020	31	1.1/4			-2020	4.61	117	3.23	82	1.42	36				
33150-2024	31	1.1/4			-2024	4.61	117	3.23	82	1.42	36				
33150-2424	38	1.1/2			-2424	5.00	127	3.62	92	1.50	38				
33150-2432	38	1.1/2			-2432	5.04	128	3.66	93	1.54	39				
33150-3232	51	2			-3232	4.57	116	3.19	81	1.50	38				
33150-3240	51	2			-3240	4.57	116	3.19	81	1.50	38				
33150-4032	63	2.1/2			-4032	6.10	155	3.35	85	1.50	38				

SAE FLANGE

33170

SAE CODE 61 FLANGE
90° TUBE BEND

CLAMPS - SEE PAGES 274 & 282
O RING NOT SUPPLIED



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch				L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm				
33170-1616	25	1			-1616	3.90	99	2.52	64	2.76	70				
33170-1620	25	1			-1620	4.61	117	3.23	82	3.66	93				
33170-2016	31	1.1/4			-2016	4.21	107	2.83	72	3.23	82				
33170-2020	31	1.1/4			-2020	4.21	107	2.83	72	3.23	82				
33170-2024	31	1.1/4			-2024	4.21	107	2.83	72	3.23	82				
33170-2424	38	1.1/2			-2424	4.88	124	3.50	89	3.90	99				
33170-2432	38	1.1/2			-2432	4.88	124	3.50	89	3.98	101				
33170-3232	51	2			-3232	5.43	138	4.06	103	4.53	115				
33170-3240	51	2			-3240	5.43	138	4.06	103	4.53	115				
33170-4032	63	2.1/2			-4032	7.01	178	4.25	108	4.53	115				


33000 SERIES SUCTION AND RETURN COUPLINGS

UNO

33200

UN O RING MALE
(O RING BOSS)

O RING SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm					inch	mm
33200-1214	19	3/4	7/8" -14		-1214	2.20	56	0.83	21					1	
33200-1217	19	3/4	1.1/16" -12		-1217	2.36	60	0.98	25					1.1/4	32
33200-1221	19	3/4	1.5/16" -12		-1221	1.06	27	2.44	62					1.1/2	38
33200-1617	25	1	1.1/16" -12		-1617	2.36	60	0.98	25					1.1/4	32
33200-1621	25	1	1.5/16" -12		-1621	2.44	62	1.06	27					1.1/2	38
33200-2014	31	1.1/4	7/8" -14		-2014	2.32	59	0.94	24					1.3/8	35
33200-2017	31	1.1/4	1.1/16" -12		-2017	2.44	62	1.06	27					1.3/8	35
33200-2019	31	1.1/4	1.3/16" -12		-2019	2.44	62	1.06	27					1.3/8	35
33200-2021	31	1.1/4	1.5/16" -12		-2021	2.44	62	1.06	27					1.1/2	38
33200-2026	31	1.1/4	1.5/8" -12		-2026	2.48	63	1.10	28					1.43/50	
33200-2417	38	1.1/2	1.1/16" -12		-2417	2.44	62	1.06	27					1.5/8	41
33200-2421	38	1.1/2	1.5/16" -12		-2421	2.44	62	1.06	27					1.5/8	41
33200-2426	38	1.1/2	1.5/8" -12		-2426	2.48	63	1.10	28					1.43/50	
33200-2430	38	1.1/2	1.7/8" -12		-2430	2.56	65	1.18	30					2.1/4	57
33200-3230	51	2	1.7/8" -12		-3230	2.56	65	1.18	30					2.1/4	57

UNO

33420

UN O RING MALE
90° ELBOW

O RING SUPPLIED



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	inch			L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
33420-1214	19	3/4	7/8" -14		-1214	2.36	60	0.98	25	1.81	46	1		1.1/16	27
33420-1217	19	3/4	1.1/16" -12		-1217	2.56	65	1.18	30	2.05	52	1.1/4	32	1.5/16	
33420-1221	19	3/4	1.5/16" -12		-1221	2.56	65	1.18	30	2.05	52	1.1/2	38	1.5/16	
33420-1617	25	1	1.1/16" -12		-1617	2.56	65	1.18	30	2.05	52	1.1/4	32	1.5/16	
33420-1621	25	1	1.5/16" -12		-1621	2.56	65	1.18	30	2.05	52	1.1/2	38	1.5/16	
33420-2017	31	1.1/4	1.1/16" -12		-2017	2.56	65	1.18	30	2.05	52	1.1/4	32	1.5/16	
33420-2019	31	1.1/4	1.3/16" -12		-2019	2.56	65	1.18	30	2.01	51	1.3/8	35	1.5/16	
33420-2021	31	1.1/4	1.5/16" -12		-2021	2.56	65	1.18	30	2.05	52	1.1/2	38	1.5/16	
33420-2026	31	1.1/4	1.5/8" -12		-2026	2.80	71	1.42	36	2.24	57	1.43/50		1.5/8	41
33420-2421	38	1.1/2	1.5/16" -12		-2421	2.80	71	1.42	36	2.24	57	1.1/2	38	1.5/8	41
33420-2426	38	1.1/2	1.5/8" -12		-2426	2.80	71	1.42	36	2.24	57	1.43/50		1.5/8	41

FIELD ATTACHABLE COUPLINGS

V000 SERIES FIELD ATTACHABLE COUPLINGS

HOSE COMPATIBILITY FOR V000 SERIES

FOR RYCO SURVIVOR SURVIVOR/R5 AND TRUCKER T5 HOSE SERIES

Ryco V000 Series Ferrules follow the dash size of **SURVIVOR SURVIVOR/R5** and **TRUCKER T5** series hose. **SURVIVOR/R5** and **T5** Series are SAE 100R5 specification hose, and, accordingly the dash size is the corresponding tube size. SAE 100R5 hose internal diameters (nominal bores), unlike SAE 100R1, R2, etc, are smaller than their dash sizes. For example, **T58** has nominal tube size of 1/2" and internal diameter of 13/32", whereas **T18** and **T28** have nominal bore size of 1/2" and internal diameter of 1/2". The reason for this difference is that T5 Series hoses are often used in applications where hose is connected to steel or copper tubing. The hose is sized so that its flow diameter is approximately the same as the flow diameter of the same nominal size tubing. Hence, the hose size relates to the nominal tube size.

Ryco V000 Series Ferrules are designed to match with **Ryco 6000** Series Inserts.

Ryco 6000 Series Inserts have the same nominal sizing as their corresponding **T1** and **T2** Series Hose. Therefore, V000 Series Ferrules and matching 6000 Series Inserts have different "dash" sizes. When matched together, V000 Series Couplings have the same dash size as the 6000 Series Inserts. See table below.

The chart below shows the relationship of Part Numbers for Ferrules, Inserts and Couplings for each size.

SURVIVOR SURVIVOR/R5	TRUCKER T5	HOSE (TUBE) DASH SIZE	HOSE ID INCH	V000 SERIES FERRULE	FERRULE DASH SIZE	6000 SERIES INSERTS	INSERT DASH SIZE	V000 SERIES COUPLINGS	COUPLING DASH SIZE
SURVIVOR/R54	T54	-04	3/16	V000-04	-04	6xxx-03	-03	Vxxx-03	-03
SURVIVOR/R55	T55	-05	1/4	V000-05	-05	6xxx-04	-04	Vxxx-04	-04
SURVIVOR/R56	T56	-06	5/16	V000-06	-06	6xxx-05	-05	Vxxx-05	-05
SURVIVOR/R58	T58	-08	13/32	V000-08	-08	6xxx-06	-06	Vxxx-06	-06
SURVIVOR/R510	T510	-10	1/2	V000-10	-10	6xxx-08	-08	Vxxx-08	-08
SURVIVOR/R512	T512	-12	5/8	V000-12	-12	6xxx-10	-10	Vxxx-10	-10
SURVIVOR/R516	T516	-16	7/8	V000-16	-16	6xxx-14	-14	Vxxx-14	-14
SURVIVOR/R520	T520	-20	1.1/8	V000-20	-20	6xxx-18	-18	Vxxx-18	-18
SURVIVOR/R524	T524	-24	1.3/8	V000-24	-24	6xxx-22	-22	Vxxx-22	-22
SURVIVOR/R532	T532	-32	1.13/16	V000-32	-32	6xxx-29	-29	Vxxx-29	-29

ADDITIONAL COUPLING END STYLES

Pages 78 to 99 show the T4000 Series Coupling End Styles that are also used with **SURVIVOR/R5** and **T5** hose.

As **Ryco V000** Series Ferrules match with **Ryco 6000** Series Inserts it is possible to use any **Ryco 6000** Insert from -03 to -10 listed in the **6000** Series Field Attachable Inserts with the matching Series Ferrule.

Refer to Ryco for the availability of other **6000** Series Field Attachable Inserts.

CUT-OFF ALLOWANCE (CA) DIMENSIONS FOR FIELD ATTACHABLES

Due to differences in Ferrule design, many Cut-Off Allowance (CA) dimensions vary between each Ferrule Series for the same matched Insert/Hose size.

The Cut-Off Allowance (CA) dimensions published in "V Series Field Attachable Inserts" section allow for the Ferrule being eased back 5/8 of a turn after the hose has bottomed in the ferrule, as per "Field Attachable Assembly Instructions" (ease back between 1/2 and 3/4 of a turn).

The Cut-Off Allowance (CA) values for **6000** Series Inserts, published in the tables on pages 100 to 130 are for **6000** Series Inserts used with **V000** Series Ferrules. If using V000 Series Ferrules with other matched **6000** Series Inserts listed on pages 218 to 273, contact Ryco Hydraulics Technical Department for the correct Cut-Off Allowance (CA).

If the hose assembly length is critical, when calculating the Cut Length of hose, you must also allow for an increase in length of hose when the coupling is attached, due to compression within the coupling; see page 239.

NOTE: Hose Compatibility for the **V000** series can be found on page 238.

V000 SERIES FIELD ATTACHABLE COUPLINGS

HOW TO ORDER

EXAMPLE

(a) Individually

To order 1/2" NPT male insert and ferrule for **T58** (13/32") hose.

Order ferrule **V000-08**.

V000 Series ferrules are used on **T5** hose; see chart on page 218, Ferrule Dash Size -08 is same as Dash Size of hose.

Order insert **6090-0608** (6000 Series).

T58 hose uses 6000-06 size inserts, see page 218.




(b) Complete Coupling

Order **V090-0608**.

Simply replace the first character of the insert's part number with the first character of the ferrule's part number.

(replace 6 with V): **6090-0608** » **V090-0608**

The **V000 Series** Couplings on pages 220 to page 278 clearly show the Insert, Ferrule and Complete Coupling part numbers for each size of hose.

6090-0608 insert	plus V000-08 ferrule equals	V090-0608 complete coupling
		

HOSE BRANDING:

In common with industry practice, **Ryco SURVIVOR/R5** and **T5** hoses are branded with their Part Number, and their Actual Inside Diameter. For example:

RYCO® TRUCKER T55 1/4" MAX WP 3050 PSI•210 BAR MALAYSIA
DOT RYCO MMY 1/4 AII • RYCO AIR BRAKE (METRIC SIZE 6.3) SAE J1402 AII
RYCO® TRUCKER T56 5/16" MAX WP 2250 PSI•155 BAR MALAYSIA
DOT RYCO MMY 5/16 AII • RYCO AIR BRAKE (METRIC SIZE 8) SAE J1402 AII
RYCO® SURVIVOR/R56 5/16" MAX WP 3050 PSI•210 BAR MALAYSIA
DOT RYCO MMY 5/16 AII • RYCO AIR BRAKE (METRIC SIZE 8) SAE J1402 AII
RYCO® SURVIVOR/R56 5/16" MAX WP 3050 PSI•210 BAR MALAYSIA
DOT RYCO MMY 5/16 AII • RYCO AIR BRAKE (METRIC SIZE 8) SAE J1402 AII

When ordering hose, it is important to be clear about what size is being referred to.

For example **T55** is -05 or **5/16"** Nominal Dash Size, and **1/4"** Actual Inside Diameter.

T56 is -06 or **3/8"** Nominal Dash Size, and **5/16"** Actual Inside Diameter.

Both hoses can be referred to as **5/16"**, depending on whether Nominal or Actual Inside Diameter is being referred to. Other sizes that crossover are:

T54 and **T55**; **T58** and **T510**; and **T510** and **T512**.

SURVIVOR/R54 and **SURVIVOR/R5**; **SURVIVOR/R58** and **SURVIVOR/R510**; and **SURVIVOR/R510** and **SURVIVOR/R512**.

It is **NOT RECOMMENDED** to refer to the size of the hose only, or there may be confusion about whether it is Actual or Nominal Diameter.

It is **RECOMMENDED** to only refer to the Part Number of the hose. Example: **T56**.




If the size is mentioned, the Part Number of the hose must also be included to remove any confusion.

EXAMPLE: 5/16" T56.

FIELD ATTACHABLE COUPLINGS

V000 SERIES FIELD ATTACHABLE COUPLINGS

V000 FERRULE	6010 INSERT	V010 COUPLING	BSPT
-----------------	----------------	------------------	------





60° SEAT

	BSPT MALE	HOSE SIZE ACTUAL ID	THRD SIZE	DASH SIZE	BACK UP AF
--	--------------	------------------------	--------------	--------------	---------------

PART NO	PART NO	CA		L		PART NO	DN	inch	inch		AF-SPANNER	
		inch	mm	inch	mm						inch	mm
V000-05	6010-0404	1.38	35	2.44	62	V010-0404	6	1/4	1/4" -19	-0404	5/8	16
V000-05	6010-0406	1.38	35	2.44	62	V010-0406	6	1/4	3/8" -19	-0406	11/16	
V000-06	6010-0504	1.30	33	2.36	60	V010-0504	8	5/16	1/4" -19	-0504	5/8	16
V000-06	6010-0506	1.30	33	2.36	60	V010-0506	8	5/16	3/8" -19	-0506	11/16	
V000-08	6010-0602	1.10	28	2.40	61	V010-0602	10	3/8	1/8" -28	-0602	11/16	
V000-08	6010-0604	1.26	32	2.60	66	V010-0606	10	3/8	1/4" -19	-0604	11/16	
V000-08	6010-0606	1.26	32	2.60	66	V010-0608	10	3/8	3/8" -19	-0606	11/16	
V000-08	6010-0608	1.50	38	2.83	72	V010-0608	10	3/8	1/2" -14	-0608	7/8	22
V000-10	6010-0804	1.46	37	2.76	70	V010-0804	12	1/2	1/4" -19	-0804	13/16	
V000-10	6010-0806	1.46	37	2.76	70	V010-0806	12	1/2	3/8" -19	-0806	13/16	
V000-10	6010-0808	1.65	42	2.91	74	V010-0808	12	1/2	1/2" -14	-0808	7/8	22
V000-12	6010-1008	1.77	45	3.19	81	V010-1008	16	5/8	1/2" -14	-1008	1.1/8	
V000-12	6010-1010	1.77	45	3.19	81	V010-1010	16	5/8	5/8" -14	-1010	1.1/8	
V000-12	6010-1012	1.77	45	3.19	81	V010-1012	16	5/8	3/4" -14	-1012	1.1/8	
	6010-1212	1.65	42	3.15	80	V010-1212	19	3/4	3/4" -14	-1212	1.1/16	27
	6010-1216	1.97	50	3.46	88	V010-1216	19	3/4	1" -11	-1216	1.3/8	35
	6010-1616	2.17	55	3.66	93	V010-1616	25	1	1" -11	-1616	1.3/8	35
V000-20	6010-1820	2.28	58	3.54	90	V010-1820	28	1.1/8	1.1/4" -11	-1820	1.43/50	
	6010-2020	2.36	60	4.49	114	V010-2020	31	1.1/4	1.1/4" -11	-2020	1.43/50	
	6010-2424	2.24	57	4.72	120	V010-2424	38	1.1/2	1.1/2" -11	-2424	2.1/4	57
	6010-3232	2.60	66	5.39	137	V010-3232	51	2	2" -11	-3232	2.1/2	

V000 SERIES FIELD ATTACHABLE COUPLINGS

V000 FERRULE	6020 INSERT	V020 COUPLING	BSPP											
			60° SEAT											
BSPP FEMALE						HOSE SIZE ACTUAL ID		THRD SIZE	DASH SIZE	BACK UP AF	FEMALE HEX			
PART NO	PART NO	CA		L		PART NO	DN	inch	inch		AF-SPANNER		HF-SPANNER	
		inch	mm	inch	mm						inch	mm	inch	mm
V000-04	6020-0302	0.98	25	1.81	46	V020-0302	5	3/16	1/8" -28	-0302	5/8	16		14
V000-05	6020-0402	1.22	31	2.24	57	V020-0402	6	1/4	1/8" -28	-0402	5/8	16		14
V000-05	6020-0404	1.22	31	2.28	58	V020-0404	6	1/4	1/4" -19	-0404	11/16		3/4	19
V000-05	6020-0406	1.30	33	2.36	60	V020-0406	6	1/4	3/8" -19	-0406	11/16		7/8	22
V000-06	6020-0504	1.14	29	2.20	56	V020-0504	8	5/16	1/4" -19	-0504	5/8	16	3/4	19
V000-06	6020-0506	1.30	33	2.36	60	V020-0506	8	5/16	3/8" -19	-0506	11/16		7/8	22
V000-08	6020-0604	1.10	28	2.40	61	V020-0604	10	3/8	1/4" -19	-0604	11/16		3/4	19
V000-08	6020-0606	1.22	31	2.56	65	V020-0606	10	3/8	3/8" -19	-0606	13/16		7/8	22
V000-08	6020-0608	1.30	33	2.60	66	V020-0608	10	3/8	1/2" -14	-0608	7/8	22	1.1/16	27
V000-10	6020-0806	1.34	34	2.64	67	V020-0806	12	1/2	3/8" -19	-0806	13/16		7/8	22
V000-10	6020-0808	1.42	36	2.72	69	V020-0808	12	1/2	1/2" -14	-0808	1		1.1/16	27
	6020-0812	1.42	36	2.72	69	V020-0812	12	1/2	3/4" -14	-0812	1		1.1/4	32
V000-12	6020-1010	1.50	38	2.91	74	V020-1010	16	5/8	5/8" -14	-1010	1.1/8		1.3/16	30
V000-12	6020-1012	1.57	40	2.99	76	V020-1012	16	5/8	3/4" -14	-1012	1.1/8		1.1/4	32
	6020-1212	1.50	38	2.99	76	V020-1212	19	3/4	3/4" -14	-1212	1.1/4	32	1.1/4	32
	6020-1216	1.65	42	3.11	79	V020-1216	19	3/4	1" -11	-1216	1.1/2	38	1.1/2	38
	6020-1416	1.57	40	2.64	67	V020-1416	22	7/8	1" -11	-1416	1.1/2	38	1.1/2	38
	6020-1616	1.81	46	3.35	85	V020-1616	25	1	1" -11	-1616	1.1/2	38	1.1/2	38
V000-20	6020-1820	2.01	51	3.31	84	V020-1820	28	1.1/8	1.1/4" -11	-1820	1.43/50		2	50
	6020-2020	2.13	54	4.21	107	V020-2020	31	1.1/4	1.1/4" -11	-2020	1.43/50		2	50
	6020-2424	2.01	51	4.49	114	V020-2424	38	1.1/2	1.1/2" -11	-2424	2.1/4	57	2.3/16	55
	6020-3232	2.44	62	5.24	133	V020-3232	51	2	2" -11	-3232	2.3/4	70	2.3/4	70

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS



FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES

FIELD ATTACHABLE COUPLINGS

V000 SERIES FIELD ATTACHABLE COUPLINGS




V000 FERRULE	6270 INSERT	V270 COUPLING	BSPP
-----------------	----------------	------------------	------



60° SEAT

	BSPP FEMALE 45° TUBE BEND							HOSE SIZE ACTUAL ID			THRD SIZE	DASH SIZE	BACK UP AF		FEMALE HEX		
PART NO	PART NO	CA		L		DL		PART NO	DN	inch	inch	inch		Af-SPANNER		Hf-SPANNER	
		inch	mm	inch	mm	inch	mm							inch	mm	inch	mm
V000-05	6270-0404	1.85	47	2.87	73	0.67	17	V270-0404	6	1/4	1/4" -19	-0404	5/8	16	3/4	19	
V000-06	6270-0506	2.09	53	3.19	81	0.75	19	V270-0506	8	5/16	3/8" -19	-0506	5/8	16	7/8	22	
V000-08	6270-0606	2.05	52	3.35	85	0.71	18	V270-0606	10	3/8	3/8" -19	-0606	11/16		7/8	22	
V000-10	6270-0808	2.44	62	3.74	95	0.87	22	V270-0808	12	1/2	1/2" -14	-0808	13/16		1.1/16	27	
V000-12	6270-1010	2.72	69	4.13	105	0.91	23	V270-1010	16	5/8	5/8" -14	-1010	1		1.3/16	30	
	6270-1212	3.23	82	4.69	119	1.14	29	V270-1212	19	3/4	3/4" -14	-1212	1.1/16	27	1.1/4	32	
	6270-1616	4.25	108	5.79	147	1.54	39	V270-1616	25	1	1" -11	-1616	1.3/8		1.1/2	38	
	6270-2020	4.80	122	6.93	176	1.73	44	V270-2020	31	1.1/4	1.1/4" -11	-2020	1.3/4		2	50	
	6270-2224	5.16	131	6.46	164	2.05	52	V270-2224	35	1.3/8	1.1/2" -11	-2224	2		2.3/16	55	
	6270-3232	6.50	165	9.29	236	2.56	65	V270-3232	51	2	2" -11	-3232	2.1/2		2.3/4	70	

V000 FERRULE	6260 INSERT	V260 COUPLING	BSPP
-----------------	----------------	------------------	------





60° SEAT

	BSPP FEMALE 90° TUBE BEND								HOSE SIZE ACTUAL ID		THRD SIZE	DASH SIZE	BACK UP Af	FEMALE HEX		
PART NO	PART NO	CA		L		DL		PART NO					Af-SPANNER		Hf-SPANNER	
		inch	mm	inch	mm	inch	mm		DN	inch	inch		inch	mm	inch	mm
V000-05	6260-0404	1.54	39	2.60	66	1.14	29	V260-0404	6	1/4	1/4" -19	-0404	5/8	16	3/4	19
V000-06	6260-0506	1.73	44	2.80	71	1.34	34	V260-0506	8	5/16	3/8" -19	-0506	5/8	16	7/8	22
V000-08	6260-0606	1.73	44	3.03	77	1.30	33	V260-0606	10	3/8	3/8" -19	-0606	11/16		7/8	22
V000-08	6260-0608	1.73	44	3.03	77	1.30	33	V260-0608	10	3/8	1/2" -14	-0608	3/4	19	1.1/16	27
V000-10	6260-0808	2.09	53	3.39	86	1.69	43	V260-0808	12	1/2	1/2" -14	-0808	13/16		1.1/16	27
V000-10	6260-0810	2.13	54	3.43	87	1.89	48	V260-0810	12	1/2	5/8" -14	-0810	13/16		1.3/16	30
V000-12	6260-1010	2.48	63	3.90	99	2.01	51	V260-1010	16	5/8	5/8" -14	-1010	1		1.3/16	30
	6260-1212	2.68	68	4.13	105	2.28	58	V260-1212	19	3/4	3/4" -14	-1212	1.1/16	27	1.1/4	32
	6260-1616	3.27	83	4.80	122	2.87	73	V260-1616	25	1	1" -11	-1616	1.3/8		1.1/2	38
	6260-2020	4.17	106	6.30	160	3.46	88	V260-2020	31	1.1/4	1.1/4" -11	-2020	1.3/4		2	50
V000-24	6260-2224	4.45	113	5.75	146	4.17	106	V260-2224	35	1.3/8	1.1/2" -11	-2224	2		2.3/16	55
	6260-3232	5.98	152	8.74	222	5.20	132	V260-3232	51	2	2" -11	-3232	2.1/2		2.3/4	70

V000 SERIES FIELD ATTACHABLE COUPLINGS

V000 FERRULE	6090 INSERT	V090 COUPLING	NPT
--------------	-------------	---------------	-----



60° SEAT

		NPT MALE				HOSE SIZE ACTUAL ID		THRD SIZE	DASH SIZE	BACK UP AF		
PART NO	PART NO	CA		L		PART NO					AF-SPANNER	
		inch	mm	inch	mm		DN	inch	inch		inch	mm
V000-04	6090-0302	0.98	25	1.81	46	V090-0302	5	3/16	1/8" -27	-0302	7/16	11
V000-04	6090-0304	1.18	30	1.97	50	V090-0304	5	3/16	1/4" -18	-0304	5/8	16
V000-05	6090-0402	1.22	31	2.24	57	V090-0402	6	1/4	1/8" -27	-0402	7/16	11
V000-05	6090-0404	1.38	35	2.44	62	V090-0404	6	1/4	1/4" -18	-0404	5/8	16
V000-05	6090-0406	1.38	35	2.44	62	V090-0406	6	1/4	3/8" -18	-0406	11/16	
V000-06	6090-0504	1.30	33	2.36	60	V090-0504	8	5/16	1/4" -18	-0504	5/8	16
V000-06	6090-0506	1.38	35	2.44	62	V090-0506	8	5/16	3/8" -18	-0506	11/16	
V000-08	6090-0604	1.26	32	2.60	66	V090-0604	10	3/8	1/4" -18	-0604	11/16	
V000-08	6090-0606	1.26	32	2.60	66	V090-0606	10	3/8	3/8" -18	-0606	11/16	
V000-08	6090-0608	1.50	38	2.83	72	V090-0608	10	3/8	1/2" -14	-0608	7/8	22
V000-10	6090-0806	1.46	37	2.76	70	V090-0806	12	1/2	3/8" -18	-0806	7/8	22
V000-10	6090-0808	1.65	42	2.91	74	V090-0808	12	1/2	1/2" -14	-0808	7/8	22
V000-12	6090-1008	1.77	45	3.19	81	V090-1008	16	5/8	1/2" -14	-1008	1.1/8	
V000-12	6090-1012	1.77	45	3.19	81	V090-1012	16	5/8	3/4" -14	-1012	1.1/8	
	6090-1208	1.65	42	3.15	80	V090-1208	19	3/4	1/2" -14	-1208	1.1/8	
	6090-1212	1.65	42	3.15	80	V090-1212	19	3/4	3/4" -14	-1212	1.1/16	27
	6090-1416	1.89	48	2.99	76	V090-1416	22	7/8	1" -11,5	-1416	1.3/8	35
	6090-1616	2.17	55	3.66	93	V090-1616	25	1	1" -11,5	-1616	1.3/8	35
	6090-1820	2.28	58	3.54	90	V090-1820	28	1.1/8	1.1/4" -11,5	-1820	1.43/50	
	6090-2020	2.36	60	4.49	114	V090-2020	31	1.1/4	1.1/4" -11,5	-2020	1.43/50	
V000-24	6090-2224	2.01	51	3.35	85	V090-2224	35	1.3/8	1.1/2" -11,5	-2224	2	50
	6090-2424	2.24	57	4.72	120	V090-2424	38	1.1/2	1.1/2" -11,5	-2424	2.1/4	57
	6090-3232	2.60	66	5.39	137	V090-3232	51	2	2" -11,5	-3232	2.1/2	

INTRODUCTION

INDEXES

ONE-PIECE COUPLINGS

PUSH-ON SUCTION & RETURN COUPLINGS



FIELD ATTACHABLE COUPLINGS

HYDRAULIC FITTINGS ACCESSORIES

FIELD ATTACHABLE COUPLINGS

V000 SERIES FIELD ATTACHABLE COUPLINGS

V000 FERRULE	6030 INSERT	V030 COUPLING	JIC - MALE
-----------------	----------------	------------------	------------





37° FLARE

	JIC MALE					HOSE SIZE ACTUAL ID		THRD SIZE	DASH SIZE	BACK UP AF		
PART NO	PART NO	CA		L		PART NO	DN	inch	inch		AF-SPANNER	
		inch	mm	inch	mm						inch	mm
V000-04	6030-0307	1.14	29	1.97	50	V030-0307	5	3/16	7/16" -20	-0307	5/8	16
V000-05	6030-0407	1.38	35	2.40	61	V030-0407	6	1/4	7/16" -20	-0407	5/8	16
V000-05	6030-0408	1.38	35	2.40	61	V030-0408	6	1/4	1/2" - 20	-0408	5/8	16
V000-05	6030-0409	1.38	35	2.44	62	V030-0409	6	1/4	9/16" -18	-0409	5/8	16
V000-05	6030-0412	1.54	39	2.60	66	V030-0412	6	1/4	3/4" -16	-0412	13/16	
V000-08	6030-0609	1.26	32	2.56	65	V030-0609	10	3/8	9/16" -18	-0609	11/16	
V000-08	6030-0612	1.42	36	2.72	69	V030-0612	10	3/8	3/4" -16	-0612	13/16	
V000-08	6030-0614	1.50	38	2.83	72	V030-0614	10	3/8	7/8" -14	-0614	1	
V000-10	6030-0812	1.54	39	2.83	72	V030-0812	12	1/2	3/4" -16	-0812	13/16	
V000-10	6030-0814	1.61	41	2.91	74	V030-0814	12	1/2	7/8" -14	-0814	15/16	24
V000-10	6030-0817	1.81	46	3.07	78	V030-0817	12	1/2	1.1/16" -12	-0817	1.1/8	
V000-12	6030-1014	1.77	45	3.19	81	V030-1014	16	5/8	7/8" -14	-1014	1.1/8	
V000-12	6030-1017	1.89	48	3.31	84	V030-1017	16	5/8	1.1/16" -12	-1017	1.1/8	
	6030-1217	1.81	46	3.31	84	V030-1217	19	3/4	1.1/16" -12	-1217	1.1/8	
	6030-1219	1.85	47	3.31	84	V030-1219	19	3/4	1.3/16" -12	-1219	1.1/4	32
	6030-1221	1.93	49	3.43	87	V030-1221	19	3/4	1.5/16" -12	-1221	1.3/8	35
	6030-1617	2.05	52	3.58	91	V030-1617	25	1	1.1/16" -12	-1617	1.3/8	35
	6030-1621	2.09	53	3.62	92	V030-1621	25	1	1.5/16" -12	-1621	1.3/8	35
	6030-2026	2.36	60	4.49	114	V030-2026	31	1.1/4	1.5/8"-12	-2026	1.43/50	

V000 SERIES FIELD ATTACHABLE COUPLINGS

V000 FERRULE	6040 INSERT	V040 COUPLING	JSEAL™ / JIC
--------------	-------------	---------------	--------------



CONVEX SEAT




	JSEAL™ / JIC FEMALE					HOSE SIZE ACTUAL ID		THRD SIZE	DASH SIZE	BACK UP Af	FEMALE HEX			
PART NO	PART NO	CA		L		PART NO	DN	inch	inch		Af-SPANNER		Hf-SPANNER	
		inch	mm	inch	mm						inch	mm	inch	mm
V000-04	6040-0307	0.91	23	1.73	44	V040-0307	5	3/16	7/16" -20	-0307	9/16		9/16	
V000-04	6040-0406	1.26	32	2.28	58	V040-0406	6	1/4	3/8" - 24	-0406	1/2		1/2	
V000-05	6040-0407	1.14	29	2.17	55	V040-0407	6	1/4	7/16" -20	-0407	5/8	16	9/16	
V000-05	6040-0408	1.14	29	2.20	56	V040-0408	6	1/4	1/2" - 20	-0408	5/8	16	5/8	16
V000-05	6040-0409	1.14	29	2.20	56	V040-0409	6	1/4	9/16" -18	-0409	11/16		11/16	
V000-05	6040-0412	1.22	31	2.24	57	V040-0412	6	1/4	3/4" -16	-0412	3/4	19	7/8	22
V000-06	6040-0509	1.06	27	2.13	54	V040-0509	8	5/16	9/16" -18	-0509	11/16		11/16	
V000-08	6040-0607	1.02	26	2.32	59	V040-0607	10	3/8	7/16" -20	-0607	11/16		9/16	
V000-08	6040-0608	1.02	26	2.32	59	V040-0608	10	3/8	1/2" - 20	-0608	11/16		5/8	16
V000-08	6040-0609	0.87	22	2.17	55	V040-0609	10	3/8	9/16" -18	-0609	11/16		11/16	
V000-08	6040-0612	1.14	29	2.44	62	V040-0612	10	3/8	3/4" -16	-0612	7/8	22	7/8	22
V000-08	6040-0614	1.30	33	2.60	66	V040-0614	10	3/8	7/8" -14	-0614	1		1.1/16	27
V000-10	6040-0809	1.22	31	2.52	64	V040-0809	12	1/2	9/16" -18	-0809	13/16		11/16	
V000-10	6040-0812	1.26	32	2.56	65	V040-0812	12	1/2	3/4" -16	-0812	7/8	22	7/8	22
V000-12	6040-0814	1.54	39	2.80	71	V040-0814	12	1/2	7/8" -14	-0814	1		1.1/16	27
V000-10	6040-0817	1.50	38	2.80	71	V040-0817	12	1/2	1.1/16" -12	-0817	1.1/8		1.1/4	32
V000-12	6040-1014	1.50	38	2.91	74	V040-1014	16	5/8	7/8" -14	-1014	1		1.1/16	27
V000-12	6040-1017	1.57	40	2.99	76	V040-1017	16	5/8	1.1/16" -12	-1017	1.1/4	32	1.1/4	32
	6040-1214	1.50	38	2.95	75	V040-1214	19	3/4	7/8" -14	-1214	1.1/16	27	1.1/16	27
	6040-1217	1.54	39	2.99	76	V040-1217	19	3/4	1.1/16" -12	-1217	1.1/4	32	1.1/4	32
	6040-1219	1.50	38	2.99	76	V040-1219	19	3/4	1.3/16" -12	-1219	1.3/8	35	1.3/8	
	6040-1221	1.65	42	3.11	79	V040-1221	19	3/4	1.5/16" -12	-1221	1.1/2	38	1.1/2	38
V000-16	6040-1421	1.57	40	2.64	67	V040-1421	22	7/8	1.5/16" -12	-1421	1.1/2	38	1.1/2	38
	6040-1617	1.77	45	3.31	84	V040-1617	25	1	1.1/16" -12	-1617	1.3/8	35	1.1/4	32
	6040-1621	1.81	46	3.35	85	V040-1621	25	1	1.5/16" -12	-1621	1.1/2	38	1.1/2	38
	6040-1626	1.85	47	3.39	86	V040-1626	25	1	1.5/8"-12	-1626	1.5/8	41	2	50
V000-20	6040-1826	2.13	54	3.39	86	V040-1826	28	1.1/8	1.5/8"-12	-1826	1.43/50		2	50
	6040-2026	2.05	52	4.17	106	V040-2026	31	1.1/4	1.5/8"-12	-2026	1.43/50		2	50
V000-24	6040-2230	1.77	45	3.07	78	V040-2230	35	1.3/8	1.7/8"-12	-2230	2	50	2.1/4	57.15
	6040-2430	2.01	51	4.45	113	V040-2430	38	1.1/2	1.7/8"-12	-2430	2.1/4	57	2.1/4	57.15
V000-32	6040-2940	2.13	54	3.90	99	V040-2940	46	1.13/16	2.1/2" -12	-2940	2.3/4	70	2.7/8	73
	6040-3240	2.44	62	5.24	133	V040-3240	51	2	2.1/2" -12	-3240	2.3/4	70	2.7/8	73

NOTE: Hose Compatibility for the V000 series can be found on page 238.

FIELD ATTACHABLE COUPLINGS

V000 SERIES FIELD ATTACHABLE COUPLINGS

V000 FERRULE	6070 INSERT	V070 COUPLING	JSEAL™ / JIC
-----------------	----------------	------------------	--------------






CONVEX SEAT

		JSEAL™ / JIC FEMALE 90° ELBOW						HOSE SIZE ACTUAL ID		THRD SIZE	DASH SIZE	FEMALE HEX	
PART NO	PART NO	CA		L		DL						HF-SPANNER	
		inch	mm	inch	mm	inch	mm	DN	inch	inch		inch	mm
V000-05	6070-0407	1.02	26	2.09	53	0.71	18	6	1/4	7/16" -20	-0407	9/16	
V000-05	6070-0408	1.02	26	2.09	53	0.67	17	6	1/4	1/2" - 20	-0408	5/8	16
V000-05	6070-0409	1.02	26	2.09	53	0.87	22	6	1/4	9/16" -18	-0409	11/16	
V000-08	6070-0607	0.98	25	2.28	58	0.91	23	10	3/8	7/16" -20	-0607	9/16	
V000-08	6070-0609	0.98	25	2.28	58	0.91	23	10	3/8	9/16" -18	-0609	11/16	
V000-08	6070-0612	0.98	25	2.28	58	0.94	24	10	3/8	3/4" -16	-0612	7/8	22
V000-10	6070-0812	1.26	32	2.56	65	1.06	27	12	1/2	3/4" -16	-0812	7/8	22
V000-10	6070-0814	1.26	32	2.56	65	1.10	28	12	1/2	7/8" -14	-0814	1.1/16	27
V000-10	6070-0817	1.26	32	2.56	65	1.22	31	12	1/2	1.1/16" -12	-0817	1.1/4	32
V000-12	6070-1014	1.34	34	2.80	71	1.26	32	16	5/8	7/8" -14	-1014	1.1/16	27
V000-12	6070-1017	1.30	33	2.72	69	1.26	32	16	5/8	1.1/16" -12	-1017	1.1/4	32
	6070-1217	1.26	32	2.72	69	1.26	32	19	3/4	1.1/16" -12	-1217	1.1/4	32
	6070-1219	1.46	37	2.91	74	1.38	35	19	3/4	1.3/16" -12	-1219	1.3/8	
	6070-1621	1.61	41	3.15	80	1.50	38	25	1	1.5/16" -12	-1621	1.1/2	38
	6070-2026	2.36	60	4.49	114	1.85	47	31	1.1/4	1.5/8"-12	-2026	2	50

NOTE: Hose Compatibility for the V000 series can be found on page 238.

V000 SERIES FIELD ATTACHABLE COUPLINGS

V000 FERRULE	6250 INSERT	V250 COUPLING	JSEAL™ / JIC
--------------	-------------	---------------	--------------



CONVEX SEAT

	JSEAL™ / JIC FEMALE 45° TUBE BEND							HOSE SIZE ACTUAL ID		THRD SIZE	DASH SIZE	BACK UP Af	FEMALE HEX			
PART NO	PART NO	Ca		L		DL		PART NO	DN	inch	inch		Af-SPANNER		Hf-SPANNER	
		inch	mm	inch	mm	inch	mm						inch	mm	inch	mm
V000-04	6250-0307	1.61	41	2.44	62	0.59	15	V250-0307	5	3/16	7/16" -20	-0307	5/8	16	9/16	
V000-05	6250-0407	1.77	45	2.83	72	0.59	15	V250-0407	6	1/4	7/16" -20	-0407	5/8	16	9/16	
V000-05	6250-0408	1.77	45	2.83	72	0.59	15	V250-0408	6	1/4	1/2" - 20	-0408	5/8	16	5/8	16
V000-05	6250-0409	1.77	45	2.83	72	0.59	15	V250-0409	6	1/4	9/16" -18	-0409	5/8	16	11/16	
V000-06	6250-0509	1.85	47	2.95	75	0.55	14	V250-0509	8	5/16	9/16" -18	-0509	5/8	16	11/16	
V000-08	6250-0609	1.85	47	3.15	80	0.55	14	V250-0609	10	3/8	9/16" -18	-0609	11/16		11/16	
V000-08	6250-0612	1.89	48	3.19	81	0.67	17	V250-0612	10	3/8	3/4" -16	-0612	11/16		7/8	22
V000-10	6250-0812	2.32	59	3.62	92	0.83	21	V250-0812	12	1/2	3/4" -16	-0812	13/16		7/8	22
V000-10	6250-0814	2.40	61	3.70	94	0.87	22	V250-0814	12	1/2	7/8" -14	-0814	13/16		1	
V000-12	6250-1014	2.68	68	4.09	104	0.94	24	V250-1017	16	5/8	7/8" -14	-1014	1		1	
V000-16	6250-1017	2.68	68	4.09	104	0.94	24	V250-1421	16	5/8	1.1/16" -12	-1017	1		1.1/4	32
V000-24	6250-1217	3.27	83	4.72	120	1.10	28	V250-2230	19	3/4	1.1/16" -12	-1217	1.1/16	27	1.1/4	32
	6250-1219	2.99	76	4.49	114	0.94	24		19	3/4	1.3/16" -12	-1219			1.3/8	35
	6250-1221	3.31	84	4.76	121	1.26	32		19	3/4	1.5/16" -12	-1221	1.1/4	32	1.1/2	38
	6250-1421	3.70	94	4.76	121	1.38	35		22	7/8	1.5/16" -12	-1421	1.3/8	35	1.1/2	38
	6250-1621	3.94	100	5.47	139	1.38	35		25	1	1.5/16" -12	-1621	1.3/8	35	1.1/2	38
	6250-2026	4.69	119	6.81	173	1.54	39		31	1.1/4	1.5/8"-12	-2026	1.3/4		2	50
	6250-2230	5.16	131	6.46	164	1.97	50		35	1.3/8	1.7/8"-12	-2230	2	50	2.1/4	57

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS



FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES

FIELD ATTACHABLE COUPLINGS

V000 SERIES FIELD ATTACHABLE COUPLINGS

V000 FERRULE	6240 INSERT	V240 COUPLING	JSEAL™ / JIC
-----------------	----------------	------------------	--------------






CONVEX SEAT

	JSEAL™ / JIC FEMALE 90° TUBE BEND							HOSE SIZE ACTUAL ID		THRD SIZE	DASH SIZE	BACK UP Af	FEMALE HEX			
PART NO	PART NO	CA		L		DL		PART NO	DN	inch	inch		Af-SPANNER		Hf-SPANNER	
		inch	mm	inch	mm	inch	mm						inch	mm	inch	mm
V000-04	6240-0307	1.30	33	2.09	53	1.26	32	V240-0307	5	3/16	7/16" -20	-0307	5/8	16	9/16	
V000-05	6240-0407	1.50	38	2.56	65	1.06	27	V240-0407	6	1/4	7/16" -20	-0407	5/8	16	9/16	
V000-05	6240-0408	1.54	39	2.60	66	1.14	29	V240-0408	6	1/4	1/2" - 20	-0408	5/8	16	5/8	16
V000-05	6240-0409	1.42	36	2.48	63	1.14	29	V240-0409	6	1/4	9/16" - 18	-0409	5/8	16	11/16	
V000-06	6240-0509	1.77	45	2.83	72	1.18	30	V240-0509	8	5/16	9/16" -18	-0509	5/8	16	11/16	
V000-08	6240-0609	1.73	44	3.03	77	0.98	25	V240-0609	10	3/8	9/16" -18	-0609	11/16		11/16	
V000-08	6240-0612	1.73	44	3.03	77	1.18	30	V240-0612	10	3/8	3/4" -16	-0612	11/16		7/8	22
V000-10	6240-0812	2.13	54	3.43	87	1.50	38	V240-0812	12	1/2	3/4" -16	-0812	13/16		7/8	22
V000-10	6240-0814	2.13	54	3.43	87	1.85	47	V240-0814	12	1/2	7/8" -14	-0814	13/16		1	
V000-12	6240-1014	2.36	60	3.78	96	1.89	48	V240-1014	16	5/8	7/8" -14	-1014	1		1	
V000-12	6240-1017	2.44	62	3.86	98	1.93	49	V240-1017	16	5/8	1.1/16" -12	-1017	1		1.1/4	32
	6240-1217	2.52	64	3.98	101	2.24	57	V240-1217	19	3/4	1.1/16" -12	-1217	1.1/16	27	1.1/4	32
	6240-1221	2.76	70	4.21	107	2.80	71	V240-1221	19	3/4	1.5/16" -12	-1221	1.1/4	32	1.1/2	38
	6240-1421	3.03	77	4.09	104	2.83	72	V240-1421	22	7/8	1.5/16" -12	-1421	1.3/8	35	1.1/2	38
	6240-1617	3.03	77	4.57	116	2.28	58	V240-1617	25	1	1.1/16" -12	-1617	1.3/8	35	1.1/4	32
	6240-1621	3.31	84	4.84	123	2.83	72	V240-1621	25	1	1.5/16" -12	-1621	1.3/8	35	1.1/2	38
	6240-1826	4.06	103	5.31	135	3.19	81	V240-1826	28	1.1/8	1.5/8"-12	-1826	1.3/4		2	50
V000-22	6240-2026	4.21	107	6.34	161	3.23	82	V240-2026	31	1.1/4	1.5/8"-12	-2026	1.3/4		2	50
V000-24	6240-2230	4.45	113	5.75	146	4.09	104	V240-2230	35	1.3/8	1.7/8"-12	-2230	2	50	2.1/4	57

V000 SERIES FIELD ATTACHABLE COUPLINGS

V000 FERRULE	6280 INSERT	V280 COUPLING	JSEAL™ / JIC
--------------	-------------	---------------	--------------



CONVEX SEAT



	JSEAL™ / JIC FEMALE 90° LONG TUBE BEND							HOSE SIZE ACTUAL ID	THRD SIZE	DASH SIZE	BACK UP Af	FEMALE HEX				
PART NO	PART NO	CA		L		DL		PART NO	DN	inch	inch		Af-SPANNER		Hf-SPANNER	
		inch	mm	inch	mm	inch	mm						inch	mm	inch	mm
V000-05	6280-0407	1.69	43	2.76	70	1.85	47	V280-0407	6	1/4	7/16" -20	-0407	5/8	16	9/16	
V000-05	6280-0408	1.54	39	2.60	66	1.85	47	V280-0408	6	1/4	1/2" - 20	-0408	5/8	16	5/8	16
V000-05	6280-0409	1.54	39	2.60	66	2.13	54	V280-0409	6	1/4	9/16" -18	-0409	5/8	16	11/16	
V000-06	6280-0509	1.89	48	2.95	75	2.17	55	V280-0509	8	5/16	9/16" -18	-0509	5/8	16	11/16	
V000-08	6280-0609	1.61	41	2.91	74	2.17	55	V280-0609	10	3/8	9/16" -18	-0609	11/16		11/16	
V000-08	6280-0612	1.73	44	3.03	77	2.52	64	V280-0612	10	3/8	3/4" -16	-0612	11/16		7/8	22
V000-10	6280-0812	2.09	53	3.39	86	2.36	60	V280-0812	12	1/2	3/4" -16	-0812	13/16		7/8	22
V000-10	6280-0814	2.09	53	3.39	86	2.76	70	V280-0814	12	1/2	7/8" -14	-0814	13/16		1	
V000-12	6280-1014	2.44	62	3.86	98	2.76	70	V280-1014	16	5/8	7/8" -14	-1014	1		1	
V000-12	6280-1017	2.44	62	3.86	98	3.78	96	V280-1017	16	5/8	1.1/16" -12	-1017	1		1.1/4	32
	6280-1217	2.68	68	4.13	105	3.78	96	V280-1217	19	3/4	1.1/16" -12	-1217	1.1/16	27	1.1/4	32
	6280-1621	3.58	91	5.12	130	4.49	114	V280-1621	25	1	1.5/16" -12	-1621	1.3/8	35	1.1/2	38
	6280-2026	4.13	105	6.26	159	5.08	129	V280-2026	31	1.1/4	1.5/8" -12	-2026	1.3/4		2	50
	6280-2430	4.76	121	7.24	184	5.55	141	V280-2430	38	1.1/2	1.7/8" -12	-2430	2.1/4	57	2.1/4	57

NOTE: Hose Compatibility for the **V000** series can be found on page 238.

FIELD ATTACHABLE COUPLINGS

V000 SERIES FIELD ATTACHABLE COUPLINGS

V000 FERRULE	6800 INSERT	V800 COUPLING	ORFS
-----------------	----------------	------------------	------





O RING FACE SEAL

	ORFS FEMALE					HOSE SIZE ACTUAL ID		THRD SIZE	DASH SIZE	BACK UP Af	FEMALE HEX			
PART NO	PART NO	Ca		L		PART NO	DN	inch	inch		Af-SPANNER		Hf-SPANNER	
		inch	mm	inch	mm						inch	mm	inch	mm
V000-04	6800-0309	1.26	32	2.09	53	V800-0309	5	3/16	9/16" - 18	-0309	5/8	16	11/16	
V000-05	6800-0409	1.50	38	2.52	64	V800-0409	6	1/4	9/16" - 18	-0409	5/8	16	11/16	
V000-05	6800-0411	1.57	40	2.60	66	V800-0411	6	1/4	11/16" -16	-0411	11/16		13/16	
V000-06	6800-0511	1.46	37	2.56	65	V800-0511	8	5/16	11/16" -16	-0511	5/8	16	13/16	
V000-08	6800-0611	1.42	36	2.76	70	V800-0611	10	3/8	11/16" -16	-0611	11/16		13/16	
V000-08	6800-0613	1.54	39	2.87	73	V800-0613	10	3/8	13/16" - 16	-0613	13/16		15/16	24
V000-10	6800-0813	1.61	41	2.91	74	V800-0813	12	1/2	13/16" - 16	-0813	13/16		15/16	24
V000-10	6800-0816	1.85	47	3.11	79	V800-0816	12	1/2	1" - 14	-0816	15/16	24	1.1/8	
V000-12	6800-1016	1.93	49	3.35	85	V800-1016	16	5/8	1" - 14	-1016	1.1/8		1.1/8	
V000-12	6800-1019	2.05	52	3.46	88	V800-1019	16	5/8	1.3/16" - 12	-1019	1.1/8		1.3/8	35
	6800-1219	1.97	50	3.46	88	V800-1219	19	3/4	1.3/16" - 12	-1219	1.1/8		1.3/8	35
	6800-1223	2.40	61	3.86	98	V800-1223	19	3/4	1.7/16" - 12	-1223	1.3/8	35	1.5/8	41
	6800-1423	2.32	59	3.39	86	V800-1423	22	7/8	1.7/16" - 12	-1423	1.3/8	35	1.5/8	41
	6800-1623	2.56	65	4.09	104	V800-1623	25	1	1.7/16" - 12	-1623	1.3/8	35	1.5/8	41
	6800-2027	2.83	72	4.96	126	V800-2027	31	1.1/4	1.11/16" - 12	-2027	1.43/50		1.7/8	

NOTE: Hose Compatibility for the **V000** series can be found on page 238.

V000 SERIES FIELD ATTACHABLE COUPLINGS




V000 FERRULE	6810 INSERT	V810 COUPLING	ORFS
--------------	-------------	---------------	------



O RING FACE SEAL

	ORFS FEMALE 45° TUBE BEND					HOSE SIZE ACTUAL ID		THRD SIZE	DASH SIZE	BACK UP Af		FEMALE HEX		
PART NO	PART NO	CA		L		PART NO	DN	inch	inch		AF-SPANNER		HF-SPANNER	
		inch	mm	inch	mm						inch	mm	inch	mm
V000-04	6810-0309	1.81	46	2.60	66	V810-0309	5	3/16	9/16" - 18	-0309	5/8	16	11/16	
V000-05	6810-0409	2.01	51	3.07	78	V810-0409	6	1/4	9/16" - 18	-0409	5/8	16	11/16	
V000-05	6810-0411	2.01	51	3.07	78	V810-0411	6	1/4	11/16" -16	-0411	5/8	16	7/8	22
V000-06	6810-0511	2.13	54	3.23	82	V810-0511	8	5/16	11/16" -16	-0511	5/8	16	7/8	22
V000-08	6810-0611	2.09	53	3.43	87	V810-0611	10	3/8	11/16" -16	-0611	11/16		7/8	22
V000-08	6810-0613	1.93	49	3.23	82	V810-0613	10	3/8	13/16" - 16	-0613	3/4	19	15/16	24
V000-10	6810-0813	2.36	60	3.66	93	V810-0813	12	1/2	13/16" - 16	-0813	13/16		15/16	24
V000-10	6810-0816	2.48	63	3.78	96	V810-0816	12	1/2	1" - 14	-0816	15/16	24	1.1/8	
V000-12	6810-1016	2.87	73	4.29	109	V810-1016	16	5/8	1" - 14	-1016	1		1.1/8	
V000-12	6810-1019	2.99	76	4.41	112	V810-1019	16	5/8	1.3/16" - 12	-1019	1.1/8		1.3/8	
	6810-1219	2.99	76	4.49	114	V810-1219	19	3/4	1.3/16" - 12	-1219	1.1/8		1.3/8	
	6810-1223	3.03	77	4.53	115	V810-1223	19	3/4	1.7/16" - 12	-1223	1.3/8	35	1.5/8	41
	6810-1423	3.74	95	4.80	122	V810-1423	22	7/8	1.7/16" - 12	-1423	1.3/8	35	1.5/8	41
	6810-1623	3.98	101	5.51	140	V810-1623	25	1	1.7/16" - 12	-1623	1.3/8	35	1.5/8	41

V000 FERRULE	6820 INSERT	V820 COUPLING	ORFS
--------------	-------------	---------------	------






O RING FACE SEAL

ORFS FEMALE 90° TUBE BEND						HOSE SIZE ACTUAL ID		THRD SIZE	DASH SIZE	BACK UP Af		FEMALE HEX		
PART NO	PART NO	CA		L		PART NO	DN	inch	inch		Af-SPANNER		Hf-SPANNER	
		inch	mm	inch	mm						inch	mm	inch	mm
V000-04	6820-0309	1.38	35	2.17	55	V820-0309	5	3/16	9/16" - 18	-0309	5/8	16	11/16	
V000-05	6820-0409	1.57	40	2.64	67	V820-0409	6	1/4	9/16" - 18	-0409	5/8	16	11/16	
V000-05	6820-0411	1.57	40	2.64	67	V820-0411	6	1/4	11/16" -16	-0411	5/8	16	13/16	
V000-06	6820-0511	1.73	44	2.80	71	V820-0511	8	5/16	11/16" -16	-0511	5/8	16	13/16	
V000-08	6820-0611	1.69	43	2.99	76	V820-0611	10	3/8	11/16" -16	-0611	11/16		13/16	
V000-08	6820-0613	1.69	43	2.99	76	V820-0613	10	3/8	13/16" - 16	-0613	3/4	19	15/16	24
V000-10	6820-0813	2.05	52	3.35	85	V820-0813	12	1/2	13/16" - 16	-0813	13/16		15/16	24
V000-10	6820-0816	2.17	55	3.46	88	V820-0816	12	1/2	1" - 14	-0816	15/16	24	1.1/8	
V000-12	6820-1016	2.40	61	3.82	97	V820-1016	16	5/8	1" - 14	-1016	1		1.1/8	
V000-12	6820-1019	2.52	64	3.94	100	V820-1019	16	5/8	1.3/16" - 12	-1019	1.1/8		1.3/8	35
	6820-1219	2.60	66	4.06	103	V820-1219	19	3/4	1.3/16" - 12	-1219	1.1/8		1.3/8	35
	6820-1223	2.80	71	4.25	108	V820-1223	19	3/4	1.7/16" - 12	-1223	1.3/8	35	1.5/8	41
	6820-1423	3.11	79	4.17	106	V820-1423	22	7/8	1.7/16" - 12	-1423	1.3/8	35	1.5/8	41
	6820-1623	3.35	85	4.88	124	V820-1623	25	1	1.7/16" - 12	-1623	1.3/8	35	1.5/8	41
	6820-2027	4.17	106	6.30	160		31	1.1/4	1.11/16" - 12	-2027	1.3/4		1.7/8	

FIELD ATTACHABLE COUPLINGS

V000 SERIES FIELD ATTACHABLE COUPLINGS

V000 FERRULE	6830 INSERT	V830 COUPLING	ORFS
-----------------	----------------	------------------	------





O RING FACE SEAL

ORFS FEMALE 90° LONG TUBE BEND						HOSE SIZE ACTUAL ID		THRD SIZE	DASH SIZE	BACK UP Af	FEMALE HEX			
PART NO	PART NO	Ca		L		PART NO	DN	inch	inch		Af-SPANNER		Hf-SPANNER	
		inch	mm	inch	mm						inch	mm	inch	mm
V000-04	6830-0309	1.38	35	2.20	56	V830-0309	5	3/16	9/16" - 18	-0309	5/8	16	11/16	
V000-05	6830-0409	1.61	41	2.64	67	V830-0409	6	1/4	9/16" - 18	-0409	5/8	16	11/16	
V000-05	6830-0411	1.57	40	2.64	67	V830-0411	6	1/4	11/16" -16	-0411	5/8	16	13/16	
V000-06	6830-0511	1.61	41	2.72	69	V830-0511	8	5/16	11/16" -16	-0511	5/8	16	13/16	
V000-08	6830-0611	1.61	41	2.91	74	V830-0611	10	3/8	11/16" -16	-0611	11/16		13/16	
V000-08	6830-0613	1.61	41	2.91	74	V830-0613	10	3/8	13/16" - 16	-0613	3/4	19	15/16	24
V000-10	6830-0813	2.09	53	3.39	86	V830-0813	12	1/2	13/16" - 16	-0813	13/16		15/16	24
V000-10	6830-0816	2.28	58	3.58	91	V830-0816	12	1/2	1" - 14	-0816	15/16	24	1.1/8	
V000-12	6830-1016	2.56	65	3.98	101	V830-1016	16	5/8	1" - 14	-1016	1		1.1/8	
V000-12	6830-1019	2.48	63	3.90	99	V830-1019	16	5/8	1.3/16" - 12	-1019	1.1/8		1.3/8	35
	6830-1219	2.80	71	4.25	108	V830-1219	19	3/4	1.3/16" - 12	-1219	1.1/8		1.3/8	35
	6830-1223	2.76	70	4.21	107	V830-1223	19	3/4	1.7/16" - 12	-1223	1.3/8	35	1.5/8	41
	6830-1423	3.43	87	4.49	114	V830-1423	22	7/8	1.7/16" - 12	-1423	1.3/8	35	1.5/8	41
	6830-1623	3.66	93	5.20	132	V830-1623	25	1	1.7/16" - 12	-1623	1.3/8	35	1.5/8	41
	6830-2027	4.17	106	6.30	160	V830-2027	31	1.1/4	1.11/16" - 12	-2027	1.3/4		1.7/8	

V000 SERIES FIELD ATTACHABLE COUPLINGS



V000 FERRULE	6530 INSERT	V530 COUPLING	SAE
--------------	-------------	---------------	-----



45° FLARE

	SAE MALE					HOSE SIZE ACTUAL ID		THRD SIZE	DASH SIZE	BACK UP Af	FEMALE HEX			
PART NO	PART NO	CA		L		PART NO	DN	inch	inch		Af-SPANNER		Hf-SPANNER	
		inch	mm	inch	mm						inch	mm	inch	mm
V000-05	6530-0410	1.46	37	2.48	63	V530-0410	6	1/4	5/8" -18	-0410	11/16		0	0
V000-06	6530-0510	1.34	34	2.40	61	V530-0510	8	5/16	5/8" -18	-0510	5/8	16	0	0
V000-08	6530-0608	1.26	32	2.56	65	V530-0608	10	3/8	1/2" -20	-0608	5/8	16	0	0
V000-08	6530-0610	1.30	33	2.60	66	V530-0610	10	3/8	5/8" -18	-0610	3/4	19	0	0

V000 FERRULE	6540 INSERT	V540 COUPLING	SAE
--------------	-------------	---------------	-----



45° FLARE



	SAE FEMALE					HOSE SIZE ACTUAL ID	THRD SIZE	DASH SIZE	BACK UP AF	FEMALE HEX				
PART NO	PART NO	CA		L		PART NO	DN	inch	inch		Af-SPANNER		Hf-SPANNER	
		inch	mm	inch	mm						inch	mm	inch	mm
V000-04	6540-0307	0.91	23	1.73	44	V540-0307	5	3/16	7/16" - 20	-0307	5/8	16	9/16	
V000-05	6540-0407	1.14	29	2.17	55	V540-0407	6	1/4	7/16" - 20	-0407	11/16		9/16	
V000-05	6540-0408	1.14	29	2.17	55	V540-0408	6	1/4	1/2" -20	-0408	11/16		5/8	16
V000-05	6540-0410	1.14	29	2.20	56	V540-0410	6	1/4	5/8" -18	-0410	11/16		3/4	19
V000-06	6540-0510	1.06	27	2.13	54	V540-0510	8	5/16	5/8" -18	-0510	11/16		3/4	19
V000-08	6540-0608	1.02	26	2.32	59	V540-0608	10	3/8	1/2" -20	-0608	11/16		5/8	16
V000-08	6540-0610	1.02	26	2.36	60	V540-0610	10	3/8	5/8" -18	-0610	3/4	19	3/4	19
V000-08	6540-0612	1.14	29	2.44	62	V540-0612	10	3/8	3/4" -16	-0612	7/8	22	7/8	22
V000-10	6540-0812	1.26	32	2.56	65	V540-0812	12	1/2	3/4" -16	-0812	7/8	22	7/8	22
V000-10	6540-0814	1.30	33	2.60	66	V540-0814	12	1/2	7/8" -14	-0814	1		1.1/16	27
	6540-1017	1.50	38	2.91	74	V540-1017	16	5/8	1.1/16" -12	-1017	1.1/8		1.1/4	32
	6540-1217	1.42	36	2.91	74	V540-1217	19	3/4	1.1/16" -12	-1217	1.1/8		1.1/4	32

NOTE: Hose Compatibility for the V000 series can be found on page 238.

FIELD ATTACHABLE COUPLINGS

V000 SERIES FIELD ATTACHABLE COUPLINGS




V000 FERRULE	6550 INSERT	V550 COUPLING	SAE
--------------	-------------	---------------	-----



45° FLARE

	SAE FEMALE 45° TUBE BEND					HOSE SIZE ACTUAL ID		THRD SIZE	DASH SIZE	BACK UP Af	FEMALE HEX			
PART NO	PART NO	Ca		L		PART NO	DN	inch	inch		Af-SPANNER		Hf-SPANNER	
		inch	mm	inch	mm						inch	mm	inch	mm
V000-04	6550-0307	1.57	40	2.36	60	V550-0307	5	3/16	7/16" - 20	-0307	5/8	16	9/16	
V000-06	6550-0510	2.01	51	3.07	78	V550-0510	8	5/16	5/8" -18	-0510	5/8	16	3/4	19
V000-08	6550-0608	1.89	48	3.23	82	V550-0608	10	3/8	1/2" -20	-0608	11/16		5/8	16
V000-08	6550-0610	1.97	50	3.27	83	V550-0610	10	3/8	5/8" -18	-0610	11/16		3/4	19



V000 FERRULE	6560 INSERT	V560 COUPLING	SAE
--------------	-------------	---------------	-----



45° FLARE

		SAE FEMALE 90° TUBE BEND				HOSE SIZE ACTUAL ID		THRD SIZE	DASH SIZE	BACK UP Af	FEMALE HEX			
PART NO	PART NO	Ca		L		PART NO	DN	inch	inch		Af-SPANNER		Hf-SPANNER	
		inch	mm	inch	mm						inch	mm	inch	mm
V000-04	6560-0307	1.30	33	2.13	54	V560-0307	5	3/16	7/16" - 20	-0307	5/8	16	9/16	
V000-06	6560-0510	1.73	44	2.80	71	V560-0510	8	5/16	5/8" - 18	-0510	5/8	16	3/4	19
V000-08	6560-0610	1.69	43	2.99	76	V560-0610	10	3/8	5/8" - 18	-0610	11/16		3/4	19

V000 FERRULE	6740 INSERT	V740 COUPLING	SAE
--------------	-------------	---------------	-----






INVERTED
MALE FLARE

	SAE INVERTED MALE FLARE					HOSE SIZE ACTUAL ID		THRD SIZE	DASH SIZE	BACK UP Af	FEMALE HEX			
PART NO	PART NO	Ca		L		PART NO	DN	inch	inch		Af-SPANNER		HF-SPANNER	
		inch	mm	inch	mm						inch	mm	inch	mm
V000-05	6740-0407	1.97	50	3.03	77	V740-0407	6	1/4	7/16" - 20	-0407	5/8	16	7/16	11
V000-06	6740-0510	1.89	48	2.95	75	V740-0510	8	5/16	5/8" -18	-0510	5/8	16	5/8	16
V000-08	6740-0610	1.85	47	3.15	80	V740-0610	10	3/8	5/8" -18	-0610	11/16		5/8	16
V000-08	6740-0611	1.97	50	3.31	84	V740-0611	10	3/8	11/16" -16	-0611	11/16		11/16	

NOTE: Hose Compatibility for the V000 series can be found on page 238.

V000 SERIES FIELD ATTACHABLE COUPLINGS

V000 FERRULE	6750 INSERT	V750 COUPLING	SAE
--------------	-------------	---------------	-----






INVERTED
MALE FLARE

	SAE INVERTED MALE FLARE 45° TUBE BEND					HOSE SIZE ACTUAL ID	THRD SIZE	DASH SIZE	BACK UP A _F	FEMALE HEX
--	---	--	--	--	--	------------------------	--------------	--------------	---------------------------	---------------

PART NO	PART NO	C _A		L		PART NO	DN	inch	inch		A _F -SPANNER		H _F -SPANNER	
		inch	mm	inch	mm						inch	mm	inch	mm
V000-06	6750-0510	3.15	80	4.21	107	V750-0510	8	5/16	5/8" -18	-0510	5/8	16	5/8	16
V000-08	6750-0610	3.11	79	4.45	113	V750-0610	10	3/8	5/8" -18	-0610	11/16		5/8	16

V000 FERRULE	6770 INSERT	V770 COUPLING	SAE
--------------	-------------	---------------	-----



INVERTED
MALE FLARE

	SAE INVERTED MALE FLARE 90° TUBE BEND					HOSE SIZE ACTUAL ID	THRD SIZE	DASH SIZE	BACK UP A _F	FEMALE HEX
--	---	--	--	--	--	------------------------	--------------	--------------	---------------------------	---------------




PART NO	PART NO	C _A		L		PART NO	DN	inch	inch		A _F -SPANNER		H _F -SPANNER	
		inch	mm	inch	mm						inch	mm	inch	mm
V000-05	6770-0407	2.05	52	3.07	78	V770-0407	6	1/4	7/16" - 20	-0407	5/8	16	7/16	11
V000-06	6770-0510	2.44	62	3.50	89	V770-0510	8	5/16	5/8" -18	-0510	5/8	16	5/8	16
V000-08	6770-0610	2.40	61	3.70	94	V770-0610	10	3/8	5/8" -18	-0610	11/16		5/8	16

NOTE: Hose Compatibility for the **V000** series can be found on page 238.

FIELD ATTACHABLE COUPLINGS

V000 SERIES FIELD ATTACHABLE COUPLINGS

V000 FERRULE	6230 INSERT	V230 COUPLING	SALVAGE
-----------------	----------------	------------------	---------





TUBE WELD

		SALVAGE (LIFESAVER)				HOSE SIZE ACTUAL ID		TUBE SIZE	DASH SIZE	BACK UP AF	FEMALE HEX			
PART NO	PART NO	CA		L		PART NO	DN	inch	inch		Af-SPANNER		Hf-SPANNER	
		inch	mm	inch	mm						inch	mm	inch	mm
V000-04	6230-0304	0.87	22	1.69	43	V230-0304	5	3/16	1/4	-0304	5/8	16		
V000-05	6230-0404	1.10	28	2.13	54	V230-0404	6	1/4	1/4	-0404	5/8	16		
V000-05	6230-0406	1.10	28	2.13	54	V230-0406	6	1/4	3/8	-0406	5/8	16		
V000-06	6230-0506	0.98	25	2.09	53	V230-0506	8	5/16	3/8	-0506	5/8	16		
V000-08	6230-0606	0.94	24	2.28	58	V230-0606	10	3/8	3/8	-0606	11/16			
V000-08	6230-0608	0.94	24	2.28	58	V230-0608	10	3/8	1/2	-0608	11/16			
V000-10	6230-0808	1.14	29	2.44	62	V230-0808	12	1/2	1/2	-0808	13/16			
V000-10	6230-0810	1.14	29	2.44	62	V230-0810	12	1/2	5/8	-0810	7/8	22		
V000-10	6230-0812	1.14	29	2.44	62	V230-0812	12	1/2	3/4	-0812	1.1/16	27		
V000-12	6230-1010	1.22	31	2.64	67	V230-1010	16	5/8	5/8	-1010	1			
V000-12	6230-1012	1.22	31	2.64	67	V230-1012	16	5/8	3/4	-1012	1			
	6230-1212	1.18	30	2.64	67	V230-1212	19	3/4	3/4	-1212	1.1/16	27		
	6230-1216	1.34	34	2.83	72	V230-1216	19	3/4	1	-1216	1.3/8	35		
V000-16	6230-1416	1.26	32	2.36	60	V230-1416	22	7/8	1	-1416	1.3/8	35		
	6230-1612	1.46	37	2.99	76	V230-1612	25	1	3/4	-1612	1.3/8	35		
	6230-1616	1.54	39	3.07	78	V230-1616	25	1	1	-1616	1.3/8	35		
	6230-1620	1.57	40	3.11	79	V230-1620	25	1	1.1/4	-1620	1.3/4			
V000-20	6230-1820	1.61	41	2.91	74	V230-1820	28	1.1/8	1.1/4	-1820	1.43/50			
	6230-2020	1.73	44	3.86	98	V230-2020	31	1.1/4	1.1/4	-2020	1.3/4			
V000-24	6230-2224	1.34	34	2.64	67	V230-2224	35	1.3/8	1.1/2	-2224	2	50		
	6230-2424	1.57	40	4.06	103	V230-2424	38	1.1/2	1.1/2	-2424	2.1/4	57		
	6230-3232	1.97	50	4.76	121	V230-3232	51	2	2	-3232	2.1/2			

NOTE: Hose Compatibility for the **V000** series can be found on page 238.

V000 SERIES FIELD ATTACHABLE COUPLINGS

V000 FERRULE	6200 INSERT	V200 COUPLING	UNO (O RING BOSS)
--------------	-------------	---------------	-------------------



O RING SUPPLIED

	UN O RING MALE (O RING BOSS)	HOSE SIZE ACTUAL ID	THRD SIZE	DASH SIZE	BACK UP Af	FEMALE HEX
--	---------------------------------	------------------------	--------------	--------------	---------------	---------------

PART NO	PART NO	CA		L		PART NO	DN	inch	inch		Af-SPANNER		Hf-SPANNER	
		inch	mm	inch	mm						inch	mm	inch	mm
V000-05	6200-0409	1.22	31	2.24	57	V200-0409	6	1/4	9/16" -18	-0409	11/16			
V000-08	6200-0609	1.06	27	2.40	61	V200-0609	10	3/8	9/16" -18	-0609	3/4	19		
V000-08	6200-0612	1.18	30	2.52	64	V200-0612	10	3/8	3/4" -14	-0612	7/8	22		
V000-08	6200-0614	1.26	32	2.56	65	V200-0614	10	3/8	7/8" -14	-0614	1			
V000-10	6200-0812	1.30	33	2.60	66	V200-0812	12	1/2	3/4" -14	-0812	7/8	22		
V000-10	6200-0814	1.38	35	2.68	68	V200-0814	12	1/2	7/8" -14	-0814	1			
V000-10	6200-0817	1.54	39	2.83	72	V200-0817	12	1/2	1.1/16" -12	-0817	1.1/4	32		
V000-12	6200-1014	1.69	43	3.11	79	V200-1014	16	5/8	7/8" -14	-1014	1.1/8			
V000-12	6200-1017	1.61	41	3.03	77	V200-1017	16	5/8	1.1/16" -12	-1017	1.1/4	32		
V000-12	6200-1021	1.69	43	3.11	79	V200-1021	16	5/8	1.5/16" -12	-1021	1.1/2	38		
	6200-1217	1.54	39	3.03	77	V200-1217	19	3/4	1.1/16" -12	-1217	1.1/4	32		
	6200-1221	1.61	41	3.11	79	V200-1221	19	3/4	1.5/16" -12	-1221	1.1/2	38		
	6200-1617	1.97	50	3.50	89		25	1	1.1/16" -12	-1617	1.1/4	32		
	6200-1619	1.77	45	3.31	84		25	1	1.3/16" -12	-1619	1.3/8	35		
	6200-1621	1.77	45	3.31	84		25	1	1.5/16" -12	-1621	1.1/2	38		

NOTE: Hose Compatibility for the V000 series can be found on page 238.

FIELD ATTACHABLE COUPLINGS

6000 SERIES FIELD ATTACHABLE INSERTS

HOSE COMPATIBILITY FOR 6000 SERIES

FIELD ATTACHABLE FERRULES FOR 6000 SERIES INSERTS


The Ryco Field Attachable system consists of five ferrule styles, each specific to a hose type, and one common insert.

Field attachable inserts and ferrules can be ordered individually, or as a complete coupling for specific hose types.

Field Attachable Inserts for Ryco Hose Series T1D, T2D, TXA2D, SURVIVOR/1, SURVIVOR/2, SURVIVOR/R5, T1F, M2, M2G, BT1, E1, E2, T5.





For **V000** Series for SURVIVOR/R5 and T5 Hose Series, see pages 343 to 354.

6000 Series Inserts are used with NON-SKIVE Ferrules **K000**, **L000**, **M000**, **P000** and **V000** Series.



V000 Series Couplings for T5 Hose Series are shown on pages 343 to 354.

6000 Series Inserts, for use with **K000**, **L000**, **M000** and **P000** Series Ferrules, are shown on pages 357 to 387

FERRULES				K000		L000		M000		P000	
											
SUITS RYCO HOSE TYPE				ONE WIRE BRAID NON-SKIVE		TWO WIRE BRAID NON-SKIVE		TWO TEXTILE BRAID		GREASELINE	
SUITS RYCO HOSE SERIES				RYCO T1D, T1F, SURVIVOR/1, BT1		RYCO T2D, TXA2D, SURVIVOR/2, E2		RYCO M2, M2G		RYCO TPGL	
HOSE SIZE			USE INSERT		CA ADJ		CA ADJ		CA ADJ		CA ADJ
DN	inch	Dash	Series	Part No	mm	Part No	mm	Part No	mm	Part No	mm
	1/8	-02	6000-02							P000-02	0
5	3/16	-03	6000-03								
6	1/4	-04	6000-04	K000-04	0	L000-04	0	M000-04	0		
10	3/8	-06	6000-06	K000-06	0	L000-06	0	M000-06	0		
12	1/2	-08	6000-08	K000-08	+3	L000-08	0	M000-08	0		
16	5/8	-10	6000-10	K000-10	+1	L000-10	0				
19	3/4	-12	6000-12	K000-12	+2	L000-12	0	M000-12	0		
25	1	-16	6000-16	K000-16	0	L000-16	0	M000-16	-2		
31	1.1/4	-20	6000-20			L000-20	0				
38	1.1/2	-24	6000-24								
51	2	-32	6000-32								




NOTE: For previous Part Number series, remove a zero from the end of the new series Part Number. Eg, **K000** series was previously **K00** series. Part Number **L000-04** was previously **L00-04**. The exception is **M000**, which was previously the **400** series.

6000 SERIES FIELD ATTACHABLE INSERTS




ALL SERIES (EXCEPT V SERIES)

Field Attachable Inserts and Ferrules can be ordered individually, or as complete Couplings. Each Ferrule Series is specific to a hose type as detailed on the previous page. For all Series, except V Series*, the following method is used:

- EXAMPLE 1** To order 1/2" NPT male Insert and Ferrule for 1/2" two wire non-skive hose (T2D).
- (a) Individually Order Insert **6090-0808** (6000 Series). See NPT 6000 Series Inserts on page 248.
Order Ferrule **L000-08**.
L000 Series Ferrules are used on T2D hose; see table on the previous page.
Dash Size -08 part of **L000-08** comes from 1/2" hose = $8/16" = -08$; or from the tables.
- (b) Complete Coupling Order **L090-0808**.
Simply replace the first character of the Insert part number with the first character of the Ferrule part number.
(replace 6 with L) = **6090-0808 »» L090-0808**

6090-0808 Insert	plus L000-08 Ferrule equals	L090-0808 complete Coupling
		

- EXAMPLE 2** To order 3/4"-16 JIC female Insert and Ferrule for 3/8" SURVIVOR/1 series hose.
- (a) Individually Order Insert **6040-0612** (6000 Series). See JIC 6000 Series Inserts on page 251.
Order Ferrule **K000-06**.
K000 Series Ferrules are used on SURVIVOR/1 hose; see table on previous page.
Dash Size -06 part of **K000-06** comes from 3/8" hose = $6/16" = -06$; or from the tables.
- (b) Complete Coupling Order **K040-0612**.
Simply replace the first character of the Insert part number with the first character of the Ferrule part number. (replace 6 with K) = **6040-0612 »» K040-0612**

6040-0612 Insert	plus K000-06 Ferrule equals	K040-0612 complete Coupling
		

* See page 342 for How To Order Ryco V000 Series Field Attachable Couplings for SURVIVOR/R5 and T5 Series Hose.

CUT-OFF ALLOWANCE (CA) DIMENSIONS FOR FIELD ATTACHABLES

Due to differences in Ferrule design, many Cut-Off Allowance (CA) dimensions vary between each Ferrule Series for the same matched Insert/Hose size.

The Cut-Off Allowance (CA) dimensions published in "6000 Series Field Attachable Inserts" section allow for the Ferrule being eased back 5/8 of a turn after the hose has bottomed in the ferrule, as per "Field Attachable Assembly Instructions" (ease back between 1/2 and 3/4 of a turn).

The Cut-Off Allowance (CA) values for 6000 Series Inserts, published in the tables on pages 220 to 278 are:
Up to and including -20 Size; the CA is for **L000** Series (the most popular series)

To determine the correct Cut-Off Allowance (CA) for other Ferrule Series, use the published figure from pages 220 to 278, and adjust by the CA Adjustment dimension listed in the table on the previous page.

- EXAMPLE:** Determine the Cut-Off Allowance (CA) for **K090-0808**.
From table on page 108, Cut-Off Allowance (CA) for **6090-0808** (L090-0808) is 42 mm.
From the table on the previous page, adjustment for **K000** Series in -08 size is "add 3 mm".
Cut-Off Allowance (CA) for K090-0808 = 42 mm + 3 mm = 45 mm.

If the hose assembly length is critical, when calculating the Cut Length of hose, you must also allow for an increase in length of hose when the coupling is attached, due to compression within the coupling; see page 468.


For further information about Hose Assemblies and Cut-Off Allowances (CA), refer to the 2025 Ryco Hydraulic Hose catalogue.

FIELD ATTACHABLE COUPLINGS

6000 SERIES FIELD ATTACHABLE FERRULES

K000


ONE WIRE BRAID
NON-SKIVE FERRULE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
K000-04	6	1/4			-04							3/4	19		
K000-06	10	3/8			-06							7/8	22		
K000-08	12	1/2			-08							1.1/16	27		
K000-10	16	5/8			-10							1.1/4	32		
K000-12	19	3/4			-12							1.3/8	35		
K000-16	25	1			-16							1.2/3			

L000

TWO WIRE BRAID
NON-SKIVE FERRULE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
L000-04	6	1/4			-04							3/4	19		
L000-06	10	3/8			-06							15/16	24		
L000-08	12	1/2			-08							1.1/8			
L000-10	16	5/8			-10							1.1/4	32		
L000-12	19	3/4			-12							1.3/8	35		
L000-16	25	1			-16							1.3/4			
L000-20	31	1.1/4			-20							2.1/4	57		

6000 SERIES FIELD ATTACHABLE FERRULES

M000


TWO TEXTILE BRAID
FERRULE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
M000-04	6	1/4			-04							3/4	19		
M000-06	10	3/8			-06							15/16	24		
M000-08	12	1/2			-08							1.1/8			
M000-12	19	3/4			-12							1.3/8	35		
M000-16	25	1			-16							1.3/4			

P000


GREASELINE
FERRULE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
P000-02	4	1/8			-02							12			

V000

R5 FERRULE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
V000-04	6	1/4			-04							5/8	16		
V000-05	8	5/16			-05							3/4	19		
V000-06	10	3/8			-06							13/16			
V000-08	12	1/2			-08							15/16	24		
V000-10	16	5/8			-10							1.1/8			
V000-12	19	3/4			-12							1.1/4	32		
V000-16	25	1			-16							1.1/2	38		
V000-20	31	1.1/4			-20							1.43/50			
V000-24	38	1.1/2			-24							2	50		
V000-32	51	2			-32							2.5/8			


FIELD ATTACHABLE COUPLINGS

6000 SERIES FIELD ATTACHABLE INSERTS

BSPT

6010

BSPT MALE
60° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6010-0202	4	1/8	1/8" -28		-0202	1.65	42	1.02	26					7/16	11
6010-0402	6	1/4	1/8" -28		-0402	2.24	57	1.22	31					5/8	16
6010-0404	6	1/4	1/4" -19		-0404	2.44	62	1.38	35					5/8	16
6010-0406	6	1/4	3/8" -19		-0406	2.44	62	1.38	35					11/16	
6010-0504	8	5/16	1/4" -19		-0504	2.36	60	1.30	33					5/8	16
6010-0506	8	5/16	3/8" -19		-0506	2.36	60	1.30	33					11/16	
6010-0602	10	3/8	1/8" -28		-0602	2.40	61	1.10	28					11/16	
6010-0604	10	3/8	1/4" -19		-0604	2.60	66	1.26	32					11/16	
6010-0606	10	3/8	3/8" -19		-0606	2.60	66	1.26	32					11/16	
6010-0608	10	3/8	1/2" -14		-0608	2.83	72	1.50	38					7/8	22
6010-0804	12	1/2	1/4" -19		-0804	2.76	70	1.46	37					13/16	
6010-0806	12	1/2	3/8" -19		-0806	2.76	70	1.46	37					13/16	
6010-0808	12	1/2	1/2" -14		-0808	2.91	74	1.65	42					7/8	22
6010-1008	16	5/8	1/2" -14		-1008	3.19	81	1.77	45					1.1/8	
6010-1010	16	5/8	5/8" -14		-1010	3.19	81	1.77	45					1.1/8	
6010-1012	16	5/8	3/4" -14		-1012	3.19	81	1.77	45					1.1/8	
6010-1212	19	3/4	3/4" -14		-1212	3.15	80	1.65	42					1.1/16	27
6010-1216	19	3/4	1" -11		-1216	3.46	88	1.97	50					1.3/8	35
6010-1616	25	1	1" -11		-1616	3.66	93	2.17	55					1.3/8	35
6010-1820	28	1.1/8	1.1/4" -11		-1820	3.54	90	2.28	58					1.43/50	
6010-2020	31	1.1/4	1.1/4" -11		-2020	4.49	114	2.36	60					1.43/50	
6010-2424	38	1.1/2	1.1/2" -11		-2424	4.72	120	2.24	57					2.1/4	57
6010-3232	51	2	2" -11		-3232	5.39	137	2.60	66					2.1/2	

6000 SERIES FIELD ATTACHABLE INSERTS

BSPP

6020

BSPP FEMALE
60° CONE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6020-0202	4	1/8	1/8" -28		-0202	1.61	41	1.02	26				14	7/16	11
6020-0302	5	3/16	1/8" -28		-0302	1.81	46	0.98	25				14	5/8	16
6020-0402	6	1/4	1/8" -28		-0402	2.24	57	1.22	31				14	5/8	16
6020-0404	6	1/4	1/4" -19		-0404	2.28	58	1.22	31			3/4	19	11/16	
6020-0406	6	1/4	3/8" -19		-0406	2.36	60	1.30	33			7/8	22	11/16	
6020-0504	8	5/16	1/4" -19		-0504	2.20	56	1.14	29			3/4	19	5/8	16
6020-0506	8	5/16	3/8" -19		-0506	2.36	60	1.30	33			3/4	19	11/16	
6020-0604	10	3/8	1/4" -19		-0604	2.40	61	1.10	28			3/4	19	11/16	
6020-0606	10	3/8	3/8" -19		-0606	2.56	65	1.22	31			7/8	22	13/16	
6020-0608	10	3/8	1/2" -14		-0608	2.60	66	1.30	33			1.1/16	27	7/8	22
6020-0806	12	1/2	3/8" -19		-0806	2.64	67	1.34	34			7/8	22	13/16	
6020-0808	12	1/2	1/2" -14		-0808	2.72	69	1.42	36			1.1/16	27	1	
6020-0812	12	1/2	3/4" -14		-0812	2.72	69	1.42	36			1.1/4	32	1	
6020-1010	16	5/8	5/8" -14		-1010	2.91	74	1.50	38			1.3/16	30	1.1/8	
6020-1012	16	5/8	3/4" -14		-1012	2.99	76	1.57	40			1.1/4	32	1.1/8	
6020-1212	19	3/4	3/4" -14		-1212	2.99	76	1.50	38			1.1/4	32	1.1/4	32
6020-1216	19	3/4	1" -11		-1216	3.11	79	1.65	42			1.1/2	38	1.1/2	38
6020-1416	22	7/8	1" -11		-1416	2.64	67	1.57	40			1.1/2	38	1.1/2	38
6020-1616	25	1	1" -11		-1616	3.35	85	1.81	46			1.1/2	38	1.1/2	38
6020-1820	28	1.1/8	1.1/4" -11		-1820	3.31	84	2.01	51			2	50	1.43/50	
6020-2020	31	1.1/4	1.1/4" -11		-2020	4.21	107	2.13	54			2	50	1.43/50	
6020-2424	38	1.1/2	1.1/2" -11		-2424	4.49	114	2.01	51			2.3/16	55	2.1/4	57
6020-3232	51	2	2" -11		-3232	5.24	133	2.44	62			2.3/4	70	2.3/4	70

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


FIELD ATTACHABLE COUPLINGS

6000 SERIES FIELD ATTACHABLE INSERTS

BSPT

6320

BSPT MALE SWIVEL
160° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6320-0202	4	1/8	1/8" -28		-0202	1.81	46	1.18	30			1/2		1/2	
6320-0606	10	3/8	3/8" -19		-0606	3.35	85	2.01	51			7/8	22	7/8	22
6320-0608	10	3/8	1/2" -14		-0608	3.50	89	2.20	56			1		7/8	22
6320-0808	12	1/2	1/2" -14		-0808	3.62	92	2.32	59			1		7/8	22
6320-1212	19	3/4	3/4" -14		-1212	3.82	97	2.32	59			1.1/4	32	1.1/8	

BSPT

6340

BSPT MALE SWIVEL
90° ELBOW
60° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6340-0606	10	3/8	3/8" -19		-0606	2.28	58	0.98	25	1.77	45	7/8	22	3/4	19
6340-0608	10	3/8	1/2" -14		-0608	2.28	58	0.98	25	1.97	50	1		3/4	19
6340-0808	12	1/2	1/2" -14		-0808	2.56	65	1.26	32	2.05	52	1		7/8	22

BSPP

6024

BSPP FEMALE
FLAT FACE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6024-0404	6	1/4	1/4" -19		-0404	2.20	56	1.14	29			3/4	19	11/16	
6024-0606	10	3/8	3/8" -19		-0606	2.44	62	1.14	29			7/8	22	13/16	
6024-0608	10	3/8	1/2" -14		-0608	2.44	62	1.14	29			1.1/16	27	7/8	22
6024-0808	12	1/2	1/2" -14		-0808	2.56	65	1.26	32			1.1/16	27	1	
6024-0812	12	1/2	3/4" -14		-0812	2.64	67	1.34	34			1.1/4	32	1	
6024-1212	19	3/4	3/4" -14		-1212	2.87	73	1.42	36			1.1/4	32	1.1/4	32

6000 SERIES FIELD ATTACHABLE INSERTS

BSPP

6052

BSPP FEMALE FLAT FACE
90° ELBOW




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS					SPANNER				
						L		C _A		D _L		H _F		H _M		
	DN	inch	inch	inch		inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	
6052-0608		10	3/8	1/2" -14		-0608	2.32	59	1.02	26	0.94	24	1.1/16	27	7/8	22

BSPP

6060

BSPP FEMALE
60° CONE
45° ELBOW



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch	inch		inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6060-0404	6	1/4	1/4" -19		-0404	2.68	68	1.61	41	0.59	15	3/4	19	9/16	
6060-0606	10	3/8	3/8" -19		-0606	2.95	75	1.65	42	0.67	17	7/8	22	3/4	19
6060-0808	12	1/2	1/2" -14		-0808	3.27	83	1.97	50	0.71	18	1.1/16	27	7/8	22
6060-1010	16	5/8	5/8" -14		-1010	3.39	86	1.97	50	0.67	17	1.3/16	30	1.1/16	27
6060-1212	19	3/4	3/4" -14		-1212	3.43	87	1.97	50	0.79	20	1.1/4	32	1.1/16	27
6060-1616	25	1	1" -11		-1616	3.90	99	2.36	60	0.83	21	1.1/2	38	1.5/16	
6060-2020	31	1.1/4	1.1/4" -11		-2020	4.69	119	2.56	65	0.98	25	2	50	1.7/8	

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


FIELD ATTACHABLE COUPLINGS

6000 SERIES FIELD ATTACHABLE INSERTS

BSPP

6050

BSPP FEMALE
60° CONE
90° ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6050-0404	6	1/4	1/4" -19		-0404	2.09	53	1.02	26	0.94	24	3/4	19	9/16	
6050-0406	6	1/4	3/8" -19		-0406	2.13	54	1.06	27	1.10	28	7/8	22	3/4	19
6050-0606	10	3/8	3/8" -19		-0606	2.28	58	0.98	25	1.10	28	7/8	22	3/4	19
6050-0608	10	3/8	1/2" -14		-0608	2.32	59	1.02	26	1.22	31	1.1/16	27	7/8	22
6050-0808	12	1/2	1/2" -14		-0808	2.56	65	1.26	32	1.22	31	1.1/16	27	7/8	22
6050-1010	16	5/8	5/8" -14		-1010	2.80	71	1.34	34	1.18	30	1.3/16	30	1.1/16	27
6050-1212	19	3/4	3/4" -14		-1212	2.72	69	1.26	32	1.38	35	1.1/4	32	1.1/16	27
6050-1616	25	1	1" -11		-1616	3.15	80	1.61	41	1.57	40	1.1/2	38	1.5/16	
6050-2020	31	1.1/4	1.1/4" -11		-2020	4.49	114	2.36	60	1.85	47	2	50	1.5/8	41
6050-2424	38	1.1/2	1.1/2" -11		-2424	4.65	118	2.17	55	2.36	60	2.3/16	55	2.1/2	
6050-3232	51	2	2" -11		-3232	5.00	127	2.20	56	2.44	62	2.3/4	70	2.1/2	

BSPP

6270

BSPP FEMALE
45° TUBE BEND
60° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6270-0404	6	1/4	1/4" -19		-0404	2.87	73	1.85	47	0.67	17	3/4	19	5/8	16
6270-0506	8	5/16	3/8" -19		-0506	3.19	81	2.09	53	0.75	19	7/8	22	5/8	16
6270-0606	10	3/8	3/8" -19		-0606	3.35	85	2.05	52	0.71	18	7/8	22	11/16	
6270-0808	12	1/2	1/2" -14		-0808	3.74	95	2.44	62	0.87	22	1.1/16	27	13/16	
6270-1010	16	5/8	5/8" -14		-1010	4.13	105	2.72	69	0.91	23	1.3/16	30	1	
6270-1212	19	3/4	3/4" -14		-1212	4.69	119	3.23	82	1.14	29	1.1/4	32	1.1/16	27
6270-1616	25	1	1" -11		-1616	5.79	147	4.25	108	1.54	39	1.1/2	38	1.3/8	35
6270-2020	31	1.1/4	1.1/4" -11		-2020	6.93	176	4.80	122	1.73	44	2	50	1.3/4	
6270-2224	35	1.3/8	1.1/2" -11		-2224	6.46	164	5.16	131	2.05	52	2.3/16	55	2	50
6270-3232	51	2	2" -11		-3232	9.29	236	6.50	165	2.56	65	2.3/4	70	2.1/2	

6000 SERIES FIELD ATTACHABLE INSERTS

BSPP

6260

BSPP FEMALE
60° CONE
90° TUBE BEND




PART NO.	HOSE SIZE	THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER				
	DN	inch	inch	inch		L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6260-0404	6	1/4	1/4" -19		-0404	2.60	66	1.54	39	1.14	29	3/4	19	5/8	16
6260-0506	8	5/16	3/8" -19		-0506	2.80	71	1.73	44	1.34	34	7/8	22	5/8	16
6260-0606	10	3/8	3/8" -19		-0606	3.03	77	1.73	44	1.30	33	7/8	22	11/16	
6260-0608	10	3/8	1/2" -14		-0608	3.03	77	1.73	44	1.30	33	1.1/16	27	3/4	19
6260-0808	12	1/2	1/2" -14		-0808	3.39	86	2.09	53	1.69	43	1.1/16	27	13/16	
6260-0810	12	1/2	5/8" -14		-0810	3.43	87	2.13	54	1.89	48	1.3/16	30	13/16	
6260-1010	16	5/8	5/8" -14		-1010	3.90	99	2.48	63	2.01	51	1.3/16	30	1	
6260-1212	19	3/4	3/4" -14		-1212	4.13	105	2.68	68	2.28	58	1.1/4	32	1.1/16	27
6260-1616	25	1	1" -11		-1616	4.80	122	3.27	83	2.87	73	1.1/2	38	1.3/8	35
6260-2020	31	1.1/4	1.1/4" -11		-2020	6.30	160	4.17	106	3.46	88	2	50	1.3/4	
6260-2224	35	1.3/8	1.1/2" -11		-2224	5.75	146	4.45	113	4.17	106	2.3/16	55	2	50
6260-3232	51	2	2" -11		-3232	8.74	222	5.98	152	5.20	132	2.3/4	70	2.1/2	

BSPP

6210

BSPP FEMALE
60° CONE
90° LONG TUBE BEND



PART NO.	HOSE SIZE	THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER				
	DN	inch	inch	inch		L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6210-0404	6	1/4	1/4" -19		-0404	2.60	66	1.54	39	1.85	47	3/4	19	5/8	16
6210-0606	10	3/8	3/8" -19		-0606	2.99	76	1.69	43	2.17	55	3/4	19	11/16	
6210-0808	12	1/2	1/2" -14		-0808	3.35	85	2.05	52	2.76	70	1.1/16	27	13/16	
6210-1010	16	5/8	5/8" -14		-1010	3.78	96	2.36	60	3.19	81	1.3/16	30	1	
6210-1212	19	3/4	3/4" -14		-1212	4.13	105	2.68	68	3.78	96	1.1/4	32	1.1/16	27
6210-1616	25	1	1" -11		-1616	4.80	122	3.27	83	4.29	109	1.1/2	38	1.3/8	35
6210-2020	31	1.1/4	1.1/4" -11		-2020	6.30	160	4.17	106	5.59	142	2	50	1.3/4	


FIELD ATTACHABLE COUPLINGS

6000 SERIES FIELD ATTACHABLE INSERTS

NPTF

6090

**NPTF MALE
60° SEAT**




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch	inch		inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6090-0202	4	1/8	1/8" -27		-0202	1.65	42	1.02	26					5/8	16
6090-0302	5	3/16	1/8" -27		-0302	1.81	46	0.98	25					7/16	11
6090-0304	5	3/16	1/4" -18		-0304	1.97	50	1.18	30					5/8	16
6090-0402	6	1/4	1/8" -27		-0402	2.24	57	1.22	31					7/16	11
6090-0404	6	1/4	1/4" -18		-0404	2.44	62	1.38	35					5/8	16
6090-0406	6	1/4	3/8" -18		-0406	2.44	62	1.38	35					11/16	
6090-0504	8	5/16	1/4" -18		-0504	2.36	60	1.30	33					5/8	16
6090-0506	8	5/16	3/8" -18		-0506	2.44	62	1.38	35					11/16	
6090-0604	10	3/8	1/4" -18		-0604	2.60	66	1.26	32					11/16	
6090-0606	10	3/8	3/8" -18		-0606	2.60	66	1.26	32					11/16	
6090-0608	10	3/8	1/2" -14		-0608	2.83	72	1.50	38					7/8	22
6090-0806	12	1/2	3/8" -18		-0806	2.76	70	1.46	37					7/8	22
6090-0808	12	1/2	1/2" -14		-0808	2.91	74	1.65	42					7/8	22
6090-1008	16	5/8	1/2" -14		-1008	3.19	81	1.77	45					1.1/8	
6090-1012	16	5/8	3/4" -14		-1012	3.19	81	1.77	45					1.1/8	
6090-1208	19	3/4	1/2" -14		-1208	3.15	80	1.65	42					1.1/8	
6090-1212	19	3/4	3/4" -14		-1212	3.15	80	1.65	42					1.1/16	27
6090-1416	22	7/8	1" -11,5		-1416	2.99	76	1.89	48					1.3/8	35
6090-1616	25	1	1" -11,5		-1616	3.66	93	2.17	55					1.3/8	35
6090-1820	28	1.1/8	1.1/4" -11,5		-1820	3.54	90	2.28	58					1.43/50	
6090-2020	31	1.1/4	1.1/4" -11,5		-2020	4.49	114	2.36	60					1.43/50	
6090-2224	35	1.3/8	1.1/2" -11,5		-2224	3.35	85	2.01	51					2	50
6090-2424	38	1.1/2	1.1/2" -11,5		-2424	4.72	120	2.24	57					2.1/4	57
6090-3232	51	2	2" -11,5		-3232	5.39	137	2.60	66					2.1/2	

NPTF

6091

**NPTF MALE EXTENDED
60° SEAT**




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch	inch		inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6091-0406	6	1/4	3/8" -18		-0406	2.76	70	1.69	43					3/4	19
6091-0606	10	3/8	3/8" -18		-0606	2.58	66	1.57	40						

6000 SERIES FIELD ATTACHABLE INSERTS

NPSM

6960B

NPSM FEMALE
LIVE SWIVEL
60° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch	inch		inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6960B-0404	6	1/4	1/4" -18	1/4	-0404	2.48	63	1.42	36			11/16		11/16	
6960B-0604	10	3/8	1/4" -18	1/4	-0604	2.60	66	1.30	33			11/16		11/16	

GREASELINE NPTF

6320N

NPTF MALE SWIVEL
60° SEAT

FOR TPGL HOSE



PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M		
	DN	inch	inch	inch		inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	
6320N-0202		4	1/8	1/8" -27		-0202	1.81	46	1.18	30			1/2		1/2	

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS


HYDRAULIC FITTINGS
ACCESSORIES

FIELD ATTACHABLE COUPLINGS

6000 SERIES FIELD ATTACHABLE INSERTS

JIC - MALE

6030




JIC
37° CONE MALE

PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6030-0207	4	1/8	7/16" -20		-0207	1.89	48	1.26	32					1/2	
6030-0307	5	3/16	7/16" -20		-0307	1.97	50	1.14	29					5/8	16
6030-0407	6	1/4	7/16" -20		-0407	2.40	61	1.38	35					5/8	16
6030-0408	6	1/4	1/2" -20		-0408	2.40	61	1.38	35					5/8	16
6030-0409	6	1/4	9/16" -18		-0409	2.44	62	1.38	35					5/8	16
6030-0412	6	1/4	3/4" -16		-0412	2.60	66	1.54	39					13/16	
6030-0609	10	3/8	9/16" -18		-0609	2.56	65	1.26	32					11/16	
6030-0612	10	3/8	3/4" -16		-0612	2.72	69	1.42	36					13/16	
6030-0614	10	3/8	7/8" -14		-0614	2.83	72	1.50	38					1	
6030-0812	12	1/2	3/4" -16		-0812	2.83	72	1.54	39					13/16	
6030-0814	12	1/2	7/8" -14		-0814	2.91	74	1.61	41					15/16	24
6030-0817	12	1/2	1.1/16" -12		-0817	3.07	78	1.81	46					1.1/8	
6030-1014	16	5/8	7/8" -14		-1014	3.19	81	1.77	45					1.1/8	
6030-1017	16	5/8	1.1/16" -12		-1017	3.31	84	1.89	48					1.1/8	
6030-1217	19	3/4	1.1/16" -12		-1217	3.31	84	1.81	46					1.1/8	
6030-1219	19	3/4	1.3/16" -12		-1219	3.31	84	1.85	47					1.1/4	32
6030-1221	19	3/4	1.5/16" -12		-1221	3.43	87	1.93	49					1.3/8	35
6030-1617	25	1	1.1/16" -12		-1617	3.58	91	2.05	52					1.3/8	35
6030-1621	25	1	1.5/16" -12		-1621	3.62	92	2.09	53					1.3/8	35
6030-2026	31	1.1/4	1.5/8" -12		-2026	4.49	114	2.36	60					1.43/50	

6000 SERIES FIELD ATTACHABLE INSERTS

JSEAL™ / JIC

6040



JSEAL™ / JIC FEMALE
CONVEX SEAT

PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6040-0207	4	1/8	7/16" -20		-0207	1.57	40	0.94	24			9/16		7/16	11
6040-0307	5	3/16	7/16" -20		-0307	1.73	44	0.91	23			9/16		9/16	
6040-0406	6	1/4	3/8" -24		-0406	2.28	58	1.26	32			1/2		1/2	
6040-0407	6	1/4	7/16" -20		-0407	2.17	55	1.14	29			9/16		5/8	16
6040-0408	6	1/4	1/2" -20		-0408	2.20	56	1.14	29			5/8	16	5/8	16
6040-0409	6	1/4	9/16" -18		-0409	2.20	56	1.14	29			11/16		11/16	
6040-0412	6	1/4	3/4" -16		-0412	2.24	57	1.22	31			7/8	22	3/4	19
6040-0509	8	5/16	9/16" -18		-0509	2.13	54	1.06	27			11/16		11/16	
6040-0607	10	3/8	7/16" -20		-0607	2.32	59	1.02	26			9/16		11/16	
6040-0608	10	3/8	1/2" -20		-0608	2.32	59	1.02	26			5/8	16	11/16	
6040-0609	10	3/8	9/16" -18		-0609	2.17	55	0.87	22			11/16		11/16	
6040-0612	10	3/8	3/4" -16		-0612	2.44	62	1.14	29			7/8	22	7/8	22
6040-0614	10	3/8	7/8" -14		-0614	2.60	66	1.30	33			1		1	
6040-0809	12	1/2	9/16" -18		-0809	2.52	64	1.22	31			11/16		13/16	
6040-0812	12	1/2	3/4" -16		-0812	2.56	65	1.26	32			7/8	22	7/8	22
6040-0814	12	1/2	7/8" -14		-0814	2.80	71	1.54	39			1		1	
6040-0817	12	1/2	1.1/16" -12		-0817	2.80	71	1.50	38			1.1/4	32	1.1/8	
6040-1014	16	5/8	7/8" -14		-1014	2.91	74	1.50	38			1		1	
6040-1017	16	5/8	1.1/16" -12		-1017	2.99	76	1.57	40			1.1/4	32	1.1/4	32
6040-1214	19	3/4	7/8" -14		-1214	2.95	75	1.50	38			1		1.1/16	27
6040-1217	19	3/4	1.1/16" -12		-1217	2.99	76	1.54	39			1.1/4	32	1.1/4	32
6040-1219	19	3/4	1.3/16" -12		-1219	2.99	76	1.50	38			1.3/8	35	1.3/8	35
6040-1221	19	3/4	1.5/16" -12		-1221	3.11	79	1.65	42			1.1/2	38	1.1/2	38
6040-1421	22	7/8	1.5/16" -12		-1421	2.64	67	1.57	40			1.1/2	38	1.1/2	38
6040-1617	25	1	1.1/16" -12		-1617	3.31	84	1.77	45			1.1/4	32	1.3/8	35
6040-1621	25	1	1.5/16" -12		-1621	3.35	85	1.81	46			1.1/2	38	1.1/2	38
6040-1626	25	1	1.5/8" -12		-1626	3.39	86	1.85	47			2	50	1.5/8	41
6040-1826	28	1.1/8	1.5/8" -12		-1826	3.39	86	2.13	54			2	50	1.43/50	
6040-2026	31	1.1/4	1.5/8" -12		-2026	4.17	106	2.05	52			2	50	1.43/50	
6040-2230	35	1.3/8	1.7/8" -12		-2230	3.07	78	1.77	45			2.1/4	57	2	50
6040-2430	38	1.1/2	1.7/8" -12		-2430	4.45	113	2.01	51			2.1/4	57	2.1/4	57
6040-2940	46	1.13/16	2.1/2" -12		-2940	3.90	99	2.13	54			2.7/8	73	2.3/4	70
6040-3240	51	2	2.1/2" -12		-3240	5.24	133	2.44	62			2.7/8	73	2.3/4	70

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS


HYDRAULIC FITTINGS
ACCESSORIES

FIELD ATTACHABLE COUPLINGS

6000 SERIES FIELD ATTACHABLE INSERTS

GREASE LINE	6861
-------------	------


GREASE LINE FIXED FEMALE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch	inch		inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6861-0408	6	1/4		5/16	-0408	2.32	59	1.26	32					11/16	
6861-0608	10	3/8		5/16	-0608	2.44	62	1.14	29					3/4	19

GREASE LINE	6860
-------------	------

GREASE LINE MALE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch	inch		inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6860-0408	6	1/4		5/16	-0408	2.44	62	1.38	35					11/16	

6000 SERIES FIELD ATTACHABLE INSERTS

JSEAL™ / JIC

6080

JSEAL™ / JIC FEMALE
CONVEX SEAT
45° ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6080-0407	6	1/4	7/16" -20		-0407	2.52	64	1.46	37	0.43	11	9/16		9/16	
6080-0408	6	1/4	1/2" - 20		-0408	2.52	64	1.50	38	0.43	11	5/8	16	9/16	
6080-0409	6	1/4	9/16" -18		-0409	2.60	66	1.57	40	0.51	13	11/16		9/16	
6080-0609	10	3/8	9/16" -18		-0609	2.80	71	1.50	38	0.51	13	11/16		3/4	19
6080-0612	10	3/8	3/4" -16		-0612	2.87	73	1.57	40	0.59	15	7/8	22	3/4	19
6080-0812	12	1/2	3/4" -16		-0812	3.15	80	1.89	48	0.59	15	7/8	22	7/8	22
6080-0814	12	1/2	7/8" -14		-0814	3.23	82	1.93	49	0.67	17	1		7/8	22
6080-0817	12	1/2	1.1/16" -12		-0817	3.23	82	1.93	49	0.67	17	1.1/4	32	1.1/16	27
6080-1014	16	5/8	7/8" -14		-1014	3.35	85	1.93	49	0.63	16	1			
6080-1017	16	5/8	1.1/16" -12		-1017	3.35	85	1.93	49	0.67	17	1.1/4	32	1.1/16	27
6080-1217	19	3/4	1.1/16" -12		-1217	3.31	84	1.85	47	0.67	17	1.1/4	32	1.1/16	27
6080-1621	25	1	1.5/16" -12		-1621	3.90	99	2.36	60	0.83	21	1.1/2	38	1.5/16	
6080-2026	31	1.1/4	1.5/8" -12		-2026	4.72	120	2.60	66	0.98	25	2	50	1.5/8	41

JSEAL™ / JIC

6070

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° ELBOW



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6070-0407	6	1/4	7/16" -20		-0407	2.09	53	1.02	26	0.71	18	9/16		9/16	
6070-0408	6	1/4	1/2" - 20		-0408	2.09	53	1.02	26	0.67	17	5/8	16	9/16	
6070-0409	6	1/4	9/16" -18		-0409	2.09	53	1.02	26	0.87	22	11/16		9/16	
6070-0607	10	3/8	7/16" -20		-0607	2.28	58	0.98	25	0.91	23	9/16		3/4	19
6070-0609	10	3/8	9/16" -18		-0609	2.28	58	0.98	25	0.91	23	11/16		3/4	19
6070-0612	10	3/8	3/4" -16		-0612	2.28	58	0.98	25	0.94	24	7/8	22	3/4	19
6070-0812	12	1/2	3/4" -16		-0812	2.56	65	1.26	32	1.06	27	7/8	22	7/8	22
6070-0814	12	1/2	7/8" -14		-0814	2.56	65	1.26	32	1.10	28	1		7/8	22
6070-0817	12	1/2	1.1/16" -12		-0817	2.56	65	1.26	32	1.22	31	1.1/4	32	1.1/16	27
6070-1014	16	5/8	7/8" -14		-1014	2.80	71	1.34	34	1.26	32	1		1.1/16	27
6070-1017	16	5/8	1.1/16" -12		-1017	2.72	69	1.30	33	1.26	32	1.1/4	32	1.1/16	27
6070-1217	19	3/4	1.1/16" -12		-1217	2.72	69	1.26	32	1.26	32	1.1/4	32	1.1/16	27
6070-1219	19	3/4	1.3/16" -12		-1219	2.91	74	1.46	37	1.38	35	1.3/8	35	1.5/16	
6070-1621	25	1	1.5/16" -12		-1621	3.15	80	1.61	41	1.50	38	1.1/2	38	1.5/16	
6070-2026	31	1.1/4	1.5/8" -12		-2026	4.49	114	2.36	60	1.85	47	2	50	1.5/8	41


FIELD ATTACHABLE COUPLINGS

6000 SERIES FIELD ATTACHABLE INSERTS

JSEAL™ / JIC

6250

JSEAL™ / JIC FEMALE
CONVEX SEAT
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6250-0307	5	3/16	7/16" -20		-0307	2.44	62	1.61	41	0.59	15	9/16		5/8	16
6250-0407	6	1/4	7/16" -20		-0407	2.83	72	1.77	45	0.59	15	9/16		5/8	16
6250-0408	6	1/4	1/2" - 20		-0408	2.83	72	1.77	45	0.59	15	5/8	16	5/8	16
6250-0409	6	1/4	9/16" -18		-0409	2.83	72	1.77	45	0.59	15	11/16		5/8	16
6250-0509	8	5/16	9/16" -18		-0509	2.95	75	1.85	47	0.55	14	11/16		5/8	16
6250-0609	10	3/8	9/16" -18		-0609	3.15	80	1.85	47	0.55	14	11/16		11/16	
6250-0612	10	3/8	3/4" -16		-0612	3.19	81	1.89	48	0.67	17	7/8	22	11/16	
6250-0812	12	1/2	3/4" -16		-0812	3.62	92	2.32	59	0.83	21	7/8	22	13/16	
6250-0814	12	1/2	7/8" -14		-0814	3.70	94	2.40	61	0.87	22	1		13/16	
6250-1014	16	5/8	7/8" -14		-1014	4.09	104	2.68	68	0.94	24	1		1	
6250-1017	16	5/8	1.1/16" -12		-1017	4.09	104	2.68	68	0.94	24	1.1/4	32	1	
6250-1217	19	3/4	1.1/16" -12		-1217	4.72	120	3.27	83	1.10	28	1.1/4	32	1.1/16	27
6250-1219	19	3/4	1.3/16" -12		-1219	4.49	114	2.99	76	0.94	24	1.3/8	35		
6250-1221	19	3/4	1.5/16" -12		-1221	4.76	121	3.31	84	1.26	32	1.1/2	38	1.1/4	32
6250-1421	22	7/8	1.5/16" -12		-1421	4.76	121	3.70	94	1.38	35	1.1/2	38	1.3/8	35
6250-1621	25	1	1.5/16" -12		-1621	5.47	139	3.94	100	1.38	35	1.1/2	38	1.3/8	35
6250-2026	31	1.1/4	1.5/8" -12		-2026	6.81	173	4.69	119	1.54	39	2	50	1.3/4	
6250-2230	35	1.3/8	1.7/8" -12		-2230	6.46	164	5.16	131	1.97	50	2.1/4	57	2	50

6000 SERIES FIELD ATTACHABLE INSERTS

JSEAL™ / JIC

6240

JSEAL™ / JIC FEMALE
CONVEX SEAT
90° TUBE BEND



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6240-0307	5	3/16	7/16" -20		-0307	2.09	53	1.30	33	1.26	32	9/16		5/8	16
6240-0407	6	1/4	7/16" -20		-0407	2.56	65	1.50	38	1.06	27	9/16		5/8	16
6240-0408	6	1/4	1/2" - 20		-0408	2.60	66	1.54	39	1.14	29	5/8	16	5/8	16
6240-0409	6	1/4	9/16" -18		-0409	2.48	63	1.42	36	1.14	29	11/16		5/8	16
6240-0509	8	5/16	9/16" -18		-0509	2.83	72	1.77	45	1.18	30	11/16		5/8	16
6240-0609	10	3/8	9/16" -18		-0609	3.03	77	1.73	44	0.98	25	11/16		11/16	
6240-0612	10	3/8	3/4" -16		-0612	3.03	77	1.73	44	1.18	30	7/8	22	11/16	
6240-0812	12	1/2	3/4" -16		-0812	3.43	87	2.13	54	1.50	38	7/8	22	13/16	
6240-0814	12	1/2	7/8" -14		-0814	3.43	87	2.13	54	1.85	47	1		13/16	
6240-1014	16	5/8	7/8" -14		-1014	3.78	96	2.36	60	1.89	48	1		1	
6240-1017	16	5/8	1.1/16" -12		-1017	3.86	98	2.44	62	1.93	49	1.1/4	32	1	
6240-1217	19	3/4	1.1/16" -12		-1217	3.98	101	2.52	64	2.24	57	1.1/4	32	1.1/16	27
6240-1221	19	3/4	1.5/16" -12		-1221	4.21	107	2.76	70	2.80	71	1.1/2	38	1.1/4	32
6240-1421	22	7/8	1.5/16" -12		-1421	4.09	104	3.03	77	2.83	72	1.1/2	38	1.3/8	35
6240-1617	25	1	1.1/16" -12		-1617	4.57	116	3.03	77	2.28	58	1.1/4	32	1.3/8	35
6240-1621	25	1	1.5/16" -12		-1621	4.84	123	3.31	84	2.83	72	1.1/2	38	1.3/8	35
6240-1826	28	1.1/8	1.5/8" -12		-1826	5.31	135	4.06	103	3.19	81	2	50	1.3/4	
6240-2026	31	1.1/4	1.5/8" -12		-2026	6.34	161	4.21	107	3.23	82	2	50	1.3/4	
6240-2230	35	1.3/8	1.7/8" -12		-2230	5.75	146	4.45	113	4.09	104	2.1/4	57	2	50

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES


FIELD ATTACHABLE COUPLINGS

6000 SERIES FIELD ATTACHABLE INSERTS

JIC

6280

JSEAL™ / JIC FEMALE
90° LONG TUBE BEND
CONVEX SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6280-0407	6	1/4	7/16" -20		-0407	2.76	70	1.69	43	1.85	47	9/16		5/8	16
6280-0408	6	1/4	1/2" - 20		-0408	2.60	66	1.54	39	1.85	47	5/8	16	5/8	16
6280-0409	6	1/4	9/16" -18		-0409	2.60	66	1.54	39	2.13	54	11/16		5/8	16
6280-0509	8	5/16	9/16" -18		-0509	2.95	75	1.89	48	2.17	55	11/16		5/8	16
6280-0609	10	3/8	9/16" -18		-0609	2.91	74	1.61	41	2.17	55	11/16		11/16	
6280-0612	10	3/8	3/4" -16		-0612	3.03	77	1.73	44	2.52	64	7/8	22	11/16	
6280-0812	12	1/2	3/4" -16		-0812	3.39	86	2.09	53	2.36	60	7/8	22	13/16	
6280-0814	12	1/2	7/8" -14		-0814	3.39	86	2.09	53	2.76	70	1		13/16	
6280-1014	16	5/8	7/8" -14		-1014	3.86	98	2.44	62	2.76	70	1		1	
6280-1017	16	5/8	1.1/16" -12		-1017	3.86	98	2.44	62	3.78	96	1.1/4	32	1	
6280-1217	19	3/4	1.1/16" -12		-1217	4.13	105	2.68	68	3.78	96	1.1/4	32	1.1/16	27
6280-1621	25	1	1.5/16" -12		-1621	5.12	130	3.58	91	4.49	114	1.1/2	38	1.3/8	35
6280-2026	31	1.1/4	1.5/8" -12		-2026	6.26	159	4.13	105	5.08	129	2	50	1.3/4	
6280-2430	38	1.1/2	1.7/8" -12		-2430	7.24	184	4.76	121	5.55	141	2.1/4	57	2.1/4	57

JIS - METRIC

6680

METRIC FEMALE
60° CONCAVE SEAT (JIS)



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	mm	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6680-0618	10	3/8	M 18X1,5		-0618	2.40	61	1.06	27			7/8	22	3/4	19


6000 SERIES FIELD ATTACHABLE INSERTS

METRIC - DKL

6650

DKL MALE 24° SEAT

RYCO DKL FEMALE SWIVELS UP TO M26 SIZE HAVE MULTISEAL
DKL 24° AND DKM 60° CONE. M30 AND OVER HAVE DKL 24°
CONE ONLY.




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	mm	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6650-0412	6	1/4	M 12X1,5	6	-0412	2.24	57	1.22	31						17
6650-0414	6	1/4	M 14X1,5	8	-0414	2.24	57	1.22	31						17
6650-0616	10	3/8	M 16X1,5	10	-0616	2.44	62	1.10	28					3/4	19
6650-0618	10	3/8	M 18X1,5	12	-0618	2.44	62	1.10	28					3/4	19
6650-0818	12	1/2	M 18X1,5	12	-0818	2.60	66	1.30	33					7/8	22
6650-0822	12	1/2	M 22X1,5	15	-0822	2.64	67	1.34	34					15/16	24
6650-0826	12	1/2	M 26X1,5	18	-0826	2.64	67	1.34	34					1.1/16	27
6650-1026	16	5/8	M 26X1,5	18	-1026	2.83	72	1.42	36					1.1/16	27
6650-1230	19	3/4	M 30X2	22	-1230	2.99	76	1.50	38					1.1/4	32
6650-1636	25	1	M 36X2	28	-1636	3.19	81	1.69	43					1.5/8	41

METRIC - DKL

6600

DKL FEMALE 24°/60° CONE

RYCO DKL FEMALE SWIVELS UP TO M26 SIZE HAVE MULTISEAL
DKL 24° AND DKM 60° CONE. M30 AND OVER HAVE DKL 24°
CONE ONLY.



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	mm	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6600-0412	6	1/4	M 12X1,5	6	-0412	2.36	60	1.34	34			14			17
6600-0414	6	1/4	M 14X1,5	8	-0414	2.36	60	1.34	34			17			17
6600-0416	6	1/4	M 16X1,5	10	-0416	2.44	62	1.38	35			3/4	19		17
6600-0616	10	3/8	M 16X1,5	10	-0616	2.56	65	1.26	32			3/4	19	3/4	19
6600-0618	10	3/8	M 18X1,5	12	-0618	2.64	67	1.30	33			7/8	22	3/4	19
6600-0822	12	1/2	M 22X1,5	15	-0822	2.80	71	1.50	38			1.1/16	27	7/8	22
6600-0826	12	1/2	M 26X1,5	18	-0826	2.83	72	1.54	39			1.1/4	32	1.1/16	27
6600-1026	16	5/8	M 26X1,5	18	-1026	3.11	79	1.69	43			1.1/4	32	1.1/16	27
6600-1230	19	3/4	M 30X2	22	-1230	3.19	81	1.69	43			36		1.3/16	30
6600-1636	25	1	M 36X2	28	-1636	3.39	86	1.85	47			1.5/8	41		36

FIELD ATTACHABLE COUPLINGS


6000 SERIES FIELD ATTACHABLE INSERTS

METRIC - DKL

6660

DKL FEMALE
24° / 60° CONE
45° TUBE BEND

RYCO DKL FEMALE SWIVELS UP TO M26 SIZE HAVE MULTISEAL
DKL 24° AND DKM 60° CONE. M30 AND OVER HAVE DKL 24°
CONE ONLY.




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	mm	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6660-0412	6	1/4	M 12X1,5	6	-0412	2.95	75	1.93	49	0.71	18		14		17
6660-0414	6	1/4	M 14X1,5	8	-0414	2.95	75	1.89	48	0.67	17		17		17
6660-0616	10	3/8	M 16X1,5	10	-0616	3.43	87	2.09	53	0.79	20	3/4	19	3/4	19
6660-0618	10	3/8	M 18X1,5	12	-0618	3.43	87	2.09	53	0.79	20	7/8	22	3/4	19
6660-0822	12	1/2	M 22X1,5	15	-0822	3.86	98	2.56	65	0.87	22	1.1/16	27	7/8	22
6660-0826	12	1/2	M 26X1,5	18	-0826	3.94	100	2.64	67	0.91	23	1.1/4	32	1.1/16	27
6660-1026	16	5/8	M 26X1,5	18	-1026	4.25	108	2.83	72	1.10	28	1.1/4	32	1.1/16	27
6660-1230	19	3/4	M 30X2	22	-1230	4.80	122	3.35	85	1.18	30		36	1.3/16	30
6660-1636	25	1	M 36X2	28	-1636	5.47	139	3.94	100	1.50	38	1.5/8	41		36

METRIC - DKL

6670

DKL FEMALE
24° / 60° CONE
90° TUBE BEND

RYCO DKL FEMALE SWIVELS UP TO M26 SIZE HAVE MULTISEAL
DKL 24° AND DKM 60° CONE. M30 AND OVER HAVE DKL 24°
CONE ONLY.




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	mm	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6670-0412	6	1/4	M 12X1,5	6	-0412	2.60	66	1.54	39	1.22	31		14		17
6670-0414	6	1/4	M 14X1,5	8	-0414	2.60	66	1.54	39	1.22	31		17		17
6670-0616	10	3/8	M 16X1,5	10	-0616	3.03	77	1.73	44	1.38	35	3/4	19	3/4	19
6670-0618	10	3/8	M 18X1,5	12	-0618	3.03	77	1.73	44	1.38	35	7/8	22	3/4	19
6670-0822	12	1/2	M 22X1,5	15	-0822	3.43	87	2.13	54	1.73	44	1.1/16	27	7/8	22
6670-0826	12	1/2	M 26X1,5	18	-0826	3.50	89	2.20	56	2.09	53	1.1/4	32	1.1/16	27
6670-1026	16	5/8	M 26X1,5	18	-1026	3.86	98	2.44	62	2.09	53	1.1/4	32	1.1/16	27
6670-1230	19	3/4	M 30X2	22	-1230	4.25	108	2.80	71	2.52	64		36	1.3/16	30
6670-1636	25	1	M 36X2	28	-1636	4.88	124	3.35	85	2.83	72	1.5/8	41		36

6000 SERIES FIELD ATTACHABLE INSERTS

METRIC - DKS

6630

DKS MALE
24° SEAT




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS				SPANNER					
	DN	inch	mm	mm		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6630-0416	6	1/4	M 16X1,5	8	-0416	2.32	59	1.30	33						17
6630-0418	6	1/4	M 18X1,5	10	-0418	2.32	59	1.30	33					3/4	19
6630-0620	10	3/8	M 20X1,5	12	-0620	2.52	64	1.22	31					7/8	22
6630-0622	10	3/8	M 22X1,5	14	-0622	2.60	66	1.30	33					15/16	24
6630-0824	12	1/2	M 24X1,5	16	-0824	2.72	69	1.42	36					1.1/16	27
6630-1230	19	3/4	M 30X2	20	-1230	3.07	78	1.57	40					1.1/4	32
6630-1236	19	3/4	M 36X2	25	-1236	3.23	82	1.73	44					1.5/8	41
6630-1642	25	1	M 42X2	30	-1642	3.43	87	1.93	49						46

METRIC - DKOS

6711

DKOS FEMALE
24° CONE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS					SPANNER				
	DN	inch	mm	mm		L		C _A		D _L		H _F		H _M	
	DN	inch	mm	mm		inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6711-0416	6	1/4	M 16X1,5	8	-0416	2.40	61	1.34	34			3/4	19		17
6711-0418	6	1/4	M 18X1,5	10	-0418	2.40	61	1.34	34			7/8	22		17
6711-0620	10	3/8	M 20X1,5	12	-0620	2.60	66	1.26	32			15/16	24	3/4	19
6711-0622	10	3/8	M 22X1,5	14	-0622	2.76	70	1.42	36			1.1/16	27		20
6711-0824	12	1/2	M 24X1,5	16	-0824	2.87	73	1.61	41			1.3/16	30	7/8	22
6711-1230	19	3/4	M 30X2	20	-1230	3.19	81	1.73	44				36		28
6711-1236	19	3/4	M 36X2	25	-1236	3.35	85	1.89	48			1.5/8	41	1.3/8	35


FIELD ATTACHABLE COUPLINGS

6000 SERIES FIELD ATTACHABLE INSERTS

METRIC - DKOS

6720

DKOS FEMALE
24° CONE
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch				inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6720-0416	6	1/4	M 16X1,5	8	-0416	2.95	75	1.89	48	0.71	18	3/4	19		17
6720-0418	6	1/4	M 18X1,5	10	-0418	2.91	74	1.85	47	0.67	17	7/8	22		17
6720-0620	10	3/8	M 20X1,5	12	-0620	3.46	88	2.17	55	0.79	20	15/16	24	3/4	19
6720-0622	10	3/8	M 22X1,5	14	-0622	3.50	89	2.20	56	0.75	19	1.1/16	27		20
6720-0824	12	1/2	M 24X1,5	16	-0824	3.94	100	2.64	67	0.94	24	1.3/16	30	7/8	22
6720-1230	19	3/4	M 30X2	20	-1230	4.88	124	3.43	87	1.38	35		36		28
6720-1236	19	3/4	M 36X2	25	-1236	5.08	129	3.62	92	1.38	35	1.5/8	41	1.3/8	35

METRIC - DKOS

6730

DKOS FEMALE
24° CONE
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch				inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6730-0416	6	1/4	M 16X1,5	8	-0416	2.60	66	1.54	39	1.22	31	3/4	19		17
6730-0418	6	1/4	M 18X1,5	10	-0418	2.60	66	1.54	39	1.18	30	7/8	22		17
6730-0620	10	3/8	M 20X1,5	12	-0620	3.07	78	1.77	45	1.42	36	15/16	24	3/4	19
6730-0622	10	3/8	M 22X1,5	14	-0622	3.07	78	1.77	45	1.46	37	1.1/16	27		20
6730-0824	12	1/2	M 24X1,5	16	-0824	3.43	87	2.13	54	1.89	48	1.3/16	30	7/8	22
6730-1230	19	3/4	M 30X2	20	-1230	4.13	105	2.68	68	2.64	67		36		28
6730-1236	19	3/4	M 36X2	25	-1236	4.13	105	2.68	68	2.64	67	1.5/8	41	1.3/8	35

6000 SERIES FIELD ATTACHABLE INSERTS

ORFS

6800

ORFS FEMALE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		Ca		DL		Hf		Hm	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6800-0309	5	3/16	9/16" - 18		-0309	2.09	53	1.26	32			11/16		5/8	16
6800-0409	6	1/4	9/16" - 18		-0409	2.52	64	1.50	38			11/16		5/8	16
6800-0411	6	1/4	11/16" - 16		-0411	2.60	66	1.57	40			13/16		11/16	
6800-0511	8	5/16	11/16" - 16		-0511	2.56	65	1.46	37			13/16		5/8	16
6800-0611	10	3/8	11/16" - 16		-0611	2.76	70	1.42	36			13/16		11/16	
6800-0613	10	3/8	13/16" - 16		-0613	2.87	73	1.54	39			15/16	24	13/16	
6800-0813	12	1/2	13/16" - 16		-0813	2.91	74	1.61	41			15/16	24	13/16	
6800-0816	12	1/2	1" - 14		-0816	3.11	79	1.85	47			1.1/8		15/16	24
6800-1016	16	5/8	1" - 14		-1016	3.35	85	1.93	49			1.1/8		1.1/8	
6800-1019	16	5/8	1.3/16" - 12		-1019	3.46	88	2.05	52			1.3/8	35	1.1/8	
6800-1219	19	3/4	1.3/16" - 12		-1219	3.46	88	1.97	50			1.3/8	35	1.1/8	
6800-1223	19	3/4	1.7/16" - 12		-1223	3.86	98	2.40	61			1.5/8	41	1.3/8	35
6800-1423	22	7/8	1.7/16" - 12		-1423	3.39	86	2.32	59			1.5/8	41	1.3/8	35
6800-1623	25	1	1.7/16" - 12		-1623	4.09	104	2.56	65			1.5/8	41	1.3/8	35
6800-2027	31	1.1/4	1.11/16" - 12		-2027	4.96	126	2.83	72			1.7/8		1.43/50	

ORFS

6810

ORFS FEMALE 45° TUBE BEND



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		Ca		DL		Hf		Hm	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6810-0309	5	3/16	9/16" - 18		-0309	2.60	66	1.81	46	0.71	18	11/16		5/8	16
6810-0409	6	1/4	9/16" - 18		-0409	3.07	78	2.01	51	0.71	18	11/16		5/8	16
6810-0411	6	1/4	11/16" - 16		-0411	3.07	78	2.01	51	0.75	19	13/16		5/8	16
6810-0511	8	5/16	11/16" - 16		-0511	3.23	82	2.13	54	0.79	20	13/16		5/8	16
6810-0611	10	3/8	11/16" - 16		-0611	3.43	87	2.09	53	0.79	20	13/16		11/16	
6810-0613	10	3/8	13/16" - 16		-0613	3.23	82	1.93	49	0.67	17	15/16	24	3/4	19
6810-0813	12	1/2	13/16" - 16		-0813	3.66	93	2.36	60	0.75	19	15/16	24	13/16	
6810-0816	12	1/2	1" - 14		-0816	3.78	96	2.48	63	0.75	19	1.1/8		15/16	24
6810-1016	16	5/8	1" - 14		-1016	4.29	109	2.87	73	0.79	20	1.1/8		1	
6810-1019	16	5/8	1.3/16" - 12		-1019	4.41	112	2.99	76	0.94	24	1.3/8	35	1.1/8	
6810-1219	19	3/4	1.3/16" - 12		-1219	4.49	114	2.99	76	1.14	29	1.3/8	35	1.1/8	
6810-1223	19	3/4	1.7/16" - 12		-1223	4.53	115	3.03	77	1.02	26	1.5/8	41	1.3/8	35
6810-1423	22	7/8	1.7/16" - 12		-1423	4.80	122	3.74	95	1.34	34	1.5/8	41	1.3/8	35
6810-1623	25	1	1.7/16" - 12		-1623	5.51	140	3.98	101	1.34	34	1.5/8	41	1.3/8	35


FIELD ATTACHABLE COUPLINGS

6000 SERIES FIELD ATTACHABLE INSERTS

ORFS

6820

ORFS FEMALE
90° MEDIUM TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6820-0309	5	3/16	9/16" - 18		-0309	2.17	55	1.38	35	1.26	32	11/16		5/8	16
6820-0409	6	1/4	9/16" - 18		-0409	2.64	67	1.57	40	1.26	32	11/16		5/8	16
6820-0411	6	1/4	11/16" - 16		-0411	2.64	67	1.57	40	1.50	38	13/16		5/8	16
6820-0511	8	5/16	11/16" - 16		-0511	2.80	71	1.73	44	1.46	37	13/16		5/8	16
6820-0611	10	3/8	11/16" - 16		-0611	2.99	76	1.69	43	1.50	38	13/16		11/16	
6820-0613	10	3/8	13/16" - 16		-0613	2.99	76	1.69	43	1.61	41	15/16	24	3/4	19
6820-0813	12	1/2	13/16" - 16		-0813	3.35	85	2.05	52	1.61	41	15/16	24	13/16	
6820-0816	12	1/2	1" - 14		-0816	3.46	88	2.17	55	1.85	47	1.1/8		15/16	24
6820-1016	16	5/8	1" - 14		-1016	3.82	97	2.40	61	1.85	47	1.1/8		1	
6820-1019	16	5/8	1.3/16" - 12		-1019	3.94	100	2.52	64	2.28	58	1.3/8	35	1.1/8	
6820-1219	19	3/4	1.3/16" - 12		-1219	4.06	103	2.60	66	2.32	59	1.3/8	35	1.1/8	
6820-1223	19	3/4	1.7/16" - 12		-1223	4.25	108	2.80	71	2.80	71	1.5/8	41	1.3/8	35
6820-1423	22	7/8	1.7/16" - 12		-1423	4.17	106	3.11	79	2.80	71	1.5/8	41	1.3/8	35
6820-1623	25	1	1.7/16" - 12		-1623	4.88	124	3.35	85	2.80	71	1.5/8	41	1.3/8	35
6820-2027	31	1.1/4	1.11/16" - 12		-2027	6.30	160	4.17	106	3.54	90	1.7/8		1.3/4	

ORFS

6830

ORFS FEMALE
90° LONG TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6830-0309	5	3/16	9/16" - 18		-0309	2.20	56	1.38	35	1.85	47	11/16		5/8	16
6830-0409	6	1/4	9/16" - 18		-0409	2.64	67	1.61	41	1.85	47	11/16		5/8	16
6830-0411	6	1/4	11/16" - 16		-0411	2.64	67	1.57	40	2.13	54	13/16		5/8	16
6830-0511	8	5/16	11/16" - 16		-0511	2.72	69	1.61	41	2.13	54	13/16		5/8	16
6830-0611	10	3/8	11/16" - 16		-0611	2.91	74	1.61	41	2.13	54	13/16		11/16	
6830-0613	10	3/8	13/16" - 16		-0613	2.91	74	1.61	41	2.52	64	15/16	24	3/4	19
6830-0813	12	1/2	13/16" - 16		-0813	3.39	86	2.09	53	2.56	65	15/16	24	13/16	
6830-0816	12	1/2	1" - 14		-0816	3.58	91	2.28	58	2.76	70	1.1/8		15/16	24
6830-1016	16	5/8	1" - 14		-1016	3.98	101	2.56	65	2.76	70	1.1/8		1	
6830-1019	16	5/8	1.3/16" - 12		-1019	3.90	99	2.48	63	3.78	96	1.3/8	35	1.1/8	
6830-1219	19	3/4	1.3/16" - 12		-1219	4.25	108	2.80	71	3.78	96	1.3/8	35	1.1/8	
6830-1223	19	3/4	1.7/16" - 12		-1223	4.21	107	2.76	70	4.49	114	1.5/8	41	1.3/8	35
6830-1423	22	7/8	1.7/16" - 12		-1423	4.49	114	3.43	87	4.45	113	1.5/8	41	1.3/8	35
6830-1623	25	1	1.7/16" - 12		-1623	5.20	132	3.66	93	4.45	113	1.5/8	41	1.3/8	35
6830-2027	31	1.1/4	1.11/16" - 12		-2027	6.30	160	4.17	106	5.08	129	1.7/8		1.3/4	

6000 SERIES FIELD ATTACHABLE INSERTS

SAE

6530

SAE MALE
45° CONE




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch	inch		inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6530-0410	6	1/4	5/8" -18		-0410	2.48	63	1.46	37					11/16	
6530-0510	8	5/16	5/8" -18		-0510	2.40	61	1.34	34					5/8	16
6530-0608	10	3/8	1/2" -20		-0608	2.56	65	1.26	32					5/8	16
6530-0610	10	3/8	5/8" -18		-0610	2.60	66	1.30	33					3/4	19

SAE

6540

SAE FEMALE
45° FLARE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch	inch		inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6540-0307	5	3/16	7/16" - 20		-0307	1.73	44	0.91	23			9/16		5/8	16
6540-0407	6	1/4	7/16" - 20		-0407	2.17	55	1.14	29			9/16		11/16	
6540-0408	6	1/4	1/2" -20		-0408	2.17	55	1.14	29			5/8	16	11/16	
6540-0410	6	1/4	5/8" -18		-0410	2.20	56	1.14	29			3/4	19	11/16	
6540-0510	8	5/16	5/8" -18		-0510	2.13	54	1.06	27			3/4	19	11/16	
6540-0608	10	3/8	1/2" -20		-0608	2.32	59	1.02	26			5/8	16	11/16	
6540-0610	10	3/8	5/8" -18		-0610	2.36	60	1.02	26			3/4	19	3/4	19
6540-0612	10	3/8	3/4" -16		-0612	2.44	62	1.14	29			7/8	22	7/8	22
6540-0812	12	1/2	3/4" -16		-0812	2.56	65	1.26	32			7/8	22	7/8	22
6540-0814	12	1/2	7/8" -14		-0814	2.60	66	1.30	33			1		1	
6540-1017	16	5/8	1.1/16" -12		-1017	2.91	74	1.50	38			1.1/4	32	1.1/8	
6540-1217	19	3/4	1.1/16" -12		-1217	2.91	74	1.42	36			1.1/4	32	1.1/8	


FIELD ATTACHABLE COUPLINGS

6000 SERIES FIELD ATTACHABLE INSERTS

SAE

6580

SAE FEMALE
45° FLARE
45° ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6580-0608	10	3/8	1/2" -20		-0608	2.83	72	1.54	39	0.55	14	5/8	16	3/4	19
6580-0610	10	3/8	5/8" -18		-0610	2.87	73	1.54	39	0.59	15	3/4	19	3/4	19

SAE

6570

SAE FEMALE
45° FLARE
90° ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6570-0608	10	3/8	1/2" -20		-0608	2.28	58	0.98	25	0.91	23	5/8	16	3/4	19
6570-0610	10	3/8	5/8" -18		-0610	2.28	58	0.98	25	0.91	23	3/4	19	3/4	19

SAE

6550

SAE FEMALE
45° FLARE
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6550-0307	5	3/16	7/16" -20		-0307	2.36	60	1.57	40	0.59	15	9/16		5/8	16
6550-0510	8	5/16	5/8" -18		-0510	3.07	78	2.01	51	0.67	17	3/4	19	5/8	16
6550-0608	10	3/8	1/2" -20		-0608	3.23	82	1.89	48	0.59	15	5/8	16	11/16	
6550-0610	10	3/8	5/8" -18		-0610	3.27	83	1.97	50	0.67	17	3/4	19	11/16	

6000 SERIES FIELD ATTACHABLE INSERTS

SAE

6560

SAE FEMALE
45° FLARE
90° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6560-0307	5	3/16	7/16" - 20		-0307	2.13	54	1.30	33	1.14	29	9/16		5/8	16
6560-0510	8	5/16	5/8" - 18		-0510	2.80	71	1.73	44	1.30	33	3/4	19	5/8	16
6560-0610	10	3/8	5/8" - 18		-0610	2.99	76	1.69	43	1.30	33	3/4	19	11/16	

SAE

6563

SAE FEMALE
45° FLARE
90° LONG TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6563-0610	10	3/8	5/8" - 18		-0610	2.91	74	1.61	41	2.17	55	3/4	19	11/16	

SAE

6740

SAE INVERTED FLARE MALE



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6740-0407	6	1/4	7/16" - 20		-0407	3.03	77	1.97	50			7/16	11	5/8	16
6740-0510	8	5/16	5/8" - 18		-0510	2.95	75	1.89	48			5/8	16	5/8	16
6740-0610	10	3/8	5/8" - 18		-0610	3.15	80	1.85	47			5/8	16	11/16	
6740-0611	10	3/8	11/16" - 16		-0611	3.31	84	1.97	50			11/16		11/16	


FIELD ATTACHABLE COUPLINGS

6000 SERIES FIELD ATTACHABLE INSERTS

SAE

6780

SAE INVERTED FLARE MALE
90° ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6780-0610	10	3/8	5/8" -18		-0610	2.28	58	0.98	25	1.26	32	5/8	16	3/4	19
6780-0611	10	3/8	11/16" -16		-0611	2.32	59	1.02	26	1.42	36	11/16		3/4	19

SAE

6790

SAE INVERTED FLARE MALE
90° LONG ELBOW




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6790-0610	10	3/8	5/8" -18	-	-0610	2.28	58	0.98	25	2.36	60	5/8	16	3/4	19

SAE

6750

SAE INVERTED FLARE MALE
45° TUBE BEND




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6750-0510	8	5/16	5/8" -18		-0510	4.21	107	3.15	80	0.91	23	5/8	16	5/8	16
6750-0610	10	3/8	5/8" -18		-0610	4.45	113	3.11	79	0.91	23	5/8	16	11/16	

6000 SERIES FIELD ATTACHABLE INSERTS

SAE

6760

SAE INVERTED FLARE MALE
60° TUBE BEND




PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M		
	DN	inch	inch	inch		inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	
6760-0407		6	1/4	7/16" - 20		-0407	3.90	99	2.83	72	1.14	29	7/16	11	5/8	16

SAE

6770

SAE INVERTED FLARE MALE
90° TUBE BEND



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch	inch		inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6770-0407	6	1/4	7/16" - 20		-0407	3.07	78	2.05	52	1.50	38	7/16	11	5/8	16
6770-0510	8	5/16	5/8" - 18		-0510	3.50	89	2.44	62	1.97	50	5/8	16	5/8	16
6770-0610	10	3/8	5/8" - 18		-0610	3.70	94	2.40	61	1.97	50	5/8	16	11/16	

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS


HYDRAULIC FITTINGS
ACCESSORIES

FIELD ATTACHABLE COUPLINGS

6000 SERIES FIELD ATTACHABLE INSERTS

DIMENSIONS FOR SAE CODE 61 AND CODE 62 FLANGES, AND RYCO CODE 62C FLANGES

NOMINAL FLANGE	CODE 61				CODE 62				CODE 62C			
	B		T		B		T		B		T	
inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch
1/2	30,2	1.19	6,73	0.265	31,8	1.25	7,75	0.305				
*5/8	34,0	1.34	6,73	0.265								
3/4	38,1	1.50	6,73	0.265	41,3	1.63	8,76	0.345	41,3	1.63	14,20	0.559
1	44,5	1.75	8,00	0.315	47,6	1.88	9,53	0.375	47,6	1.88	14,20	0.559
1.1/4	50,8	2.00	8,00	0.315	54,0	2.12	10,29	0.405	54,0	2.12	14,20	0.559
1.1/2	60,3	2.38	8,00	0.315	63,5	2.50	12,57	0.495	63,5	2.50	14,20	0.559
2	71,4	2.81	9,53	0.375	79,4	3.13	12,57	0.495	79,4	3.13	14,20	0.559
2.1/2	84,1	3.31	9,53	0.375								
3	101,6	4.00	9,53	0.375								



NOTE: Ryco Code 62C fittings conform to the flange OD and bolt hole patterns of SAE Code 62 but require special flange clamps.
Ryco Code 62C flange heads are thicker than SAE Code 62 and measure T = 14,2 mm (0.559 inch) in all sizes.


SAE FLANGE

6150

SAE CODE 61 FLANGE 45° TUBE BEND

CLAMPS - SEE PAGES 442 & 443

O RING NOT SUPPLIED



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6150-0808	12	1/2			-0808	3.74	95	2.44	62	0.79	20			13/16	
6150-0812	12	1/2			-0812	3.82	97	2.52	64	0.94	24			13/16	
6150-1010	16	5/8			-1010	4.17	106	2.76	70	0.94	24			1	
6150-1212	19	3/4			-1212	4.53	115	3.07	78	1.02	26			1.1/8	
6150-1216	19	3/4			-1216	4.69	119	3.23	82	1.18	30			1.1/8	
6150-1220	19	3/4			-1220	4.80	122	3.31	84	1.26	32			1.1/8	
6150-1616	25	1			-1616	5.35	136	3.82	97	1.18	30			1.3/8	35
6150-1620	25	1			-1620	5.43	138	3.90	99	1.26	32			1.3/8	35
6150-1624	25	1			-1624	5.51	140	3.98	101	1.30	33			1.3/8	35
6150-2016	31	1.1/4			-2016	6.14	156	4.02	102	1.18	30			1.43/50	
6150-2020	31	1.1/4			-2020	6.81	173	4.69	119	1.42	36			2	50
6150-2024	31	1.1/4			-2024	6.93	176	4.80	122	1.50	38			1.43/50	
6150-3232	51	2			-3232	9.33	237	6.57	167	2.28	58			2.3/4	70


6000 SERIES FIELD ATTACHABLE INSERTS

SAE FLANGE

6170

SAE CODE 61 FLANGE
90° TUBE BEND

O RING NOT SUPPLIED
CLAMPS - SEE PAGES 274 & 282



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6170-0808	12	1/2			-0808	3.43	87	2.13	54	1.61	41			13/16	
6170-0812	12	1/2			-0812	3.43	87	2.13	54	1.73	44			13/16	
6170-1010	16	5/8			-1010	3.86	98	2.44	62	1.89	48			1	
6170-1212	19	3/4			-1212	4.13	105	2.68	68	2.13	54			1.1/8	
6170-1216	19	3/4			-1216	4.13	105	2.68	68	2.36	60			1.1/8	
6170-1220	19	3/4			-1220	4.13	105	2.68	68	2.44	62			1.1/8	
6170-1616	25	1			-1616	4.84	123	3.31	84	2.68	68			1.3/8	35
6170-1620	25	1			-1620	4.84	123	3.31	84	2.72	69			1.3/8	35
6170-1624	25	1			-1624	4.84	123	3.31	84	2.87	73			1.3/8	35
6170-2016	31	1.1/4			-2016	5.71	145	3.58	91	2.68	68			1.43/50	
6170-2020	31	1.1/4			-2020	6.34	161	4.21	107	3.03	77			1.43/50	
6170-2024	31	1.1/4			-2024	6.34	161	4.21	107	3.19	81			1.43/50	
6170-2424	38	1.1/2			-2424	7.24	184	4.76	121	3.66	93			2.1/4	57
6170-2432	38	1.1/2			-2432	7.24	184	4.76	121	3.90	99			2.1/4	57
6170-3232	51	2			-3232	8.94	227	6.18	157	4.96	126			2.3/4	70

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS


HYDRAULIC FITTINGS
ACCESSORIES

FIELD ATTACHABLE COUPLINGS

6000 SERIES FIELD ATTACHABLE INSERTS

SALVAGE

6230




SALVAGE / LIFESAVER

PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6230-0304	5	3/16		1/4	-0304	1.69	43	0.87	22					5/8	16
6230-0404	6	1/4		1/4	-0404	2.13	54	1.10	28					5/8	16
6230-0406	6	1/4		3/8	-0406	2.13	54	1.10	28					5/8	16
6230-0506	8	5/16		3/8	-0506	2.09	53	0.98	25					5/8	16
6230-0606	10	3/8		3/8	-0606	2.28	58	0.94	24					11/16	
6230-0608	10	3/8		1/2	-0608	2.28	58	0.94	24					11/16	
6230-0808	12	1/2		1/2	-0808	2.44	62	1.14	29					13/16	
6230-0810	12	1/2		5/8	-0810	2.44	62	1.14	29					7/8	22
6230-0812	12	1/2		3/4	-0812	2.44	62	1.14	29					1.1/16	27
6230-1010	16	5/8		5/8	-1010	2.64	67	1.22	31					1	
6230-1012	16	5/8		3/4	-1012	2.64	67	1.22	31					1	
6230-1212	19	3/4		3/4	-1212	2.64	67	1.18	30					1.1/16	27
6230-1216	19	3/4		1	-1216	2.83	72	1.34	34					1.3/8	35
6230-1416	22	7/8		1	-1416	2.36	60	1.26	32					1.3/8	35
6230-1612	25	1		3/4	-1612	2.99	76	1.46	37					1.3/8	35
6230-1616	25	1		1	-1616	3.07	78	1.54	39					1.3/8	35
6230-1620	25	1		1.1/4	-1620	3.11	79	1.57	40					1.3/4	
6230-1820	28	1.1/8		1.1/4	-1820	2.91	74	1.61	41					1.43/50	
6230-2020	31	1.1/4		1.1/4	-2020	3.86	98	1.73	44					1.3/4	
6230-2224	35	1.3/8		1.1/2	-2224	2.64	67	1.34	34					2	50
6230-2424	38	1.1/2		1.1/2	-2424	4.06	103	1.57	40					2.1/4	57
6230-3232	51	2		2	-3232	4.76	121	1.97	50					2.1/2	

STANDPIPE

6180




IMPERIAL STANDPIPE

PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6180-0405	6	1/4		5/16	-0405	2.72	69	1.69	43					5/8	16
6180-0406	6	1/4		3/8	-0406	2.76	70	1.73	44					5/8	16
6180-0606	10	3/8		3/8	-0606	2.91	74	1.57	40					5/8	16
6180-0608	10	3/8		1/2	-0608	2.91	74	1.57	40					5/8	16
6180-0808	12	1/2		1/2	-0808	3.07	78	1.77	45					13/16	
6180-0810	12	1/2		5/8	-0810	3.35	85	2.05	52					13/16	
6180-1212	19	3/4		3/4	-1212	3.78	96	2.32	59					1.1/16	27
6180-1214	19	3/4		7/8	-1214	4.06	103	2.60	66					1.1/16	27
6180-2020	31	1.1/4		1.1/4	-2020	5.31	135	3.19	81					1.3/4	

6000 SERIES FIELD ATTACHABLE INSERTS

STANDPIPE

6640




METRIC STANDPIPE

PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch	inch		inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6640-0406	6	1/4		6	-0406	2.72	69	1.69	43					5/8	16
6640-0408	6	1/4		8	-0408	2.72	69	1.69	43					5/8	16
6640-0410	6	1/4		10	-0410	2.76	70	1.73	44					5/8	16
6640-0610	10	3/8		10	-0610	2.91	74	1.57	40					11/16	
6640-0612	10	3/8		12	-0612	2.91	74	1.57	40					3/4	19
6640-0614	10	3/8		14	-0614	3.15	80	1.81	46					11/16	
6640-0815	12	1/2		15	-0815	3.15	80	1.85	47					7/8	22
6640-0816	12	1/2		16	-0816	3.35	85	2.05	52					7/8	22
6640-1016	16	5/8		16	-1016	3.54	90	2.13	54					1	
6640-1220	19	3/4		20	-1220	3.86	98	2.36	60					1.1/8	
6640-1222	19	3/4		22	-1222	3.54	90	2.05	52					1.1/8	
6640-1630	25	1		30	-1630	4.45	113	2.91	74					1.3/8	35

TUBE BITE

6850



TUBE BITE

COMPLETE WITH NUT AND FLARELESS OLIVE

PART NO.		HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER		
						L		C _A		D _L		H _F		H _M	
	DN	inch	inch	inch		inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6850-0606		10	3/8	9/16"	3/8	-0606	2.48	63	1.14	29		11/16		3/4	19

FIELD ATTACHABLE COUPLINGS


6000 SERIES FIELD ATTACHABLE INSERTS

UNO (O RING BOSS)

6200

UN O RING MALE
(O RING BOSS)

O RING SUPPLIED




PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6200-0409	6	1/4	9/16" -18		-0409	2.24	57	1.22	31					11/16	
6200-0609	10	3/8	9/16" -18		-0609	2.40	61	1.06	27					3/4	19
6200-0612	10	3/8	3/4" -14		-0612	2.52	64	1.18	30					7/8	22
6200-0614	10	3/8	7/8" -14		-0614	2.56	65	1.26	32					1	
6200-0812	12	1/2	3/4" -14		-0812	2.60	66	1.30	33					7/8	22
6200-0814	12	1/2	7/8" -14		-0814	2.68	68	1.38	35					1	
6200-0817	12	1/2	1.1/16" -12		-0817	2.83	72	1.54	39					1.1/4	32
6200-1014	16	5/8	7/8" -14		-1014	3.11	79	1.69	43					1.1/8	
6200-1017	16	5/8	1.1/16" -12		-1017	3.03	77	1.61	41					1.1/4	32
6200-1021	16	5/8	1.5/16" -12		-1021	3.11	79	1.69	43					1.1/2	38
6200-1217	19	3/4	1.1/16" -12		-1217	3.03	77	1.54	39					1.1/4	32
6200-1221	19	3/4	1.5/16" -12		-1221	3.11	79	1.61	41					1.1/2	38
6200-1617	25	1	1.1/16" -12		-1617	3.50	89	1.97	50					1.1/4	32
6200-1619	25	1	1.3/16" -12		-1619	3.31	84	1.77	45					1.3/8	35
6200-1621	25	1	1.5/16" -12		-1621	3.31	84	1.77	45					1.1/2	38

UNO (O RING BOSS)

6380

UN O RING MALE SWIVEL
(O RING BOSS)

O RING SUPPLIED



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		C _A		D _L		H _F		H _M	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6380-0409	6	1/4	9/16" -18		-0409	2.80	71	1.77	45			11/16		11/16	
6380-0612	10	3/8	3/4" -14		-0612	3.23	82	1.89	48			7/8	22	7/8	22
6380-0814	12	1/2	7/8" -14		-0814	3.35	85	2.05	52			1		7/8	22
6380-1014	16	5/8	7/8" -14		-1014	3.54	90	2.13	54			1		1	


6000 SERIES FIELD ATTACHABLE INSERTS

UNO (O RING BOSS)

6390

UN O RING (BOSS) MALE SWIVEL
90° ELBOW

O RING SUPPLIED



PART NO.	HOSE SIZE		THREAD SIZE	TUBE SIZE	DASH SIZE	DIMENSIONS						SPANNER			
	DN	inch	inch	inch		L		CA		DL		HF		HM	
						inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
6390-0409	6	1/4	9/16" -18		-0409	2.09	53	1.02	26	1.38	35	11/16		9/16	
6390-0412	6	1/4	3/4" -14		-0412	2.17	55	1.10	28	1.65	42	7/8	22	3/4	19
6390-0609	10	3/8	9/16" -18		-0609	2.28	58	0.98	25	1.50	38	11/16		3/4	19
6390-0612	10	3/8	3/4" -14		-0612	2.28	58	0.98	25	1.65	42	7/8	22	3/4	19
6390-0614	10	3/8	7/8" -14		-0614	2.32	59	1.02	26	1.77	45	1		7/8	22
6390-0812	12	1/2	3/4" -14		-0812	2.56	65	1.26	32	1.73	44	7/8	22	7/8	22
6390-0814	12	1/2	7/8" -14		-0814	2.56	65	1.26	32	1.77	45	1		7/8	22

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS





FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES

HYDRAULIC FITTINGS ACCESSORIES

SAE ADAPTORS





SAE FLANGE CLAMPS	S40	S42	S140	S142
-------------------	-----	-----	------	------



NOMINAL FLANGE	DASH SIZE	SPLIT FLANGE CLAMPS CODE 61 SUPPLIED IN PAIRS	SPLIT FLANGE CLAMPS CODE 62 SUPPLIED IN PAIRS	SOLID FLANGE CLAMP CODE 61	SOLID FLANGE CLAMP CODE 62
inch		PART NO	PART NO	PART NO	PART NO
1/2	-08	S40-08	S42-08	S140-08	S142-08
3/4	-12	S40-12	S42-12	S140-12	S142-12
1	-16	S40-16	S42-16	S140-16	S142-16
1.1/4	-20	S40-20	S42-20	S140-20	S142-20
1.1/2	-24	S40-24	S42-24	S140-24	S142-24
2	-32	S40-32	S42-32	S140-32	S142-32
2.1/2	-40	S40-40		S140-40	
3	-48	S40-48		S140-48	
4	-64	S40-64		S140-64	

SAE FLANGE CLAMP KITS - UNC BOLTS	S40K	S42K	S140K	S142K
-----------------------------------	------	------	-------	-------





WITH O RING, BOLTS & WASHERS



NOMINAL FLANGE	DASH SIZE	UNC BOLTS SPLIT FLANGE CLAMP KITS CODE 61	UNC BOLTS SPLIT FLANGE CLAMP KITS CODE 62	UNC BOLTS SOLID FLANGE CLAMP KITS CODE 61	UNC BOLTS SOLID FLANGE CLAMP KITS CODE 62
inch		PART NO	PART NO	PART NO	PART NO
1/2	-08	S40K-08	S42K-08	S140K-08	S142K-08
3/4	-12	S40K-12	S42K-12	S140K-12	S142K-12
1	-16	S40K-16	S42K-16	S140K-16	S142K-16
1.1/4	-20	S40K-20	S42K-20	S140K-20	S142K-20
1.1/2	-24	S40K-24	S42K-24	S140K-24	S142K-24
2	-32	S40K-32	S42K-32	S140K-32	S142K-32
2.1/2	-40	S40K-40		S140K-40	




SAE FLANGE CLAMP KITS - METRIC BOLTS	S40M	S42M	S140M	S142M
--------------------------------------	------	------	-------	-------

WITH O RING, BOLTS & WASHERS



NOMINAL FLANGE	DASH SIZE	METRIC BOLTS SPLIT FLANGE CLAMP KITS CODE 61	METRIC BOLTS SPLIT FLANGE CLAMP KITS CODE 62	METRIC BOLTS SOLID FLANGE CLAMP KITS CODE 61	METRIC BOLTS SOLID FLANGE CLAMP KITS CODE 62
inch		PART NO	PART NO	PART NO	PART NO
1/2	-08	S40M-08	S42M-08	S140M-08	S142M-08
3/4	-12	S40M-12	S42M-12	S140M-12	S142M-12
1	-16	S40M-16	S42M-16	S140M-16	S142M-16
1.1/4	-20	S40M-20	S42M-20	S140M-20	S142M-20
1.1/2	-24	S40M-24	S42M-24	S140M-24	S142M-24
2	-32	S40M-32	S42M-32	S140M-32	S142M-32
2.1/2	-40	S40M-40		S140M-40	

DIMENSIONS OF SAE FLANGES & FLANGE CLAMPS



NOM. FLANGE	DASH SIZE	BØ		T		F		G		PORT THREAD & BOLT LENGTH			
inch		mm	inch	mm	inch	mm	inch	mm	inch	PORT	BOLT	PORT	BOLT
CODE 61													
1/2	-08	30,2	1.19	6,73	0.265	17,5	0.69	38,1	1.50	5/16 - 18	1.1/4	M8 X 1,25	35
*5/8	-10	34,0	1.34	6,73	0.265	19,8	0.78	42,9	1.69	5/16 - 18	1.1/4	M8 X 1,25	35
3/4	-12	38,1	1.50	6,73	0.265	22,2	0.88	47,6	1.88	3/8 - 16	1.1/4	M10 X 1,5	35
1	-16	44,5	1.75	8,00	0.315	26,2	1.03	52,4	2.06	3/8 - 16	1.1/4	M10 X 1,5	35
1.1/4	-20	50,8	2.00	8,00	0.315	30,2	1.19	58,7	2.31	7/16 - 14	1.1/2	M10 X 1,5	40
1.1/2	-24	60,3	2.38	8,00	0.315	35,7	1.41	69,8	2.75	1/2 - 13	1.1/2	M12 X 1,75	45
2	-32	71,4	2.81	9,53	0.375	42,9	1.69	77,8	3.06	1/2 - 13	1.1/2	M12 X 1,75	45
2.1/2	-40	84,1	3.31	9,53	0.375	50,8	2.00	88,9	3.50	1/2 - 13	1.3/4	M12 X 1,75	45
3	-48	101,6	4.00	9,53	0.375	61,9	2.44	106,4	4.19	5/8 - 11	1.3/4	M16 X 2,0	45

CODE 62

1/2	-08	31,7	1.25	7,75	0.305	18,2	0.72	40,5	1.59	5/16 - 18	1.1/4	M8 X 1,25	35
3/4	-12	41,3	1.63	8,76	0.345	23,8	0.94	50,8	2.00	3/8 - 16	1.1/2	M10 X 1,5	40
1	-16	47,6	1.88	9,53	0.375	27,8	1.09	57,2	2.25	7/16 - 14	1.3/4	M12 X 1,75	45
1.1/4	-20	54,0	2.12	10,29	0.405	31,8	1.25	66,7	2.63	1/2 - 13	1.3/4	M14 X 2,0	45
1.1/2	-24	63,5	2.50	12,57	0.495	36,5	1.44	79,4	3.13	5/8 - 11	2.1/4	M16 X 2,0	60
2	-32	79,4	3.13	12,57	0.495	44,5	1.75	96,8	3.8 1	3/4 - 10	2.3/4	M20X 2,5	70

*NOTE: 5/8 is used by Komatsu.

HYDRAULIC FITTINGS ACCESSORIES

SAE ADAPTORS

SAE FLANGE	S979	S980
------------	------	------

BLANK PLUG

O RING NOT SUPPLIED



NOMINAL FLANGE	DASH SIZE	BLANK PLUG CODE 61	BLANK PLUG CODE 62
inch		PART NO	PART NO
1/2	-08	S979-08	S980-08
3/4	-12	S979-12	S980-12
1	-16	S979-16	S980-16
1.1/4	-20	S979-20	S980-20
1.1/2	-24	S979-24	S980-24
2	-32	S979-32	S980-32
2.1/2	40	S979-40	

NOTE: Flat Face side will seal against O Ring port. O Ring side will seal against Flat Face port.
O Ring not supplied.




FLANGE OD can be found on page 275, **CLAMPS** can be found on page 274.

SAE FLANGE	S981	S982	S982C
------------	------	------	-------

TUBE WELD

*[5/8 KOMATSU]

O RING NOT SUPPLIED



NOM. FLANGE A	TUBE OD B	DASH SIZE	CODE 61 O RING FACE SOCKET WELD	CODE 62 O RING FACE SOCKET WELD	RYCO CODE 62C O RING FACE SOCKET WELD
inch	inch		PART NO	PART NO	PART NO
1/2	5/8	-0810	S981-0810		
*5/8	5/8	-1010	S981-1010		
3/4	5/8	-1210	S981-1210		
3/4	3/4	-1212	S981-1212	S982-1212	S982C-1212
3/4	1	-1216		S982-1216	
1	3/4	-1612	S981-1612	S982-1612	S982C-1612
1	1	-1616	S981-1616	S982-1616	S982C-1616
1	1.1/4	-1620	S981-1620		
1.1/4	1	-2016	S981-2016	S982-2016	S982C-2016
1.1/4	1.1/4	-2020	S981-2020	S982-2020	S982C-2020
1.1/4	1.1/2	-2024	S981-2024		
1.1/2	1.1/4	-2420	S981-2420	S982-2420	S982C-2420
1.1/2	1.1/2	-2424	S981-2424	S982-2424	S982C-2424
2	1.1/4	-3220	S981-3220		
2	1.1/2	-3224	S981-3224	S982-3224	
2	2	-3232	S981-3232	S982-3232	
2.1/2	2	-4032	S981-4032		
2.1/2	2.1/2	-4040	S981-4040		

NOTE: **FLANGE OD** can be found on page 275, **CLAMPS** can be found on page 274.

SAE FLANGE/JIC





S1

S3

S2

S2L

CODE 61
O RING NOT SUPPLIED



NOM. FLANGE A	THREAD B	DASH SIZE	CODE 61 FLANGE JIC MALE	CODE 61 FLANGE JIC MALE 45° TUBE BEND			CODE 61 FLANGE JIC MALE 90° TUBE BEND			CODE 61 FLANGE JIC MALE 90° LONG BEND		
inch	inch		PART NO	PART NO	DL1	DL2	PART NO	DL1	DL2	PART NO	DL1	DL2
1/2	3/4	-0812	S1-0812	S3-0812	32	61	S2-0812	58	41			
1/2	7/8	-0814					S2-0814	68	46			
3/4	3/4	-1212	S1-1212				S2-1212	57	46			
3/4	7/8	-1214	S1-1214	S3-1214	38	71	S2-1214	66	50			
3/4	1.1/16	-1217	S1-1217	S3-1217	41	82	S2-1217	75	56			
1	1.1/16	-1617	S1-1617	S3-1617	46	85	S2-1617	78	61			
1	1.5/16	-1621	S1-1621	S3-1621	46	94	S2-1621	88	66	S2L-1621	116	66
1.1/4	1.1/16	-2017					S2-2017	77	62			
1.1/4	1.5/16	-2021	S1-2021	S3-2021	48	96	S2-2021	89	69			
1.1/4	1.5/8	-2026	S1-2026	S3-2026	53	110	S2-2026	104	81			
1.1/2	1.5/16	-2421	S1-2421				S2-2421	87	74			
1.1/2	1.5/8	-2426	S1-2426	S3-2426	55	113	S2-2426	100	86			
1.1/2	1.7/8	-2430	S1-2430	S3-2430	67	125	S2-2430	127	93			
2	1.5/8	-3226					S2-3226	106	88			
2	1.7/8	-3230	S1-3220									
2	2.1/2	-3240					S2-3240	152	125			

NOTE: Drop Lengths (DL) dimensions are in millimetres.

FLANGE OD can be found on page 275, **CLAMPS** can be found on page 274.




SAE FLANGE/JIC

S1H

S3H

S2H

CODE 62
O RING NOT SUPPLIED



NOM. FLANGE A	THREAD B	DASH SIZE	CODE 62 FLANGE JIC MALE	CODE 62 FLANGE JIC MALE 45° TUBE BEND			CODE 62 FLANGE JIC MALE 90° TUBE BEND		
inch	inch		PART NO	PART NO	DL1	DL2	PART NO	DL1	DL2
3/4	7/8	-1214					S2H-1214	66	52
3/4	1.1/16	-1217	S1H-1217	S3H-1217	48	82	S2H-1217	79	55
3/4	1.5/16	-1221					S2H-1221	83	55
1	1.1/16	-1617	S1H-1617				S2H-1617	78	60
1	1.5/16	-1621	S1H-1621	S3H-1621	50	95	S2H-1621	87	69
1.1/4	1.1/16	-2017					S2H-2017	76	66
1.1/4	1.5/16	-2021	S1H-2021						
1.1/4	1.5/8	-2026					S2H-2026	105	79
1.1/2	1.5/16	-2421	S1H-2421				S2H-2421	77	90
1.1/2	1.5/8	-2426	S1H-2426				S2H-2426	102	88
2	2.1/2	-3240					S2H-3240	149	131

NOTE: Drop Lengths (DL) dimensions are in millimetres.




FLANGE OD can be found on page 275, **CLAMPS** can be found on page 274

HYDRAULIC FITTINGS ACCESSORIES

SAE ADAPTORS

SAE FLANGE/ORFS	S147H	S146H	S143H
-----------------	-------	-------	-------

CODE 62
SAE FLANGE
O RING NOT SUPPLIED



NOM. FLANGE A	THREAD B	DASH SIZE	CODE 62 FLANGE ORFS MALE	CODE 62 FLANGE ORFS MALE 45° TUBE BEND	CODE 62 FLANGE ORFS MALE 90° TUBE BEND
inch	inch		PART NO	PART NO DL1 DL2	PART NO DL1 DL2
1	1.7/16	-1623	S147H-1623	S146H-1623 70 125	S143H-1623 94 77
1.1/2	2	-2432			S143H-2432 115 94

NOTE: Drop Lengths (DL) dimensions are in millimetres.
FLANGE OD can be found on page 275, **CLAMPS** can be found on page 274.

ADAPTORS – SAE FLANGE BLOCKS

Ryco SAE Flange Blocks shown on pages 446 to 460 incorporate the SAE Flange Head and the SAE Flange Clamp into a single forged carbon steel unit.

Ryco SAE Flange Blocks with O Ring groove have unthreaded bolt holes.


Ryco Flat Flange blocks **S940F**, **S941F**, **S970F**, **S971F**, **S976F**, **S977F**, **S951F** and **S952F** have UNC threaded bolt holes for use with **FK61** and **FK62** Fastening Kits. (NOTE suffix "F" means Flat Face with UNC threaded bolt holes).

Ryco Flat Flange blocks **S940FM**, **S941FM**, **S970FM**, **S971FM**, **S951FM** and **S952FM** have METRIC threaded bolt holes for use with **FK61M** and **FK62M** Fastening Kits. (NOTE suffix "FM" means Flat Face with METRIC threaded bolt holes).

FOR DIMENSIONS OF SAE FLANGE BLOCKS, SEE PAGE <?>.

Due to restricted clearance on the neck of Socket Weld and BSPP Female Flange Blocks, Hex Head Bolts cannot be used. **FK61**, **FK61M**, **FK62** and **FK62M** Fastening Kits, which include Socket Head Cap Bolts and special Square Section Spring Washers, must be used.

Blind, Butt Weld, BSPP Male and JIC Male Flange Blocks may be used with Hex Head Bolts and standard Spring Washers if preferred.



Bolts are shown for illustration purposes only. Bolts and O Ring are not included. See below for Fastening Kits.

SAE FLANGE BLOCKS	FK61	FK62	FK61M	FK62M
-------------------	------	------	-------	-------

FASTENING KITS
WITH O RING,
SOCKET HEAD
CAP BOLTS
& WASHERS



NOM. FLANGE SIZE	DASH SIZE	SUITS SAE FLANGE BLOCKS CODE 61, UNC BOLTS	SUITS SAE FLANGE BLOCKS CODE 62, UNC BOLTS	SUITS SAE FLANGE BLOCKS CODE 61, METRIC BOLTS	SUITS SAE FLANGE BLOCKS CODE 62, METRIC BOLTS
inch		PART NO	PART NO	PART NO	PART NO
1/2	-08	FK61-08	FK62-08	FK61M-08	FK62M-08
3/4	-12	FK61-12	FK62-12	FK61M-12	FK62M-12
1	-16	FK61-16	FK62-16	FK61M-16	FK62M-16
1.1/4	-20	FK61-20	FK62-20	FK61M-20	FK62M-20
1.1/2	-24	FK61-24	FK62-24	FK61M-24	FK62M-24
2	-32	FK61-32	FK62-32	FK61M-32	FK62M-32

SAE FLANGE BLOCKS

SAE FLANGE BLOCKS

S967

S968

BLIND BLANKING FLANGE
O RING & BOLTS NOT SUPPLIED



NOM. FLANGE SIZE	DASH SIZE	CODE 61 FLANGE BLIND	CODE 62 FLANGE BLIND
inch		PART NO	PART NO
1/2	-08	S967-08	S968-08
3/4	-12	S967-12	S968-12
1	-16	S967-16	S968-16
1.1/4	-20	S967-20	S968-20
1.1/2	-24	S967-24	S968-24
2	-32	S967-32	S968-32


SAE FLANGE BLOCKS

S940

S940F

S940FM

**CODE 61
SOCKET WELD TO SUIT
IMPERIAL TUBE**
O RING & BOLTS NOT SUPPLIED



NOM. FLANGE SIZE	NOM. TUBE SIZE	DASH SIZE	TO SUIT TUBE OD	CODE 61 FLANGE SOCKET WELD TUBE	CODE 61 FLANGE FLAT SOCKET WELD TUBE UNC BOLT HOLES	CODE 61 FLANGE FLAT SOCKET WELD TUBE METRIC BOLT HOLES
inch	inch		mm	PART NO	PART NO	PART NO
1/2	1/2	-0808	12,7	S940-0808	S940F-0808	S940FM-0808
3/4	3/4	-1212	19,1	S940-1212	S940F-1212	S940FM-1212
1	1	-1616	25,4	S940-1616	S940F-1616	S940FM-1616
1.1/4	1.1/4	-2020	31,8	S940-2020	S940F-2020	S940FM-2020
1.1/2	1.1/2	-2424	38,1	S940-2424	S940F-2424	S940FM-2424
2	2	-3232	50,8	S940-3232	S940F-3232	S940FM-3232


SAE FLANGE BLOCKS

S941

S941F

S941FM

**CODE 62
SOCKET WELD TO SUIT
IMPERIAL TUBE**
O RING & BOLTS NOT SUPPLIED









NOM. FLANGE SIZE	NOM. TUBE SIZE	DASH SIZE	TO SUIT TUBE OD	CODE 62 FLANGE SOCKET WELD TUBE	CODE 62 FLANGE FLAT SOCKET WELD TUBE UNC BOLT HOLES	CODE 62 FLANGE FLAT SOCKET WELD TUBE METRIC BOLT HOLES
inch	inch		mm	PART NO	PART NO	PART NO
3/4	3/4	-1212	19,1	S941-1212	S941F-1212	S941FM-1212
1	1	-1616	25,4	S941-1616	S941F-1616	S941FM-1616
1.1/4	1.1/4	-2020	31,8	S941-2020	S941F-2020	S941FM-2020
1.1/2	1.1/2	-2424	38,1	S941-2424	S941F-2424	S941FM-2424
2	2	-3232	50,8	S941-3232	S941F-3232	S941FM-3232





NOTE: Bolts are shown for illustration purposes only. Bolts and O Ring are not included.

HYDRAULIC FITTINGS ACCESSORIES

SAE FLANGE BLOCKS

SAE FLANGE BLOCKS				S970	S970F	S970FM
CODE 61 SOCKET WELD TO SUIT IMPERIAL PIPE O RING & BOLTS NOT SUPPLIED						
NOM. FLANGE SIZE	NOM. PIPE SIZE	DASH SIZE	TO SUIT PIPE OD	CODE 61 FLANGE SOCKET WELD PIPE	CODE 61 FLANGE FLAT SOCKET WELD PIPE UNC BOLT HOLES	CODE 61 FLANGE FLAT SOCKET WELD PIPE METRIC BOLT HOLES
inch	inch		mm	PART NO	PART NO	PART NO
1/2	1/2	-0808	21,3	S970-0808	S970F-0808	S970FM-0808
3/4	3/4	-1212	26,7	S970-1212	S970F-1212	S970FM-1212
1	1	-1616	33,4	S970-1616	S970F-1616	S970FM-1616
1.1/4	1.1/4	-2020	42,2	S970-2020	S970F-2020	S970FM-2020
1.1/2	1.1/2	-2424	48,3	S970-2424	S970F-2424	S970FM-2424
2	2	-3232	60,3	S970-3232	S970F-3232	S970FM-3232

SAE FLANGE BLOCKS				S971	S971F	S971FM
CODE 62 SOCKET WELD TO SUIT IMPERIAL PIPE O RING & BOLTS NOT SUPPLIED						
NOM. FLANGE SIZE	NOM. PIPE SIZE	DASH SIZE	TO SUIT PIPE OD	CODE 62 FLANGE SOCKET WELD PIPE	CODE 62 FLANGE FLAT SOCKET WELD PIPE UNC BOLT HOLES	CODE 62 FLANGE FLAT SOCKET WELD PIPE METRIC BOLT HOLES
inch	inch		mm	PART NO	PART NO	PART NO
3/4	3/4	-1212	26,7	S971-1212	S971F-1212	S971FM-1212
1	1	-1616	33,4	S971-1616	S971F-1616	S971FM-1616
1.1/4	1.1/4	-2020	42,2	S971-2020	S971F-2020	S971FM-2020
1.1/2	1.1/2	-2424	48,3	S971-2424	S971F-2424	S971FM-2424
2	2	-3232	60,3	S971-3232	S971F-3232	S971FM-3232




SAE FLANGE BLOCKS				S976	S976F	S977	S977F
BUTT WELD TO SUIT IMPERIAL PIPE O RING & BOLTS NOT SUPPLIED							
NOM. FLANGE SIZE	NOM. PIPE SIZE	DASH SIZE	TO SUIT PIPE OD	CODE 61 FLANGE BUTT WELD PIPE	CODE 61 FLANGE FLAT BUTT WELD PIPE UNC BOLT HOLES	CODE 62 FLANGE BUTT WELD PIPE	CODE 62 FLANGE FLAT BUTT WELD PIPE UNC BOLT HOLES
inch	inch		mm	PART NO	PART NO	PART NO	PART NO
1/2	1/2	-0808	21,3	S976-0808	S976F-0808	S977-0808	S977F-0808
3/4	3/4	-1212	26,7	S976-1212	S976F-1212	S977-1212	S977F-1212
1	1	-1616	33,4	S976-1616	S976F-1616	S977-1616	S977F-1616
1.1/4	1.1/4	-2020	42,2	S976-2020	S976F-2020	S977-2020	S977F-2020
1.1/2	1.1/2	-2424	48,3	S976-2424	S976F-2424	S977-2424	S977F-2424
2	2	-3232	60,3	S976-3232	S976F-3232	S977-3232	S977F-3232

NOTE: Bolts are shown for illustration purposes only. Bolts and O Ring are not included.

SAE FLANGE BLOCKS

SAE FLANGE BLOCKS	S951	S951F	S951FM
-------------------	------	-------	--------




CODE 61
BSPP FEMALE
O RING & BOLTS NOT SUPPLIED



NOM. FLANGE SIZE	THREAD SIZE	DASH SIZE	CODE 61 FLANGE BSPP FEMALE	CODE 61 FLANGE FLAT BSPP FEMALE UNC BOLT HOLES	CODE 61 FLANGE FLAT BSPP FEMALE METRIC BOLT HOLES
inch	inch		PART NO	PART NO	PART NO
1/2	1/2	-0808	S951-0808	S951F-0808	S951FM-0808
3/4	3/4	-1212	S951-1212	S951F-1212	S951FM-1212
1	1	-1616	S951-1616	S951F-1616	S951FM-1616
1.1/4	1.1/4	-2020	S951-2020	S951F-2020	S951FM-2020
1.1/2	1.1/2	-2424	S951-2424	S951F-2424	S951FM-2424
2	2	-3232	S951-3232	S951F-3232	S951FM-3232

SAE FLANGE BLOCKS	S952	S952F	S952FM
-------------------	------	-------	--------



CODE 62
BSPP FEMALE
O RING & BOLTS NOT SUPPLIED



NOM. FLANGE SIZE	THREAD SIZE	DASH SIZE	CODE 62 FLANGE BSPP FEMALE	CODE 62 FLANGE FLAT BSPP FEMALE UNC BOLT HOLES	CODE 62 FLANGE FLAT BSPP FEMALE METRIC BOLT HOLES
inch	inch		PART NO	PART NO	PART NO
3/4	3/4	-1212	S952-1212	S952F-1212	S952FM-1212
1	1	-1616	S952-1616	S952F-1616	S952FM-1616
1.1/4	1.1/4	-2020	S952-2020	S952F-2020	S952FM-2020
1.1/2	1.1/2	-2424	S952-2424	S952F-2424	S952FM-2424
2	2	-3232	S952-3232	S952F-3232	S952FM-3232

SAE FLANGE BLOCKS	S953	S954
-------------------	------	------

BSPP MALE
O RING & BOLTS NOT SUPPLIED



NOM. FLANGE SIZE	THREAD SIZE	DASH SIZE	CODE 61 FLANGE BSPP MALE	CODE 62 FLANGE BSPP MALE
inch	inch		PART NO	PART NO
1/2	1/2	-0808	S953-0808	S954-0808
3/4	3/4	-1212	S953-1212	S954-1212
1	1	-1616	S953-1616	S954-1616
1.1/4	1.1/4	-2020	S953-2020	S954-2020
1.1/2	1.1/2	-2424	S953-2424	S954-2424


NOTE: Bolts are shown for illustration purposes only. Bolts and O Ring are not included.

HYDRAULIC FITTINGS ACCESSORIES

SAE ADAPTORS


SAE FLANGE BLOCKS	S957	S958
-------------------	------	------

JIC MALE
O RING & BOLTS NOT SUPPLIED



NOM. FLANGE SIZE	THREAD SIZE	DASH SIZE	CODE 61 FLANGE JIC MALE	CODE 62 FLANGE JIC MALE
inch	inch		PART NO	PART NO
1/2	3/4	-0812	S957-0812	S958-0812
3/4	1.1/16	-1217	S957-1217	S958-1217
1	1.5/16	-1621	S957-1621	S958-1621
1.1/4	1.5/8	-2026	S957-2026	S958-2026
1.1/2	1.7/8	-2430	S957-2430	S958-2430

NOTE: Bolts are shown for illustration purposes only. Bolts and O Ring are not included.



RYCO® CRIMP

YOUR SOURCE FOR THE MOST UP TO DATE CRIMP SETTINGS

Stay up-to-date with Ryco's Crimp App, your go-to resource for accurate, efficient, and safe hydraulic hose crimping. Designed with professionals in mind, this innovative app grants instant access to the latest crimp specifications, ensuring precision, and reliability in every assembly.

Whether in the workshop or on the go, the Ryco Crimp App provides real-time access to an extensive database of hose and fitting specifications, helping to reduce downtime and boost productivity. With seamless Bluetooth integration, users can connect to compatible devices for an even more streamlined experience.

Key Features of the Ryco Crimp App:

- Instant Access: to the latest Ryco crimp specifications.
- Bluetooth Integration: for seamless connectivity.
- Easy-to-Use Interface: for quick navigation.

Download the Ryco Crimp App Now!

Enhance your workflow and reduce downtime with the Ryco Crimp App, download it today!



www.ryco-hydraulics.com

T2000 SERIES.....21	T2813.....57	T4660.....88	T6170.....113	T7250.....140
T2010.....21	T2814.....57	T4670.....88	T6330.....114	T7251.....141
T2013.....22	T2810.....58	T4501.....89	T6333.....114	T7243.....141
T2017.....23	T2811.....58	T4840.....89	T6334.....115	T7244.....141
T2020.....23	T2823.....59	T4800.....90	T6335.....115	T7240.....142
T2320.....24	T2824.....59	T4801.....90	T6912.....116	T7241.....142
T2340.....24	T2820.....60	T4810.....91	T6440.....116	T7245.....143
T2028B.....24	T2821.....61	T4811.....91	T6445.....116	T7280.....143
T2024.....25	T2830.....61	T4820.....92	T6443.....117	T7044.....143
T2060.....25	T2831.....62	T4821.....92	T6444.....117	T7122.....144
T2475.....25	T2940.....62	T4830.....92	T6450.....118	T7680.....144
T2050.....26	T2950.....62	T4530.....93	T6453.....118	T7900.....145
T2270.....26	T2870.....63	T4540.....93	T6454.....119	T7501.....145
T2260.....27	T2871.....63	T4570.....93	T6455.....119	T7510.....145
T2210.....27	T2872.....64	T4550.....94	T6353.....120	T7520.....146
T2027.....28	T2480.....64	T4560.....94	T6354.....121	T7630.....146
T2057.....28	T2482.....65	T4740.....94	T6355.....121	T7711.....146
T2277.....29	T2483.....65	T4750.....95	T6359.....122	T7720.....147
T2267.....29	T2530.....66	T4770.....95	T6465.....122	T7730.....147
T2090.....30	T2540.....66	T4870.....96	T6360.....122	T7840.....148
T2091.....30	T2580.....67	T4130.....96	T6914.....123	T7800.....148
T2320N.....31	T2570.....67	T4150.....97	T6916.....123	T7801.....149
T2340N.....31	T2740.....67	T4170.....97	T6918.....123	T7810.....149
T2190.....32	T2780.....68	T4173.....97	T6363.....124	T7811.....150
T2020N.....32	T2790.....68	T4200.....98	T6364.....124	T7823.....150
T2861.....33	T2750.....68	T4230.....98	T6374.....125	T7824.....150
T2030.....33	T2760.....69	T4850.....99	T6460.....125	T7820.....151
T2031.....34	T2770.....69	T6000 SERIES.....100	T6463.....126	T7821.....151
T2040.....35	T2130.....70	T6010.....100	T6464.....126	T7830.....152
T2041.....36	T2150.....71	T6013.....100	T6375.....127	T7831.....152
T2080.....36	T2170.....72	T6020.....101	T6370.....127	T7870.....152
T2081.....37	T2230.....72	T6022.....101	T6373.....128	T7871.....153
T2070.....37	T2180.....73	T6270.....101	T6936.....128	T7872.....153
T2071.....38	T2640.....74	T6260.....102	T6932.....128	T7876.....154
T2250.....38	T2643.....75	T6090.....102	T6930.....129	T7480.....154
T2251.....39	T2646.....75	T6091.....102	T6933.....129	T7482.....154
T2243.....39	T2850.....76	T6020N.....103	T61502.....129	T7483.....155
T2244.....39	T2200.....76	T6030.....103	T61501.....130	T7130.....156
T2240.....40	T2380.....77	T6031.....103	T7000 SERIES.....131	T7140.....157
T2241.....40	T2390.....77	T6040.....104	T7010.....131	T7150.....157
T2280.....41	T4000 SERIES.....78	T6045.....104	T7014.....131	T7300.....158
T2281.....41	T4010.....78	T6250.....104	T7013.....132	T7290.....158
T2220.....42	T4013.....78	T6280.....105	T7020.....132	T7160.....159
T2122.....42	T4320.....79	T6240.....105	T7022.....133	T7170.....159
T2680.....43	T4020.....79	T6900.....105	T7060.....133	T7171.....160
T2682.....43	T4340.....79	T6630.....106	T7050.....133	T7172.....160
T2683.....44	T4050.....80	T6711.....106	T7270.....134	T7173.....160
T2900.....44	T4260.....80	T6720.....106	T7260.....134	T7174.....161
T2650.....45	T4090.....81	T6730.....107	T7210.....135	T7910.....161
T2600.....46	T4320N.....81	T6840.....107	T7027.....135	T7330.....162
T2660.....46	T4020N.....82	T6800.....107	T7057.....135	T7440.....162
T2670.....47	T4030.....82	T6801.....108	T7277.....136	T7450.....163
T2610.....47	T4031.....82	T6810.....108	T7267.....136	T7350.....163
T2501.....48	T4040.....83	T6811.....108	T7090.....136	T7460.....164
T2510.....49	T4041.....84	T6820.....109	T7091.....137	T7360.....164
T2520.....50	T4250.....84	T6821.....109	T7020N.....137	T7370.....165
T2630.....51	T4251.....85	T6871.....109	T7030.....137	T7930.....165
T2711.....52	T4243.....85	T6872.....110	T7031.....138	T7333.....166
T2720.....53	T4240.....86	T6870.....110	T7040.....138	T7443.....166
T2730.....54	T4241.....86	T6876.....110	T7041.....139	T7444.....166
T2470.....55	T4280.....87	T6130.....111	T7039.....139	T7453.....167
T2840.....56	T4281.....87	T6290.....112	T7045.....139	T7454.....167
T2800.....56	T4122.....87	T6150.....112	T7080.....140	T7353.....168
T2801.....57	T4600.....88	T6300.....113	T7070.....140	T7354.....168

T7463.....	169	TT250.....	194	6090 INSERT.....	223	6320N.....	249	S2L.....	277
T7464.....	169	TT251.....	195	V090 COUPLING.....	223	6030.....	250	S1H.....	277
T7363.....	170	TT240.....	195	6030 INSERT.....	224	6040.....	251	S3H.....	277
T7364.....	170	TT241.....	195	V030 COUPLING.....	224	6860.....	252	S2H.....	277
T7373.....	171	TT090.....	196	6040 INSERT.....	225	6080.....	253	S147H.....	278
T7378.....	171	TT600.....	196	V040 COUPLING.....	225	6070.....	253	S146H.....	278
T7374.....	171	TT670.....	196	6070 INSERT.....	226	6250.....	254	S143H.....	278
T7933.....	172	TT540.....	197	V070 COUPLING.....	226	6240.....	255	FK61.....	278
T7640.....	172	TG000 SERIES.....	198	6250 INSERT.....	227	6280.....	256	FK62.....	278
T7230.....	172	TG010.....	198	V250 COUPLING.....	227	6680.....	256	FK61M.....	278
T7200.....	173	TG320.....	198	6240 INSERT.....	228	6650.....	257	FK62M.....	278
T71501.....	173	TG020.....	198	V240 COUPLING.....	228	6600.....	257	S967.....	279
T71502.....	173	TG090.....	199	6280 INSERT.....	229	6660.....	258	S968.....	279
TP000 SERIES.....	174	TG320N.....	199	V280 COUPLING.....	229	6670.....	258	S940.....	279
TP010.....	174	TG020N.....	199	6800 INSERT.....	230	6630.....	259	S940F.....	279
TP020.....	174	TG030.....	200	V800 COUPLING.....	230	6711.....	259	S940FM.....	279
TP050.....	175	TG040.....	200	6810 INSERT.....	231	6720.....	260	S941.....	279
TP122.....	175	TG640.....	200	V810 COUPLING.....	231	6730.....	260	S941F.....	279
TP260.....	175	TW4027.....	201	6820 INSERT.....	231	6800.....	261	S941FM.....	279
TP270.....	176	TW4090.....	201	V820 COUPLING.....	231	6810.....	261	S970.....	280
TP475.....	176	TW4711.....	201	6830 INSERT.....	232	6820.....	262	S970F.....	280
TP090.....	177	8000 SERIES.....	202	V830 COUPLING.....	232	6830.....	262	S970FM.....	280
TP340N.....	177	8111.....	202	6530 INSERT.....	233	6530.....	263	S971.....	280
TP020N.....	178	8020.....	202	V530 COUPLING.....	233	6540.....	263	S971F.....	280
TP030.....	178	8060.....	202	6540 INSERT.....	233	6580.....	264	S971FM.....	280
TP031.....	178	8050.....	203	V540 COUPLING.....	233	6570.....	264	S976.....	280
TP040.....	179	8010.....	203	6550 INSERT.....	234	6550.....	264	S976F.....	280
TP041.....	179	8090.....	204	V550 COUPLING.....	234	6560.....	265	S977.....	280
TP250.....	180	8030.....	204	6560 INSERT.....	234	6563.....	265	S977F.....	280
TP251.....	180	8040.....	205	V560 COUPLING.....	234	6740.....	265	S951.....	281
TP240.....	181	8070.....	205	S740 INSERT.....	234	6780.....	266	S951F.....	281
TP241.....	181	8240.....	206	V740 COUPLING.....	234	6790.....	266	S951FM.....	281
TP280.....	182	8900.....	206	6750 INSERT.....	235	6750.....	266	S952.....	281
TP281.....	182	8530.....	206	V750 COUPLING.....	235	6760.....	267	S952F.....	281
TP650.....	182	8540.....	207	6770 INSERT.....	235	6770.....	267	S952FM.....	281
TP501.....	183	8570.....	207	V770 COUPLING.....	235	6150.....	268	S953.....	281
TP510.....	183	8740.....	207	6230 INSERT.....	236	6170.....	269	S954.....	281
TP520.....	184	8230.....	208	V230 COUPLING.....	236	6230.....	270	S957.....	282
TP630.....	184	8180.....	208	6200 INSERT.....	237	6180.....	270	S958.....	282
TP711.....	185	8200.....	208	V200 COUPLING.....	237	6640.....	271		
TP720.....	185	8100.....	209	6000 SERIES.....	238	6850.....	271		
TP730.....	186	8640.....	209	K000.....	238	6200.....	272		
TP470.....	186	33000 SERIES.....	210	L000.....	238	6380.....	272		
TP640.....	187	33111.....	210	M000.....	238	6390.....	273		
TP643.....	187	33410.....	211	P000.....	238	S40.....	274		
TP646.....	187	33020.....	211	K000.....	240	S42.....	274		
TP800.....	188	33024.....	212	L000.....	240	S140.....	274		
TP801.....	188	33010.....	212	M000.....	241	S142.....	274		
TP810.....	189	33400.....	213	P000.....	241	S40K.....	274		
TP811.....	189	33090.....	213	V000.....	241	S140K.....	274		
TP820.....	189	33400N.....	214	6010.....	242	S142K.....	274		
TP821.....	190	33040.....	214	6020.....	243	S40M.....	275		
TP540.....	190	33130.....	215	6320.....	244	S42M.....	275		
TP570.....	190	33150.....	216	6340.....	244	S140M.....	275		
TT000 SERIES.....	191	33170.....	216	6024.....	244	S142M.....	275		
TT010.....	191	33200.....	217	6052.....	245	S979.....	276		
TT320.....	191	33420.....	217	6060.....	245	S980.....	276		
TT020.....	192	V000 SERIES.....	218	6050.....	246	S981.....	276		
TT050.....	192	BSPT.....	220	6270.....	246	S982.....	276		
TT260.....	192	BSPP.....	221	6260.....	247	S982C.....	276		
TT030.....	193	6270 INSERT.....	222	6210.....	247	S1.....	277		
TT031.....	193	V270 COUPLING.....	222	6090.....	248	S3.....	277		
TT040.....	194	6260 INSERT.....	222	6091.....	248	S2.....	277		
TT041.....	194	V260 COUPLING.....	222	6960B.....	249				

INTRODUCTION

INDEXES

ONE-PIECE
COUPLINGS

PUSH-ON SUCTION &
RETURN COUPLINGS

FIELD ATTACHABLE
COUPLINGS

HYDRAULIC FITTINGS
ACCESSORIES



www.ryco-hydraulics.com



SCAN HERE FOR MORE
CONTACT INFORMATION